

SAFETY DATA SHEET Deb Instant Foam Complete

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Deb Instant Foam Complete

 Product number
 DIS1000ML, DIS250ML, DIS47ML, DIS400ML, IFS250ML, IFS1000ML, IAF400ML, IFS47ML, 2717, IFS1LTFEN, 2719, 2720, 2718, 2719EX, FI2718, IFS1LTFSC, FI2720, 6770720, 6770730, 6770736, 6770749, DIX400ML, DIX1L, DIF1200, 2720EX, DIF1247, IFS1LTFNL, DIF12400EX, DIF610EX, dif610, IFS1LTFDE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

1.3. Details of the supplier of the safety data sheet

Supplier	SC Johnson Professional Ltd
	Denby Hall Way
	Denby
	Derbyshire
	DE5 8JZ
	+44 (0) 1773 855100
	info.prouk@scj.com

1.4. Emergency telephone number

Emergency telephone	National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)
	National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

Classification (EC 1272/2008)	
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
2.2. Label elements	
Hazard pictograms	



Danger

Hazard statements

Signal word

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P404 Store in a closed container. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	BPR001 Use biocides safely. Always read the label and product information before use.
Supplementary precautionary statements	 P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P264 Wash contaminated skin thoroughly after handling. P280 Wear eye protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/inform	nation on ingredients		
3.2. Mixtures			
ETHANOL			80%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX	
Classification			
Flam. Liq. 2 - H225			
Eye Irrit. 2 - H319			
The full text for all hazard staten	nents is displayed in Section 16.		
SECTION 4: First aid measures			
4.1. Description of first aid meas	ures		
General information	 Set medical attention if any discomfort cont	inues	

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical attention if any discomfort continues.
Skin contact	Not relevant.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.
4.2. Most important sympto	ms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	None known.
Eye contact	May cause severe eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	The product is highly flammable.
Hazardous combustion products	Oxides of carbon.
5.3. Advice for firefighters	
Protective actions during firefighting	Fight fire from safe distance or protected location.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Keep away from heat, sparks and open flame. Avoid contact with eyes. Good general ventilation should be adequate to control worker exposure to airborne contaminants.
Advice on general occupational hygiene	Do not smoke in work area.
7.2. Conditions for safe storage	e, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Store at temperatures not exceeding 40°C. Take precautionary measures against static discharges.
Storage class	Flammable liquid storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure contro	Is/Personal protection
8.1. Control parameters	
Occupational exposure limits ETHANOL	
	our TWA): WEL 1000 ppm 1920 mg/m³
WEL = Workplace Exposure L	
Ingredient comments	WEL = Workplace Exposure Limits
	ETHANOL (CAS: 64-17-5)
DNEL	Professional - Inhalation; local effects: 1900 mg/m ³
	Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m ³
	Consumer - Inhalation; local effects: 950 mg/m ³
	Consumer - Dermal; Long term systemic effects: 206 mg/kg/day
	Consumer - Inhalation; Long term systemic effects: 114 mg/m ³
	Consumer - Oral; Long term systemic effects: 87 mg/kg/day
PNEC	- marine water; 0.79 mg/l
	- Fresh water; 0.96 mg/l
	- Intermittent release; 2.75 mg/l
	- STP; 580 mg/l - Sediment (Freshwater); 3.46 mg/kg
	- Sediment (Heshwater); 2.9 mg/l
	- Soil; 0.63 mg/kg
	COCOGLUCOSIDE (CAS: 68515-73-1)
DNEL	Workers - Inhalation; Long term systemic effects: 420 mg/m ³
	Workers - Dermal; Long term systemic effects: 595000 mg/kg/day
	General population - Inhalation; Long term systemic effects: 124 mg/m ³
	General population - Dermal; Long term systemic effects: 357000 mg/kg/day General population - Oral; Long term systemic effects: 35.7 mg/kg/day
PNEC	- Fresh water; 0.176 mg/l
	- marine water; 0.0176 mg/l
	- Intermittent release; 0.27 mg/l - STP; 560 mg/l
	- StiP, 500 mg/i - Sediment (Freshwater); 1.516 mg/kg
	- Sediment (Marinewater); 0.152 mg/kg
	- Soil; 0.654 mg/kg
8.2. Exposure controls	

Protective equipment

$ \left[\begin{array}{c} \end{array} \right] $
$\langle f \rangle$

Appropriate engineering controls	Not relevant.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Not applicable.
Other skin and body protection	Not relevant.
Hygiene measures	Do not smoke in work area. Promptly remove any clothing that becomes contaminated.
Respiratory protection	Not relevant.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Not determined.
рН	pH (concentrated solution): 5.0-7.5
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	~ 15.3°C A.9
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	~ 0.844 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	2.67 mPa s @ 20°C
Explosive properties	Not determined.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	

Other information	No information required.
SECTION 10: Stability and read	ctivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous re	eactions
Possibility of hazardous reactions	Not known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition	n products
Hazardous decomposition products	Oxides of carbon.
SECTION 11: Toxicological info	ormation
11.1. Information on toxicologic	al effects
Acute toxicity - oral Notes (oral LD∞)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - development Specific target organ toxicity - s	Does not contain any substances known to be toxic to reproduction.

STOT - single exposure	No information available.			
Specific target organ toxicity - repeated exposure				
STOT - repeated exposure	No information available.			
Aspiration hazard				
Aspiration hazard	Based on available data the classification criteria are not met.			
General information	No specific health hazards known.			
Inhalation	No specific health hazards known.			
Ingestion	May cause nausea, headache, dizziness and intoxication.			
Skin contact	Skin irritation should not occur when used as recommended.			
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.			

Toxicological information on ingredients.

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	10,470.0
Species	Rat
ATE oral (mg/kg)	10,470.0
Acute toxicity - dermal	
Acute toxicity dermal (LD∞ mg/kg)	20,000.0
Species	Rabbit
Acute toxicity - inhalation	
Acute toxicity inhalation (LC ₅₀ vapours mg/l)	117.0
Species	Rat
ATE inhalation (vapours mg/l)	117.0
Skin corrosion/irritation	
Animal data	Oedema score: Very slight oedema - barely perceptible (1).
12: Ecological information	

ETHANOL

SECTION

Ecotoxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

Toxicity

The product is not expected to be toxic to aquatic organisms.

Ecological information on ingredients.

ETHANOL

Acute aquatic toxicity

	Acute toxicity - fish		LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow) LC₅₀, 96 hours: mg/l, Fish
	Acute toxicity - ac invertebrates	quatic	EC₅₀, : 858 24H mg/l, Marinewater invertebrates EC₅₀, > 48 hours: 10000 mg/l, Daphnia magna EC₅₀, 48 hours: mg/l, Daphnia magna
	Acute toxicity - ac plants	quatic	EC₅₀, 72 hours: 275 mg/l, Freshwater algae IC₅₀, 72 hours: 5000 mg/l, Algae
12.2. Persis	stence and degrada	bility	
Persistence	and degradability	The prod	uct is expected to be biodegradable.
12.3. Bioac	cumulative potentia	<u>l</u>	
Bioaccumul	ative potential	No data	available on bioaccumulation.
Partition co	efficient	Not dete	rmined.
12.4. Mobili	ty in soil		
Mobility		The prod	uct is soluble in water.
12.5. Result	ts of PBT and vPvE	3 assessm	ent
Results of F assessment	PBT and vPvB t	This proc	duct does not contain any substances classified as PBT or vPvB.
12.6. Other	adverse effects		
Other adver	rse effects	None kno	own.
SECTION 1	3: Disposal consid	erations	
13.1. Waste	e treatment method	s	
13.1. Waste General info			andling waste, the safety precautions applying to handling of the product should be ed.
	ormation	When ha consider This mat product o	
General info	ormation	When ha consider This mat product c whereve	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info	ormation ethods 4: Transport inform	When ha consider This mat product c whereve	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info	ormation ethods 14: Transport inform umber	When ha consider This mat product c whereve	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info Disposal me SECTION 1 14.1. UN nu	ormation ethods 14: Transport inform umber DR/RID)	When ha consider This mat product o whereve	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info Disposal me SECTION 1 14.1. UN nu UN No. (AD	ormation ethods 14: Transport inform umber DR/RID) DG)	When ha consider This mat product o wherever	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info Disposal mo SECTION 1 14.1. UN nu UN No. (AD UN No. (IMI	ormation ethods 14: Transport inform <u>umber</u> 0R/RID) DG) AO)	When ha consider This mat product o wherever nation	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info Disposal mo SECTION 1 14.1. UN nu UN No. (AD UN No. (IC/ UN No. (AD	ormation ethods 14: Transport inform <u>umber</u> 0R/RID) DG) AO)	When ha consider This mat product of wherever nation 1170 1170 1170	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info Disposal mo SECTION 1 14.1. UN nu UN No. (AD UN No. (IC/ UN No. (AD	ormation ethods 4: Transport inform umber DR/RID) DG) AO) DN) oper shipping name	When hat consider this mat product of wherevel the the term of	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products
General info Disposal mo SECTION 1 14.1. UN nu UN No. (AD UN No. (IMI UN No. (IC/ UN No. (IC/ UN No. (AD 14.2. UN pr Proper ship (ADR/RID)	ormation ethods 4: Transport inform <u>umber</u> 0R/RID) DG) AO) 0N) roper shipping name	When hat consider This mat product of wherever nation 1170 1170 1170 1170 EE	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products r possible.
General info Disposal me SECTION 1 14.1. UN nu UN No. (AD UN No. (IM) UN No. (IC/ UN No. (IC/ UN No. (IC/ UN No. (AD 14.2. UN pr Proper ship (ADR/RID) Proper ship	ormation ethods 4: Transport inform umber DR/RID) DG) AO) DO) N) oper shipping name ping name ping name (IMDG)	When hat consider This mat product of wherevel nation 1170 1170 1170 1170 E ETHANC	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products r possible.
General info Disposal me SECTION 1 14.1. UN nu UN No. (AD UN No. (IM) UN No. (IC/ UN No. (IC/ UN No. (IC/ UN No. (AD 14.2. UN pr Proper ship Proper ship Proper ship	ormation ethods 4: Transport inform umber DR/RID) DG) AO) DO) N) oper shipping name ping name ping name (IMDG)	When ha consider This mat product of wherevel 1170 1170 1170 1170 E ETHANC ETHANC	ed. erial and its container must be disposed of as hazardous waste. Dispose of waste or used containers in accordance with local regulations Reuse or recycle products r possible. DL SOLUTION (ETHYL ALCOHOL SOLUTION)

ADR/RID class	
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3
Transport labels	



14.4. Packing group

ADR/RID packing group	П
IMDG packing group	II
ICAO packing group	П
ADN packing group	Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user		
EmS	F-E, S-D	
ADR transport category	2	
Emergency Action Code	•2YE	
Hazard Identification Number (ADR/RID)	33	
Tunnel restriction code	(D/E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
SECTION 15: Regulatory information		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.
Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information		
General information	Use biocides safely. Always read the label and product information before use.	
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.	
Revision comments	(EU) 2015/830	
Revision date	10/12/2018	
Revision	20	
Supersedes date	26/10/2018	
SDS number	20973	
Hazard statements in full	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.	
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.