

**Delivering safety, welfare,  
site equipment and tools for the  
construction industry**



## Welcome to your 2019/20 OnSite Support Catalogue

For us, everybody matters. As specialists in safety, welfare, site equipment and tools for the construction industry; we believe in putting people first.

When my father Richard began this venture over 40 years ago, he knew he wanted to do more than just start a business. Working in and around the construction industry, he saw how crucial safety and wellbeing were – both to getting the job done right, and ensuring the people doing it could go home in one piece every day to their families.

He believed that more could be done to help contractors deliver on those aims, by putting people – both ours and theirs – at the heart of the process. Because then, as now, the people matter far more than the product. You might find that strange coming from someone who makes a living selling products, but it's absolutely true.

Selling a good product isn't good enough. It has to be the right product, for the right members of the team, for the right task, at the right time. And that means really getting to know our clients. Talking to them, listening to them, understanding what they truly need, so that we can make it happen.

We've taken the time to ensure we supply the right products for our clients, so we value your feedback on our products and services outlined in this catalogue. Please get in touch on the details below.

Best regards,



Warren Lynes, Managing Director

01293 744 444


hello@onsite-support.co.uk

Visit our website [onsite-support.co.uk](http://onsite-support.co.uk)



Damian, Richard and Warren – the directors of OnSite Support

Fast delivery  
 Next day delivery if ordered before 5pm  
 Same-day delivery within the M25 if ordered before 10am  
 Our Trade Counter in Crawley, West Sussex is open from 6am – 5pm each week day for instant collections



## Contents

- 4 Our Mission and Values
- 6 Why We're Different
- 8 Our History
- 10 Our Home
- 12 What We Offer
- 14 Our Services
- 18 Quality & Product Assurance
- 20 Our Role as Innovators
- 22 Sustainability
- 24 Safety & Clothing
- 138 Site Welfare
- 176 Site Equipment
- 264 Tools & Engineering
- 308 Some of Our Team
- 310 Stories From Our Staff
- 312 Index
- 316 Online Ordering Made Simple



## Our Mission and Values

### Our Mission

For over 40 years, we've worked on the principle that safety and productivity go hand-in-hand; and for us, safety starts and finishes with people.

Listening to and caring about our own people and our clients alike means we can deliver what everyone wants: the right product, into the right hands, at the right time, without fail – so everyone goes home safe, and happy too.

That's why we'll still be here, in another 40 years, doing what we've always done best: putting people first.

### Our Values

#### We care about people.

We put people first. We invest in personal relationships. We look after our clients and each other.

#### We're positive & helpful.

We approach every interaction with a 'can-do' attitude. When we encounter challenges, we work together to find the solution.

#### We go the extra mile.

We don't just tick boxes. We ask ourselves "what does the client really need?" and then find a way to deliver it.

#### We're committed to learning and innovation.

We're always learning. We use that knowledge to help our clients, and to consistently lead on innovation.

#### We strive for excellence.

We seek to be the very best at what we do, so that our clients, in turn, can excel and thrive.

## Why We're Different

There are plenty of great products on the market, and plenty of ways to source them.


But we know, as you do, that ensuring the safety, wellbeing and productivity of each person working on your site is not as simple as buying good products. For us, safety and wellbeing in construction starts and finishes with people.

Getting to know our clients, and their workforce, is the most fundamental part of what we do. Put simply, if we really understand your goals and challenges – both as a business, and as individuals – then we'll be better equipped to provide what you really need, when you need it. That's good for you, because you and your workforce will be able to get on with the job safely and happily. And it's good for us because the trust it generates between us will help develop a long-term partnership.

This belief in working for mutual advantage is at the heart of how we run our business, and it starts with our own staff. They enjoy free meals at work, an on-site gym, and a fantastic benefits package. Our thinking is simply that if we look after them well, then each member of our team – from senior managers to delivery drivers – will go out of their way to look after you.

Because in the end, each of our clients is different, and their needs evolve and develop as their businesses grow. If we're to support you properly, then we need to be 100% committed to understanding those needs on an ongoing basis, and be prepared to do whatever it takes to deliver them. Whether that means a bespoke product innovation, more data and information to help you manage budgets, another pair of eyes on a problem you've been grappling with, or just faster deliveries, we're there to help you find the answers.

In our view, that's the best way for us ALL to succeed.



# Our History

## 1976

Our story began over 40 years ago, when Richard Lynes started Beaver Construction Supplies in January 1976, running his business out of his home and the greenhouse.

He started to supply existing contacts with tools and access equipment, but soon realised that they all shared a much greater common need: stocked architectural ironmongery. Lightweight metal frames were enabling fast, inexpensive and flexible construction of office space at that time, but typical lead times for these materials were as long as 12 weeks, hampering progress on sites.

To solve this problem, Richard built partnerships with manufacturers in the Midlands, drew up monthly supply contracts, and invested heavily in stock. The result was a massive reduction in lead times for his clients, and as a result the business began to grow rapidly.

## 1988

Business boomed in the 80s, but in order to focus more on his family, who were still very young, Richard sold Beaver Construction to begin a new venture, OnSite Supplies, trading from Horley in Surrey. This business grew steadily, supplying tools and site equipment for the construction industry and agricultural merchants.

"Something we learned was there is always a quality end to a market. Not just quality brands, but products and services fit for purpose; it's what you do and how you do it with these products, knowledge, care and a passion to serve clients' needs." – Richard Lynes

## 1999

A decade later, Richard, now supported by his sons Warren and Damian, had cemented OnSite Supplies' reputation as a leading supplier to the construction industry.

They expanded their offer to the industry further by acquiring Highline, a quality workwear company.



Operating from home, out of 4 garages in Redhill



Us at work during the early days

## 2004

In January 2004, Richard and his family invested in the current premises in Three Bridges, Crawley, West Sussex, which they rebuilt. They officially moved into the new offices and warehouse space in July 2004.

## 2011

Acquisition of Andrew Beattie & Co., a welding and consumable distribution company.

## 2012

By 2012 it became clear that having outgrown its old premises, the business had outgrown its original name. It had become much more than just a supplier to its clients, working with them continually to understand their needs and challenges, offering them the most suitable products and processes, and providing bespoke advice.

Richard, Warren and Damian decided to reflect this shift from supplier to business partner by renaming the business as OnSite Support Ltd, in January 2012.

"OnSite Support continues to look ahead to provide our clients with more than merely supplies. Our goal is to provide support for the client with reliable, innovative processes all encapsulated in our business to give the OnSite Experience." – Richard Lynes

## 2016

OnSite Support underwent a state of the art fit-out and rolled out the OnSite Experience for clients, an articulation of our commitment to an exceptional customer experience of knowledge, honesty, friendliness, helpfulness and positivity.

## 2018

With the business continuing to grow, Richard formally passed over the reins to his sons Warren and Damian. Together, they commissioned a redesign of the OnSite Support brand, and developed an updated set of values – contained in this document – to reflect the past, present and future of the company.



Our current headquarters



State of the art fit-out in 2016



## Our Home

Situated in Crawley, close to Gatwick Airport, the M23 and M25, our headquarters is the permanent base for over 50 staff, as well as housing our trade counter and warehousing for well over £2.5m of stock.

This means all the different roles within our team can easily collaborate to make sure our clients get what they need.

Our headquarters also include a gym, state-of-the-art meeting rooms, and facilities which enable us to provide meals on-site for all our staff. Just as on a construction site, a happy workplace is a productive one, and we pride ourselves on creating a positive and welcoming atmosphere.

We look forward to showing you around soon.





## What We Offer

As a business which believes in putting people first, delivering exceptional client service is at the heart of what we do.

Strong relationships help us deliver great service, which is why each of our clients have dedicated, named Account Managers to ensure that we're constantly listening, understanding your challenges and responding to your needs. We commit to responding to all requests and queries within one hour, and although we can't always provide instant solutions, we believe in doing whatever it takes to find the answer for you and keeping you updated throughout the process.

As a family owned company, we cherish the partnerships we have with our clients, and we look forward to working with you. We offer a number of practical services that set us apart from many of our competitors, and which our clients value highly:

**Fast Delivery** – Supporting site teams with urgent and important deliveries is one of the most valuable features to the clients of OnSite Support. We offer same-day and next-day deliveries on a wide range of products.

**Special Product Sourcing** – Every job is different and brings new challenges. We understand that sometimes, supplies and equipment have to be modified to suit the parameters of a specific requirement. Talk to us to tap into our expertise!


**Corporate Uniform Personalisation and Branding Services** – A key part of our business is that we offer a garment making and personalising service. From one garment to thousands, we're experts in the many methods of garment marking, including embroidery, heat-seal transfers and screen printing.

**Fully Bespoke Workwear Branding Service** – We can work with you to create a unique corporate image entirely from scratch. Our team will listen to your requirements, visit the working environments and get an understanding of your brand values in order to get the look and feel just right; drawing on our experience in fabrics and garment function to develop fit-for-purpose ideas and turn them into practical, visually effective and relevant garments that exceed expectations.

**Product Demonstration** – With an innovative product range, clients often need to see and trial before the purchase. We'll bring to you a range of the right products, and run the necessary trials and reports to find the best solutions and accessories to maximise success.

**Training** – We'll not only supply the right solution, but also help your team to use the solution properly. We invest significantly in product and development training of the OnSite Support team, and we want to pass this expertise on to you.

**eProcurement** – With every passing day, OnSite Support improves its e-procurement system. We can demonstrate real-world savings through simple site-based systems which are easy to implement, reduce administration and improve the speed and efficiency of your procurement system. Back-office savings in POD and invoice processing can be demonstrated and our feedback loops ensure collaboration with clients further improve our platform, for the benefit of all.



## Our Services

Products alone can't be successful unless they are properly selected and managed. That's why we, in collaboration with trusted partners, offer a full range of services to help you ensure that your overall approach to safety is continually optimised.



**1. Eye Protection Audit**  
(PRODUCT CODE: SP5AUDIT)

The human eye is one of the most fragile parts of the body, yet throughout your life, it never stops moving and you won't go a day without using them.

When was the last time you audited your eyewear? Is it still appropriate or applicable to the task you and your team are doing? Personal Protective Equipment (PPE) in general should be audited regularly to ensure you are still using the correct equipment. But when it comes to eyewear, most of us simply look at the EN166 rating and consider that a case closed. The opposite could not be more true.

We will work with you, alongside a trusted and respected eyewear specialist to ensure that your protective eyewear is suitable and appropriate.

This service comes with recommendations and suggestions based on experience and best practice. We are able to support findings with campaigns on your sites to drive improvements.

As part of this service, we can make recommendations on prescription safety spectacles, where they should be implemented and best practice to ensure best value for money and appropriate levels of protection are observed.

See page 45 for more information on eye protection standards.

### 2a. Respiratory Hazard Audit

(PRODUCT CODE: MA3AUDIT)

Deaths from work related respiratory diseases are approximately 12,000 every year (Source HSE, 2017). For that reason, we offer an RPE audit to all our clients.

We work with you to identify your tasks, risks, outline best practices and spread awareness throughout your organisation to ensure everyone is aware of the dangers and their responsibilities.

Working alongside a selection of industry leading manufacturers, we will issue a full report on our findings and recommendations and work with you to ensure you are keeping your employees safe.

See page 102 for help on understanding the different standards.

### 2b. Respiratory Face Fit Testing & Train The Trainer Sessions

(PRODUCT CODE: MA1FFT)

It's never enough to apply legislation, perform an audit and then leave users to their own devices. The HSE stipulates under COSHH (2002) that any tight-fitting RPE supplied by the employer must be fit tested with the wearer. This is to ensure the wearer is suitably protected.

Reflecting our core value of everybody matters, we work with experts in the industry to provide you with a face fit test and train the trainer sessions, helping you to keep your employees safe and healthy. Whether you have five staff or 500 staff, we can equip you with the tools or reinforcements you need to fulfil your legal and moral obligations with minimal disruption to staff and tasks.

### 3. Fire Hazard Audit & Extinguisher Location/Type/Quantity Recommendation

(PRODUCT CODE FE8AUDIT)

Whenever you set up a new site, it's imperative that you are proactive when it comes to assessing fire hazards. We will work with you to arrange not only the installation of brand new fire extinguishers, along with recommendations of location, type, size and quantity, but also engage in audits of present placements.

Whether or not you have an ageing population of extinguishers which need auditing, servicing recycling or re-filling, we are here to help you.

We only work with recognised providers of fire-fighting equipment, who are trained and qualified in the service, repair, supply and installation of site-based fire extinguisher solutions, so you can trust us to keep you in the safest hands possible. Always look to combine this with a signage audit to put your time to best effect.

### 4. Head Protection Audit

(PRODUCT CODE HM3AUDIT)

Head protection options have come on in leaps and bounds in the last 10 years. With more standards than ever before, do you know which one you need to be observing?

In the vast majority of cases, simply adhering to EN397 is good enough. However, for companies which engage in a variety of tasks, work at height, as well as on and below the ground, more considerations are necessary.

After spending time getting to know what work you do, where you do it, and what features you appreciate from head protection (hint, it's not always the price of weight), we can recommend a solution for you.

As a distributor of multiple branded hard hats, you can trust us to identify the head protection that best fits your needs, and is sympathetic to your budget.

See pages 58–59 for help understanding the different standards.



### 5. Hand Protection & Hazard Audit With Report

(PRODUCT CODE GL4AUDIT)

Gloves are an ever changing market, and you may constantly be battling with your staff to ensure they are wearing the most protective gloves possible to prevent injury.

We can always prevent injuries to hands by providing more protective gloves, but we have to balance protection with risk and dexterity. Our hand hazard audits are carried out in combination with a UK leading manufacturer of protective gloves.

We work with you to learn about the work and tasks you carry out and then use our extensive experience and links with industry experts to provide a tailored recommendation and best practice.

Everything we offer is supported with literature and posters, with further site visits to reinforce best practice and advice where required.

See pages 26–27 for help understanding hand protection standards.

### 6. Protective Footwear & Task Hazard Audit With Report

(PRODUCT CODE: FW4AUDIT)

Utilising the industry knowledge of a leading UK manufacturer of footwear, we will carry out Foot Protection Audits for clients, establish common dangers and comfort issues and make recommendations.

We specifically focus on the benefits of using footwear, which users appreciate since this generally improves productivity and the care of products.

Every job and every individual is different. We will work with you to identify where your hazards are, and proffer advice concerning the best footwear to use in your specific operations.

See page 95 for details on footwear standards.



### 7a. Spill Control & Hazard Audit

(PRODUCT CODE: ES1AUDIT)

We've been providing guidance on spill control, prevention and best practice for over 20 years. With a wealth of site-based experience, our staff are able to advise you on products available, placement locations and much more.

We always work with the environment in mind, whilst still realising savings for clients on a spill control front.

We also ensure you have a control system capable of dealing effectively, safely and appropriately with a spill, be it oil or chemical based.

We can offer everything from advice and recommendations on traditional spill control solutions, through to modern, innovative and environmentally friendly options, as well as working with you to design bespoke spill protection for unique tasks.

### 7b. Spill Control Level One Training Course & Qualification

(PRODUCT CODE: ES1QUAL)

OnSite Support is proud to be offering a spill control training course, complete with recognised qualification, and led by industry-known experts, with you in the director's seat.

This is a safety-first course which sets out to teach all personnel about the safe use and deployment of a spill kit and absorbents. The training meets all EA/SEPA/NIEA, DEFRA and ISO14001 requirements. It is something we have undertaken for our own staff and highly recommend you do so as well.

Its objective is to instruct personnel on the safe, correct response to spillage incidents and the use of spill kits and absorbents. Knowing how best to deal with a spill will not only preserve the environment in which you are working, but protect your site from extra cost, downtime and litigation.

Additionally, it covers waste disposal, limitations of absorbent products and post incidence actions, which means you can relax, safe in the knowledge that we're covering all the bases for you.

The course is fully certified which means there will be a certificate of attendance at the end, to demonstrate your training and that of your team, which all helps to demonstrate your adherence, not just to legal ecological responsibilities but moral duties of care to the environment in which we all work, live and play.

### 8. Tailored Training Session on Working at Height

(PRODUCT CODE: HN1TRAIN)

Falls from height are, year on year, the biggest killer in the workplace. That's why it's always been an aim of OnSite Support, as it is for the HSE, to educate and increase awareness of risks of working at height, and how to tackle them.

This training session aims to ensure that all attendees understand the importance of using the correct fall arrest and restraint systems and is tailored to your site to ensure it works in tandem with your policies and procedures.

We strongly advise that when working at height, both your operatives and their tools are prevented from falling. As such, we recommend this training session on working at height is twinned with a Tethered Tooling Audit and Training Session.



### 9. Tailored Session on Tool Tethering Principles

(PRODUCT CODE: SFATRAN)

It's no secret that falling objects can kill people. Even if no injury is caused, how much time does it take to retrieve dropped tools? How much does it cost to replace them?

This training session aims to cover all these points and more, by bringing the importance of observing tool tethering practises to site and office.

This course can be tailored to suit your exact requirements, including range, specific examples and citing your own policies. We can also offer guidance and insight into how your policies can be improved to match the ever-innovating world of tethered tooling.

### 10. Toolbox Talk & Hands-On Training Session

(PRODUCT CODE: TR9TT1)

The best way to spread a message on a busy site is with a hands-on toolbox talk – we know, we've been doing it for years. With an exceptionally broad array of product expertise at our fingertips, our staff are perfectly positioned to provide toolbox talks to satisfy any requirement.



Name the time and place and we'll do the rest, tailoring the content to your needs and mirroring the message your organisation is looking to promote.

From hand tools to PPE, and skincare to signage, we're here to support you and your drives to improve. You may choose to focus on a broad range, or single product. That's up to you.

### 11. Site Signage Compliance & Recommendation Audit

(PRODUCT CODE: OS2AUDIT)

Signage is a fairly straightforward thing for a site to consider, but yet it is very often made overcomplicated and unwieldy by the injection of layer upon layer of regulation and consideration.

Let us help you cut through that by using our expertise, gleaned over the past decade and honed against the supply of signage to keep buildings and sites compliant.

From high rise block signage to temporary escape signage, we are positioned to provide you with recommendations of signage, standard, layout and location to keep you compliant and ensure your site runs smoothly.

Our approach is dynamic in that we can provide solutions in a variety of sizes and layouts so that even awkward locations can be catered for. Our bespoke audit will cover everything from warning and fire, to directional and wayfinding signage.

As signage is often a large impression maker for client visitors, we offer a bespoke branding service whereby you may top and tail any of our signs with your logo, slogan or both, whilst maintaining all required compliance.

### 12. Cabling Audit

(PRODUCT CODE: TR9TT1)

Trips, slips and falls are still a considerable cause for concern on many sites. Where temporary lighting and power is required, cables will often be trailed across a workspace.

We consider all aspects of our client's site to advise best practice methodologies to enable compliant, safe and productive environments for staff.

We offer a range of simple and cost-effective solutions to mitigate the danger of a trip hazard. At its most simple, the audit takes into account HSE best practice and how to implement it sensibly, at its more complex it can be tailored to investigate all areas of your cabling practises.

For more information or to book one of these services, please call us on **01293 744 444** or email [hello@onsite-support.co.uk](mailto:hello@onsite-support.co.uk) and quote the relevant Product Code.



## Quality & Product Assurance

We believe in safety, quality and excellence.

We only provide reliable, safe and high performance products, and our quality policy ensures continuous improvement in our quality management activities.

In all our work, we commit to:

- Comply with all applicable laws and regulations.
- Follow a concept of continuous improvement and make best use of our management resources in all quality matters.
- Communicate our quality objectives and our performance against these objectives throughout OnSite Support and to interested parties.
- Ensure that all items which can be CE marked, are CE marked. Where CE marking is not available or appropriate, we investigate the credentials of the manufacturer and ensure that appropriate, independent testing is carried out, validating that the product(s) are of suitable quality and safe to use.
- Take due care to ensure that activities are safe for employees, clients, suppliers and any others who come into contact with our work.
- Work closely with our clients and suppliers to establish the highest quality standards.
- Adopt a forward-looking view on future business decisions which may have quality impacts.
- Train our staff in the needs and responsibilities of quality management.

To assist the company in achieving its quality requirements we are committed to operating in a manner that sustains registration to the International Quality Standard ISO 9001:2015.

It is our belief that, in operating to these standards, it will meet the requirements of our clients and the industry.

Finally, we constantly review the prices of our products to ensure they are affordable and fair.

For us, this is all part of putting people first.

## Our Role As Innovators

We don't think it's always good enough to simply supply products 'off the peg'. We've only done our job properly if what we supply really works for you, and that means three things.

Firstly, **listening hard**. We don't just wait for our clients to give us feedback, we actively seek it. Often this happens as part of ongoing communications, but we also make sure we capture feedback more formally. Most recently we conducted a major independent survey both of our own clients, and those who use our competitors. The information this gave us is actively helping us to continually innovate and develop both the products and the service we provide.

Secondly, **working closely with manufacturers**. We love creating bespoke solutions (see below!) but in the end the most efficient solution is one that is manufactured at scale. Hence it's essential that we're constantly learning from and influencing manufacturers for your benefit. We need to understand what they're focusing on in terms of product development and give them feedback from us and from you about what works, and what needs to change.

But sometimes what you really need just doesn't exist, and that's when we **step up to create something unique** that does exactly the job you need it to do. Here are just two of many examples where we've innovated directly to solve our clients' problems.

### Portable fire and safety solutions


**Situation:** In 2017 a client came to us asking for help in managing their on-site fire equipment. They were using handmade wooden cabinets, constructed on each site, for the storage of fire-fighting equipment. These were neither robust nor professional, and critically they could not be easily moved.

**Challenge:** Create a more robust and professional solution for storage of fire-fighting equipment.

**What we did:** We redesigned the cabinet in metal and mounted it to a trolley.

This reduced the weight, improved the durability and made the finished unit more professional, portable and functional. During scoping, needs were also identified for first-aid and spill management storage, and we decided to extend the system to encompass these too.

**Result:** A simple but very effective system of colour coded trolley cabinet systems for fire, first-aid, and spill management; improving safety and flexibility on the client's site, and in the process raising their profile and reputation for safety and environmental protection.



### Tool tethering


**Situation:** Clients made us aware that they were having frequent issues working at height, dropping tools and equipment.

**Challenge:** Improve tool retention solutions to protect people from tools dropped when working at height.

**What we did:** We developed our system in partnership with key accounts, noting how they operated at height, their work procedures and tool types. We identified the best methods of retaining tools, released best practice guidelines, engaged in training and toolbox talks, and introduced innovative methods of retrofitting tether points to tools to save companies from spending more than required, and to tether tools already in use.

The main aim has always been public safety – a focus echoed through our key clients with whom we work, but an additional benefit has been improvements in productivity, as work does not need to cease should a tool be dropped. As it is retained, the worker simply retrieves it, inspects the lanyard and continues working.

**Result:** This range has grown and we are proud to report that we are the preferred supplier of tethered tooling to a large group of our key clients. Our staff are able to offer advice on tethering virtually any tools used on site.



## Sustainability

We believe we can all work together to provide a more sustainable future for generations to come, so that everyone benefits – but we can't do it alone. That's why our goal is to work in collaboration with our clients, as partners. Not only to meet their needs in the present, but to do so without compromising the ability of future generations to meet their own needs.

Sustainability is more than just reducing your carbon footprint. It's about managing and coordinating environmental, social and financial demands to ensure responsible, ethical and continued success. Hence, our efforts to grow sustainably are focussed in three key areas: the environment, business ethics, and community & social responsibility.

### Environmental Impact

Here are just a few of our current initiatives focussed on our own environmental impact:

**Carbon emissions reduction:** As part of our fuel emissions strategy and FORS accreditation, we're working with clients to consolidate deliveries where possible, and we're currently trialling use of electric vehicles with a view to rolling these out across our logistics fleet.

**Waste reduction:** As part of our ISO 14001 accreditation, we have implemented numerous paperless systems including e-PODs and digital invoices that can be downloaded from the bespoke client portal on our website.

**Energy-efficiency strategies:** We've installed LED lighting throughout our premises including the office and warehouse. This type of lighting uses 90% less energy than standard halogen lighting, further reducing our carbon footprint.

**Green supply chain management:** We're actively seeking and finding ways to deliver our range from materials which are both sustainably produced and can be recycled. We're also working to reduce the plastic content of our packaging and launching initiatives to encourage suppliers to omit non-recyclable plastics from the ranges we supply. Key examples include FSC certification for timber products, reduced use of polypropylene in clothing, and increased use of much longer-lasting EVA material in our footwear. We also have numerous products with the EU Ecolabel, meaning the full lifecycle of these products from raw material to how it's disposed of can be traced.

### Environmental Effect

Just as important to us as the work we do to manage our own impact, are the partnerships we seek to form with all our clients to help them manage the environmental impact of their projects. We can offer a range of support in this area, including advice on:

- Sustainable product and service solutions, minimising waste and reducing carbon footprint.
- Minimising the impact of vibration, air, light and noise pollution.
- Protecting landscape, wildlife, vegetation and water courses through more effective spill management.

### Business Ethics

We believe that strong business ethics guide sustainable growth. We are committed to trading and working with our clients, employees, contractors, suppliers and any other individuals and organisations, in accordance with the best moral practices. We believe in treating people fairly, and place a high value on the relationships we have with our clients and supply chain partners.

Our employees are expected to exercise the highest level of integrity, ethics and objectivity in their actions and professional relationships, and to act in the long-term best interests of OnSite Support at all times.

### Community & Social Responsibility

We believe in playing our part to support the people we live and work amongst, so that both business and community can thrive.

We volunteer with and donate on a monthly basis to the Rapid Relief Team: supporting local communities in times of need and providing catering for the emergency services when responding to major incidents.

Annually we hold fundraising events for a variety of charities such as British Heart Foundation, Macmillan, Breast Cancer Now, Shelter and Save The Children.

We also support fundraising events that our clients, employees and suppliers are raising money for, such as sponsored bike rides and marathons.

As well as making a positive impact on our communities, we believe these activities also help bring our staff together in a different context, building and strengthening the team that serves our clients, so everyone benefits. For us, that's a perfect example of what sustainable business is all about.



# Safety & Clothing

OnSite Support understands the importance of keeping site workers safe and comfortable on site. Whether you are after a PPE supplier to source a full range of branded safety clothing and equipment, or you just need a pair of safety boots – we will endeavour to find the ideal solution for your company.

We pride ourselves on our customer service and industry knowledge to ensure your products are delivered quickly and hassle-free to your sites. From hi-vis jackets to waterproof clothing, we can advise on the most comfortable and suitable products for your project and workers.

26	Hand protection	93	Flame retardant clothing
43	Eye & face protection	94	Foot protection
57	Head protection	104	Disposable protection
65	Hearing protection	105	Respiratory protection
69	Hi-Vis clothing	113	Fall protection
77	Ladies Hi-Vis clothing	118	Tethered tooling
79	Hi-Vis rail clothing	130	Hats, bags & accessories
83	Thermal clothing	132	First aid kits, defibrillators & accessories
84	Waterproof clothing	137	Other safety & clothing products
88	Workwear & corporate wear		

**Please note:** Items are subject to change. Please check our website for the most up to date list at [onsite-support.co.uk](https://onsite-support.co.uk)

# Hand protection

Hand protection isn't just to make a job easier or more comfortable to complete, but mainly to prevent injury. Have you ever stopped to think about just how much less you'd be able to do if you couldn't use your hands for a week?

That's why we collaborate with you when you're looking to review your hand/arm protection selection on site. Once you've identified your risk, we take a look at what sort of protection and performance you need.

## Safety standards



Gloves will carry four numbers plus an optional fifth number denoting impact protection.



**Abrasion (1-4):** applying a spinning abrasive disc to the glove establishes its longevity and abrasion resistance.



**Cut (1-5):** using a pizza wheel style cutter (Coup test), the glove material is tested for resistance to cut. The more passes the blade conducts, the higher the number.



**Tear (1-4):** the glove material is subjected to a stretch test. Higher numbers denote more resistance to pull-apart force.



**Puncture (1-4):** a 4.5mm diameter puncture probe is pushed through the material. The more resistant to breakage the material is, the higher the number.

**Notes:** EN388 cut tests now use ISO 13997 if the coup test sees a blunting of the blade. The puncture test does not extend to hypodermic needles since the puncture test is designed to force apart the material fibres, not pierce them.

Example gloves:



GLTG5180 – page 39

GL2SS3 – page 35



Although mirroring the same tests as EN388:2003, the cut test used is a resistance cut (ISO13997). The blade is replaced after each pass and the glove is given a letter at the end of its rating to denote how resistant it is. This is A (lowest) to F (highest).

It is generally accepted that EN388:2003 cut rated gloves of 1, 3 and 5 correspond with EN388:2016 cut rated gloves of A, B and C-F. If unsure, please talk to us.

Example gloves:



GLCPU5 – page 31

GLTG3210 – page 36

**UPDATE:**  
It's important to note that EN388:2003 has been superseded by EN388:2016. The biggest change is to the cut test where if any blunting of the blade during cut test occurs, then the more stringent EN388:2016 test shall apply.

To make it easy to identify, the 2016 ISO standards use letters (A-F) rather than numbers (1-5) which the 2003 system used. Existing EN388:2003 ratings are valid until 2021 so don't be put off by a cut level 5 glove conforming to the 2003 standard.

Do be aware that a Cut level C glove will have been tested a little more firmly as you'll see below.



If you're looking for chainsaw gloves, then you'll be needing this rating! Be wary since usually only the left hand glove will carry the protection.



If you're working in cold environments, EN511 assures you that the gloves will keep you safe and protected from the cold.

Example gloves:



GLTG5070 – page 37



All industrial gloves offering some form of protection must comply with

**EN420.** This standard ensures that size designation, markings and pictograms are included where appropriate.

Example gloves:



GLLN1 – page 42



This covers protective gloves which are used to guard against chemicals and

**microorganisms.** You'll find the rating on disposable gloves and gauntlets.

Example gloves:



GL2BC1 – page 41



If there is thermal risk involved, then you should use gloves conforming to EN407.

Example gloves:



SGA103 – page 40

We offer a Hand Protection & Hazard Audit With Report. See page 15 for more information.

# INVENTORS OF THE ORIGINAL COLOUR-CODED SAFETY GLOVES

Our system is proven to reduce hand accidents and save costs in the workplace.


**RED** gloves are for low cut risk tasks, the colour serves as a warning, reminding the wearer to consider whether further protection is required when switching to a different task.

**AMBER** gloves offer a medium level of cut protection, which makes them the ideal choice for second fix construction trades, mechanical & electrical trades and steel fixing.

**GREEN** gloves provide the higher protection necessary for tasks such as applying cladding and metal work, handling glass with sharp edges and unknown risks.

## A NEW STANDARD EN388:2016

Introducing a new cut test EN ISO 13997 which is a more accurate representation of real life risks.



**The Original**  
COLOUR CODED SAFETY GLOVES  
Invented by TraffiGlove



**Traffi**  
CELEBRATING 10 YEARS

[www.traffiglove.com](http://www.traffiglove.com)

## Hand protection

### Cotton Stockinette Gloves

- Cotton knit and knitted wrist for comfort
- Ambidextrous
- One size



Code: **GL1S00**

### Constructor Concreter's Gloves

- 13 gauge seamless, fully-coated red latex gloves coating the palm, fingers and back of the hand
- A second layer of black foam latex covers the palm and fingers
- Provides protection against minor cuts and abrasions on the palm and fingers
- Avoids leaving fingerprints on components being handled
- **EN388:2003:2131**



Size:  
8 (M)  
9 (L)  
10 (XL)

Code:  
**GL2CG1-08**  
**GL2CG1-09**  
**GL2CG1-10**

### Constructor Professional Concreting Gloves

- A 15 gauge lined, flat nitrile-coated gloves with sponge nitrile to palm and generous cuff length
- Resistant to oils, acids and alkalis
- Superb for a variety of mechanical handling tasks including: concreting, aggregate and general construction work, machinery maintenance and heavy industry
- Blue
- **EN388:2003:3121**



Size:  
9 (L)  
10 (XL)  
11 (2XL)

Code:  
**GL2PC1-09**  
**GL2PC1-10**  
**GL2PC1-11**

### 377 Concreter's Gloves

- Liquid-proof, nitrile undercoat for oil protection and an additional foam nitrile coating on top for excellent grip in wet and oily applications
- Fully coated, extra coating on palm
- Reinforced knit cuff, scalloped edge
- Flexible, robust gloves offering great dexterity and with good resistance to tearing
- Protects the hand from oils, hydrocarbons, grease and abrasion, with optimal long-lasting grip
- Impermeable for working in damp or greasy environments, with increased resistance to abrasion for better durability
- Minimal allergy risks
- Designed for easy movement and continuous wear
- No irritation by seams in contact with the skin
- Wrist well protected
- **EN388:2003:4121**



Size:  
8 (L)  
9 (XL)  
10 (2XL)

Code:  
**GLS377-08**  
**GLS377-09**  
**GLS377-10**

For the latest pricing visit [onsite-support.co.uk](http://onsite-support.co.uk)

# Hand protection

## Tenactiv Nitrile Palm Anti Impact Cut 5 Gloves

- High-strength fibre for total comfort and extended glove life
- Lint-free, continuous filament yarn that is stronger than steel on an equal-weight basis
- Nitrile-coating is foamed to increase your grip in oil by displacing oil on surfaces, while the thermo plastic rubber (TPR) backing reduces back-of-hand injuries and increases impact protection, all without impeding flexibility or dexterity
- Applications: handling sharp objects; glass plants; construction; automotive industry; aerospace industry; metal fabrication; metal stamping
- **EN388:2003:4544**



Size:	Code:
7 (S)	<b>GL2TNP1-07</b>
8 (M)	<b>GL2TNP1-08</b>
9 (L)	<b>GL2TNP1-09</b>
10 (XL)	<b>GL2TNP1-10</b>
11 (2XL)	<b>GL2TNP1-11</b>

## Seamless Knitted Gloves With Anti-Vibration Coating

- Unique coating helps to reduce the effects of impact, shock and vibration whilst offering a greater level of dexterity
- Foam coating offers excellent grip



Size:	Code:
9 (L)	<b>GLASTL1-09</b>
10 (XL)	<b>GLASTL1-10</b>

## Constructor Lightweight Nitrile Coated Gloves

- Seamless knitted nylon lightweight handling gloves with nitrile coating, providing excellent dexterity and comfort
- Ideal for damp conditions
- Dry and wet handling gloves
- 12 pairs per pack
- **EN388:2003:4121**



Size:	Code:
8 (M)	<b>GLCNC1-08</b>
9 (L)	<b>GLCNC1-09</b>
10 (XL)	<b>GLCNC1-10</b>
11 (2XL)	<b>GLCNC1-11</b>

## Skytec Ninja Lite Ultra Lightweight Nylon PU Palm Coated Gloves

- Ultra-light palm coating for those tasks requiring extra dexterity and feel
- **EN388:2003:4131**



Size:	Code:
8 (M)	<b>GL2SN1-08</b>
9 (L)	<b>GL2SN1-09</b>
10 (XL)	<b>GL2SN1-10</b>

## Skytec Krypton Nitrile Palm-Coated Gloves

- Durable, tear and abrasion resistant with excellent flexibility
- **EN388:2003:4121**



Size:	Code:
9 (L)	<b>GL2SK1-09</b>
10 (XL)	<b>GL2SK1-10</b>

## Constructor Latex Coated Knitted Gloves

- Latex-dipped, cotton knitted gloves ideal for most construction and related trade tasks
- Good wet and dry grip
- Orange
- **EN388:2003**



Size:	Code:
8 (M)	<b>GL3ABS1-08</b>
9 (L)	<b>GL3ABS1-09</b>
10 (XL)	<b>GL3ABS1-10</b>

## Premium Grip Knitted Gloves

- Latex-dipped, cotton knitted gloves ideal for most construction and related trade tasks
- Good wet and dry grip
- **EN388:2003**



Size:	Code:
9 (L)	<b>GL3PGG5-09</b>
10 (XL)	<b>GL3PGG5-10</b>

## Impact Mitt Fingerless Lycra Gloves

- Fingerless four-way stretch polycotton Lycra glove liners with synthetic silicone-coated palm for extra grip
- Gel inserts
- Comfort fit
- Reflective piping
- Ideal for use with power tools
- Minimal risk



Size:	Code:
9 (L)	<b>GLAM01-09</b>
10 (XL)	<b>GLAM01-10</b>

## Constructor Cut 5 Lightweight Polyurethane Coated Gloves

- Offering the highest level of cut protection
- Provides excellent protection in all environments
- Dry handling gloves
- **EN388**



Size:	Code:
8 (M)	<b>GLCPU5-08</b>
9 (L)	<b>GLCPU5-09</b>
10 (XL)	<b>GLCPU5-10</b>
11 (2XL)	<b>GLCPU5-11</b>

## Constructor Lightweight Polyurethane Coated Gloves

- Ideal for dry work conditions
- Provides excellent dexterity and comfort
- **EN388:2003**



Size:	Code:
7 (S)	<b>GLCPU1-07</b>
8 (M)	<b>GLCPU1-08</b>
9 (L)	<b>GLCPU1-09</b>
10 (XL)	<b>GLCPU1-10</b>
11 (2XL)	<b>GLCPU1-11</b>

## 3 Digit Matrix Mechanics Gloves

- Flexible, close fitting mechanics style gloves
- Reinforced in key areas giving the user additional protection
- Has three open fingers for greater dexterity when handling components and tools
- Versatile gloves feature a synthetic leather palm with reinforced palm grip patches, spandex on the back of the hand for comfort, and Neoprene® on the knuckles for extra protection
- Combined with the reinforced liner, offers good overall protection while maintaining excellent levels of comfort and flexibility
- Adjustable velcro wrist strap for a secure fit
- **EN388:2003:2121**



Size:	Code:
8 (M)	<b>GLMMG2-08</b>
9 (L)	<b>GLMMG2-09</b>
10 (XL)	<b>GLMMG2-10</b>
11 (2XL)	<b>GLMMG2-11</b>

# Hand protection

## TraffiGlove Classic 1 Cut 1 X-Dura PU Coated Gloves

- Lightweight gloves with a generous cuff length for use in dry conditions
- Liner: Nylon, 15g
- Flexible and very comfortable
- Excellent dexterity
- Close fitting
- Durable PU coating
- **EN388:2016:4131A**

Lightweight gloves with a generous cuff length for use in dry conditions



Size:	Code:
6 (XS)	GLTG1010-06
7 (S)	GLTG1010-07
8 (M)	GLTG1010-08
9 (L)	GLTG1010-09
10 (XL)	GLTG1010-10
11 (2XL)	GLTG1010-11

## TraffiGlove Metric 3 Digit Gloves

- Lightweight PU gloves with three exposed fingertips for improved dexterity
- Good level of abrasion resistance for use in dry conditions
- Close fitting design and good grip makes it an ideal choice for general handling tasks
- Breathable
- Durable PU coating
- **EN388:2016:3X21A**



Size:	Code:
6 (XS)	GLTG1220-06
7 (S)	GLTG1220-07
8 (M)	GLTG1220-08
9 (L)	GLTG1220-09
10 (XL)	GLTG1220-10
11 (2XL)	GLTG1220-11

## TraffiGlove Morphic 1 Cut 1 MicroDex Ultra Coated Gloves

- Close fitting and flexible gloves with a high-tech MicroDex Ultra coating that provides excellent grip in wet, dry and oily conditions
- Close fitting
- Highly-dextrous gloves
- MicroDex Ultra coating provides great oil resistance and grip combined with extreme durability and comfort
- Liner: Nylon
- Coating: MicroDex Ultra
- **EN388:2016:3131X**



Size:	Code:
7 (S)	GLTG1140-07
8 (M)	GLTG1140-08
9 (L)	GLTG1140-09
10 (XL)	GLTG1140-10
11 (2XL)	GLTG1140-11

## TraffiGlove Active Cut 1 Coated Gloves

- Latest dipping technology provides complete water-resistant coating with a high-comfort liner
- Flexible and very comfortable
- Dry and wet handling gloves
- Elastic wrist for easy donning
- Good abrasion resistance
- Ideal to be worn with the TraffiGlove Thermal Liner GLTG005 in cold weather
- Liner: Seamless knitted red nylon
- Coating: Red Soflex™ coating
- **EN388:2016:4121X**



Size:	Code:
8 (M)	GLTG180-08
9 (L)	GLTG180-09
10 (XL)	GLTG180-10
11 (2XL)	GLTG180-11

## TraffiGlove Centric 1 Cut 1 Waterproof Gloves

- Lightweight, rubber-coated handling gloves suitable in wet and dry conditions
- High-stretch liner delivers an outstanding wearer experience
- Excellent dexterity, highly tactile
- Flexible and very comfortable
- High tear resistance
- Rugged and durable grip
- **EN388:2016:3131X**



Size:	Code:
8 (M)	GLTG1050-08
9 (L)	GLTG1050-09
10 (XL)	GLTG1050-10
11 (2XL)	GLTG1050-11

## TraffiGlove TG1210 Metric, Cut Level A, Abrasion Resistant Lightweight PU Gloves

- Good level of abrasion resistance for use in dry conditions
- The close-fitting design and good grip makes it an ideal choice for general handling tasks
- Nylon liner with PU coating
- Excellent dry work
- **EN388:2016:3X21A**



Size:	Code:
7 (S)	GLTG1210-07
8 (M)	GLTG1210-08
9 (L)	GLTG1210-09
10 (XL)	GLTG1210-10
11 (2XL)	GLTG1210-11

# Hand protection

## TraffiGlove Nitric 1 Nitrile Coated Gloves

- Lightweight gloves with high-stretch, comfort liner and generous cuff length, for use in many different applications
- Delivering extended wear life and all day comfort
- Flexible and very comfortable
- Excellent dexterity, highly tactile
- Liner: Nylon
- Coating: X-Dura Nitrile
- **EN388:2016:4131X**



Size:	Code:
7 (S)	GLTG1170-07
8 (M)	GLTG1170-08
9 (L)	GLTG1170-09
10 (XL)	GLTG1170-10
11 (2XL)	GLTG1170-11

## TraffiGlove Hydric 1 Cut 1 Waterproof Gloves

- Flexible, highly comfortable and waterproof gloves with an extended cuff providing additional cut protection
- Ideal for outdoor construction and civil engineering
- **EN388:2016:4131A**



Size:	Code:
7 (S)	GLTG1060-07
8 (M)	GLTG1060-08
9 (L)	GLTG1060-09
10 (XL)	GLTG1060-10
11 (2XL)	GLTG1060-11

## Uvex Unidur 6659 Nitrile Foam Palm-Coated Cut 5 Gloves

- Lightweight cut protection gloves with Nitrile foam coating to palm offering a high level of sensitivity
- Perfectly suited to precision assembly work requiring tactility and cut protection
- Reliable cut protection with HPPE/fibreglass combination
- Maximum blade cut resistance (level 5/C), very high abrasion resistance, very high tear resistance
- Certified to **EN388:2003:4543** and to **EN388:2016:4X43C**



Size:	Code:
8 (M)	GL2UU1-08
9 (L)	GL2UU1-09
10 (XL)	GL2UU1-10

## Skytec Sapphire Lightweight Cut 3 Gloves with Polyurethane Coated Palm

- Suitable for cut-risk applications that demand high tactility
- Superior precision handling of small components
- Secure grip in light oily and dry conditions
- Excellent resistance to abrasion and tears for extended durability
- Sanitized® antimicrobial finish provides extra freshness
- Light blue
- **EN388:2003:4342**



Size:	Code:
9 (L)	GL2SS3-09
10 (XL)	GL2SS3-10

## Constructor Cut 3 Lightweight Polyurethane Coated Gloves

- Cut-resistant specialist gloves for the handling of sharp objects
- Mid-level cut protection
- Dry handling gloves
- **EN388:2016**



Size:	Code:
8 (M)	GLCPU3-08
9 (L)	GLCPU3-09
10 (XL)	GLCPU3-10

## Cut 5 Glove Liners

- Cut 5 protection
- High dexterity
- Food safe
- Enclosed glassfibre means no flocking
- Precision work compliant
- Breathable
- 10 pairs per pack, 10 packs per case
- **EN388:2016:454X**



Size:	Code:
9 (L)	GL1CL5-09
10 (XL)	GL1CL5-10

## Cut Protection Sleeve (Individual Sleeve) Cut 5

- 100% kevlar sleeve to protect from cuts to the arm while handling sharp sheet materials
- One size



Code: **GLKS14**

## TraffiGlove 3-Digit 3 X-Dura PU Coated Gloves

- Unique three-digit design for dexterity and performance
- Close-fitting gloves with high abrasion and tear resistance and three exposed fingertips for improved dexterity
- Breathable polyurethane coating for use in dry conditions
- Factory sealed ends to eliminate loose threads
- Flexible and very comfortable
- **EN388:2016:4X43B**

## TraffiGlove Classic 3 Cut 3 X-Dura PU Coated Gloves



- Lightweight gloves with a generous cuff length for use in dry conditions
- **EN388:2016:4X43B**

Size:	Code:
7 (S)	GLTG3010-07
8 (M)	GLTG3010-08
9 (L)	GLTG3010-09
10 (XL)	GLTG3010-10
11 (2XL)	GLTG3010-11



## TraffiGlove TG3210 Metric, Cut Level B, Cut and Abrasion Resistant Lightweight PU Gloves

- Close-fitting design, good abrasion and tear resistance and grip makes it an ideal choice for most general handling tasks in dry conditions
- Nylon/HPPE liner with PU coating
- **EN388:2016**



Size:	Code:
7 (S)	GLTG3210-07
8 (M)	GLTG3210-08
9 (L)	GLTG3210-09
10 (XL)	GLTG3210-10
11 (2XL)	GLTG3210-11

## TraffiGlove Force Cut 3 Nitrile Foam Coated Gloves

- Exceptional quality and value handling gloves, giving added protection levels
- Offers excellent dexterity, comfort and fit, and extended glove life
- High mechanical strength (tear)

- Close fitting with outstanding dexterity
- High abrasion resistance
- **EN388:2016:4X43B**



Size:	Code:
8 (M)	GLTG365-08
9 (L)	GLTG365-09
10 (XL)	GLTG365-10

## TraffiGloveThermic Cut 5 X-Dura Latex Coated Thermal Gloves

- Foam Plus coating on Cut 5 liner reveals excellence in wearer comfort and glove life in challenging environments
- Single layer blended liner delivers dexterity and high levels of wearer comfort

- Brushed acrylic liner to keep hands warm whatever the weather
- **EN388:2003:3543**



Size:	Code:
7 (S)	GLTG5070-07
8 (M)	GLTG5070-08
9 (L)	GLTG5070-09
10 (XL)	GLTG5070-10
11 (2XL)	GLTG5070-11

## TraffiGlove TG5060 HYDRIC Cut 5 Flexible, Cut Resistant, Waterproof Gloves

- Flexible, highly-dextrous and waterproof gloves with an extended cuff providing additional cut protection
- High cut resistance
- Water and oil resistant dip
- Superb grip
- 13 gauge liner, with Liquidex coating and nylon liner
- **EN388:2016:4X43C**



Size:	Code:
7	GLTG5060-07
8	GLTG5060-08
9	GLTG5060-09
10	GLTG5060-10
11	GLTG5060-11

## TraffiGlove 3 Digit Cut 5 X-Dura PU Coated Gloves

- Factory sealed edges to eliminate loose ends
- Breathable and comfortable throughout wear life
- Close fitting
- Factory sealed ends to eliminate loose threads
- Flexible and very comfortable
- **EN388:2016:4X43C**

Unique three digit design for dexterity and performance



Size:	Code:
8 (M)	GLTG5020-08
9 (L)	GLTG5020-09
10 (XL)	GLTG5020-10

# Hand protection

## Traffiglove Classic 5 Cut 5 X-Dura PU Coated Gloves

- Lightweight gloves with a generous cuff length for use in dry conditions
- Close fitting
- Breathable
- **EN388:2016:4X43D**



Size:	Code:
7 (S)	GLTG5010-07
8 (M)	GLTG5010-08
9 (L)	GLTG5010-09
10 (XL)	GLTG5010-10
11 (2XL)	GLTG5010-11

## Traffiglove TG5210 Metric, Cut Level C, Cut Resistant Lightweight PU Gloves

- PU coating offers excellent grip in dry conditions
- Close fit and high tear and abrasion resistance makes these gloves a good choice for general handling tasks with a cut risk
- Lengths: 220mm – 270mm
- Nylon/HPPE/glass liner with PU coating
- **EN388:2016:4X43C**



Size:	Code:
7 (S)	GLTG5210-07
8 (M)	GLTG5210-08
9 (L)	GLTG5210-09
10 (XL)	GLTG5210-10
11 (2XL)	GLTG5210-11

## Traffiglove Morpich 5 Cut 5 MicroDex Ultra Coated Gloves

- Close fitting and flexible gloves with a high-tech MicroDex Ultra coating that provides excellent grip in wet, dry and oily conditions
- Liner: nylon/HPPE/glass
- Coating: MicroDex Ultra
- Flexible and very comfortable
- Excellent dexterity, highly tactile
- Breathable
- MicroDex Ultra coating provides great oil resistance and grip
- Reinforced thumb crotch
- **EN388:2016:4X44C**



Size:	Code:
7 (S)	GLTG5140-07
8 (M)	GLTG5140-08
9 (L)	GLTG5140-09
10 (XL)	GLTG5140-10
11 (2XL)	GLTG5140-11

## Traffiglove Secure Cut 5 Nitrile Foam Plus Coated Gloves

- Foam Plus coating on Cut 5 liner reveals excellence in wearer comfort and glove life in challenging environments
- Very comfortable
- Good grip
- Suitable for dry and wet conditions
- Excellent abrasion resistance
- Excellent product quality and comfort with full length cuff and good sizing
- **EN388:2016:4X44C**



Size:	Code:
6 (XS)	GLTG535-06
8 (M)	GLTG535-08
9 (L)	GLTG535-09
10 (XL)	GLTG535-10
11 (2XL)	GLTG535-11

## Cut 5, ¾ Dip Nitrile Foam Gloves



- Offering Nitrile foam coating to palm, fingers and knuckles offering excellent grip in wet and dry conditions
- ¾ dipped for increased protection
- Superb abrasion and tear resistance
- 100% breathable 13 gauge seamless liner
- Resistant to oil and water so keeps your hands dry and clean
- Grey/black
- **EN388:2003:4543**

Size:	Code:
8 (M)	GL1A621-08
9 (L)	GL1A621-09
10 (XL)	GL1A621-10
11 (2XL)	GL1A621-11

## Traffiglove TG5180 ARC Flash, Flame Retardant Gloves

- Aramid-composite gloves palm-coated with flame retardant neoprene, providing unrivalled performance in a multitude of environments whilst simultaneously protecting the wearer against electrical arc injury
- Arc flash rating of 8.6cal/cm<sup>2</sup>
- Excellent dry and wet grip along with oil, grease, glue and chemical resistance
- Dexterity, touch and elasticity similar to natural rubber
- **EN388:2016:3X34D**



Size:	Code:
8 (M)	GLTG5180-08
9 (L)	GLTG5180-09
10 (XL)	GLTG5180-10
11 (2XL)	GLTG5180-11

## Electricians' Insulating Gloves (1000V Resistant)

- Excellent electrical resistance and for working safely with high voltage, anatomical shape for greater user comfort
- Use with leather overgloves GLEEOG1
- Class 0 1000V safe working



Size:	Code:
8 (M)	GLEEI10-08
9 (L)	GLEEI10-09
10 (XL)	GLEEI10-10

## Electricians' Leather Overgloves

- Protect gauntlets as well as wearer from cuts, abrasions and punctures



Size:	Code:
9 (L)	GLEEOG1-09
10 (XL)	GLEEOG1-10
11 (2XL)	GLEEOG1-11

## Welders' Chrome Leather Sleeves

- Hard-wearing leather protective sleeves
- Length: 18"
- Ideal for protection of the forearm from welding spatter
- Held in place by elasticated end collars
- Sold as a pair
- One size



Code: **SCC10**

# Hand protection

## Red Welders' Gauntlets, Heavy Duty, Reinforced Seams



- Long-lasting protection
- Cowhide split leather, full welts to protect all stitched seams and kevlar stitching
- One size

Code: **SGA103**

## Welders' Gauntlets, Eco Red

- Red leather welder's gauntlets
- Strong and versatile
- Well-priced for general workshop welding
- One size



Code: **SGA300**

## PVC Gauntlets

- Heavyweight PVC chemical-resistant gauntlet, with flexible PVC coating that is resistant to acids and alkalis
- Different lengths available



Size:	Code:
270mm (11")	<b>GL0P11</b>
350mm (14")	<b>GL0P14</b>
450mm (18")	<b>GL0P18</b>

## Household Rubber Gloves

- Excellent sensitivity
- For cleaning, maintenance and light assembly tasks



Size:	Code:
8 (M)	<b>GL1HR1-08</b>
9 (L)	<b>GL1HR1-09</b>
10 (XL)	<b>GL1HR1-10</b>

## Constructor Hi-Vis Thermal Gloves

- Coated Latex palm on a seamless cotton/acrylic base for warmth
- Superb grip and comfort
- Ideal for winter site work
- Hi-Vis yellow
- **EN388**



Size:	Code:
8 (M)	<b>GL3TBS2-08</b>
9 (L)	<b>GL3TBS2-09</b>
10 (XL)	<b>GL3TBS2-10</b>
11 (2XL)	<b>GL3TBS2-11</b>

## Thermal Glove Liners

- Exceptional quality and value, offering thermal insulation for added comfort as liner gloves
- Cold weather liner gloves
- One size



Code: **GLTG005**

## Best Chem Master Neoprene Over Latex Chemical Resistant Gauntlets

- Self-flushing, tractor-tread grip pattern improves gripping effectiveness by encouraging fluid run-off
- Impermeable so perfect for working in damp or greasy environments
- Fully coated and fully waterproof with a rolled cuff

- Flexible and perspiration-absorbing, whilst protecting the hand from chemicals and water
- Blue/black
- Conforms to **EN388:2003:2021** and **EN374**



Size:	Code:
9 (L)	<b>GL2BC1-09</b>
10 (XL)	<b>GL2BC1-10</b>

## General Purpose Nitrile Gauntlets

- Excellent sensitivity
- For cleaning, maintenance, and light assembly tasks offering greater resistance to chemicals and detergents
- Excellent tactility and flexibility



Size:	Code:
8 (M)	<b>GL1NG1-08</b>
9 (L)	<b>GL1NG1-09</b>
10 (XL)	<b>GL1NG1-10</b>

## Classic Rigger Gloves

- Safety cuff with vein protection patch
- Elasticated back
- Canadian rigger style
- One size
- Grey chrome leather



Code: **GL3E15**

## Quality Hide Lined Drivers Gloves

- Fully fleece-lined gloves with elasticated back
- Good thermal properties for colder conditions
- Great comfort whatever the task



Size:	Code:
9 (L)	<b>GLD25-09</b>
10 (XL)	<b>GLD25-10</b>

## Rigger Gloves, High Quality

- Premium protection, heavy-duty rigger gloves with double palm and thumb protection
- One size



Code: **SGL301**

## Hand protection

### PVC Knitwrist Gloves



- A best-seller, the red PVC fully-dipped working gloves with knitted wrist and cotton interlock lining have a smooth finish
- CE certified
- Protects against oil in warm and humid conditions
- 100% breathable seamless liner
- Superb abrasion and tear resistance
- 13 gauge liner for a perfect fit
- Knitted cuff for comfort and warmth
- Red

Size:	Code:
11 (XL)	GL9K45

### Lightweight Nitrile Knitwrist Gloves

- Dipped on palm and fingers
- Lightweight abrasion resistant nitrile gloves with open back ventilation
- ¾ dipped for increased protection
- Tough nitrile coating withstands grease, oil and water penetration so is perfect for refuse collection, utilities and maintenance
- Dipping absent from the dorsum of the hand allowing for breathability, normally not a feature of this type of glove
- Yellow
- **EN420** and **EN388:4111**



Size:	Code:
9 (L)	GLLN1-YLW-09
10 (XL)	GLLN1-YLW-10

### Lightweight Nitrile Full Dip Knitwrist Gloves

- Fully-coated nitrile knitwrist gloves for tasks requiring abrasion resistance
- Tough nitrile coating withstands grease, oil and water penetration so is perfect for refuse collection, utilities and maintenance
- **EN420** and **EN388:2003:4111**



Size:	Code:
9 (L)	GLLN1-BLU-09
10 (XL)	GLLN1-BLU-10
11 (2XL)	GLLN1-BLU-11

### Disposable Nitrile Gloves

- Box of 100
- Exceptional tactile sensitivity makes these natural rubber latex-free gloves ideal for intricate work
- Resists snags, punctures, abrasions, cuts



Size:	Code:
7 (S)	GL2LD15-07
8 (M)	GL2LD15-08
9 (L)	GL2LD15-09
10 (XL)	GL2LD15-10
11 (2XL)	GL2LD15-11

### Disposable Vinyl Gloves

- Box of 100 pieces
- Powdered vinyl with a rolled cuff for additional strength and the prevention of liquid roll back
- Powdered for easy-donning




Size:	Code:
7 (S)	GL2VD5-07
8 (M)	GL2VD5-08
9 (L)	GL2VD5-09
10 (XL)	GL2VD5-10

## Eye & face protection

The wearing of eye protection in hazardous areas is covered within Regulation 4 of the Personal Protective Equipment (PPE) at work regulation 1997. The European Directive for PPE 89/6686/EEC has led to the introduction of European Standard EN166 to cover all eye protection used throughout the EU.

All eye protection within the OnSite Support range meets or exceeds current regulation while at the same time offers style and wearer comfort







empire® conseil - 83 - Lyon - 69631 - Photo : F. BOURCIER

### PLATINUM® ANTI-FOG AND ANTI-SCRATCH COATING: EVERLASTING PROTECTION

The European standard tests the scratch resistance on the outside surface of the lens (K marking) and the fog resistance on the inside surface of the lens (N marking).



At Bollé Safety, we are convinced that scratches and fog do not only attack specific surfaces... This is why we decided to permanently apply the anti-scratch AND anti-fog coating to each lens surface (inside AND outside). This dipping process offers protection which is twice as efficient and considerably slows the appearance of fog and scratches.



## Eye & face protection

### Key to icons

- Suitable for gas welding/cutting
- Scratch resistant
- Anti-mist lenses
- Sun spec
- Lightweight
- UV 400 rating

### Lens marking



Lens marking must include the scale number for filtering lenses and the manufacturer's name (logo or brand recommended by the manufacturer).

#### Mechanical strength symbols:

- B.** Medium energy impact, resists a 6mm, 0.86g ball at 120m/s
- T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures
- F.** Low energy impact, resists a 6mm, 0.86g ball at 45m/s
- S.** Extra strong, resists a 22 mm 43g ball falling 1.3m at 5.1m/s

#### Optical class symbols:

- 1. Continuous work

#### Use symbols:

- 9. Molten metal and hot solids

#### Others symbols:

- K.** Resistance to surface damage by fine particles (optional)
- N.** Resistance to fogging (optional)

### Standards



**Recommended during high UV radiation**



**Guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.**

### Frame marking



Frame marking must include the CE Symbol and manufacturer's name (logo or brand). If the glasses refer to the EN standard, the EN standard number is mandatory together with the various use and mechanical strength symbols, in accordance with the tests requested by the manufacturer.

#### Mechanical strength symbols:

- B.** Medium energy impact, resists a 6mm, 0.86g ball at 120m/s
- S.** Extra strong, resists a 22mm, 43g ball falling 1.3m
- T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures

#### Use symbols:

- 3. Liquid droplets or splashes
- 4. Large dust particles > 5 microns
- 5. Gas and fine dust particles < 5 microns
- 9. Molten metal and hot solids

### UV and the effects on the eye

When protecting the eyes it is important to select the correct type of lens filter. Clear polycarbonate lenses offer protection at the lower (UV215 to 380NM) range, whilst a filter conforming to EN172 offers additional protection through to 780NM.

We offer an Eye Protection Audit. See page 14 for more information.

# Eye & face protection

## Bollé Viper Safety Glasses with Anti-Mist Anti-Scratch Lens

- Offers all-round vision and fits all face shapes thanks to its adjustable temples
- Upper protection
- Adjustable temples
- **EN166 F**




Fits all face shapes



Colour:	Code:
Clear	<b>SP2VIPPSI</b>
Tinted	<b>SP2VIPCF</b>

## Bollé Rush Safety Glasses with Anti-Mist Anti-Scratch Lens

- Offers perfect optical quality, maximum comfort and a modern design
- Adjustable non-slip bridge – designed to adapt to the nose so the frame sits perfectly on the face
- Technology approved for permanent wear and certified with perfect optical quality with anti-fog and antiscratch coatings
- 99.9% UVA/UVB protection
- Clear lens
- **EN166 F**



Code: **SP2RUSHPSI**

## Bollé Silium Safety Glasses

- Modern anti-static, non-slip tipgrip temples
- Metal frame
- **EN166 F**
- Maximum protection for glasses.



Colour:	Code:
Clear	<b>SP2SI2</b>
Smoke	<b>SP2SI3</b>

## Bollé Tracker II Safety Glasses

- Removable adjustable strap
- Upper and lower protection
- Side ventilation
- Removable foam reinforcement with indirect ventilation
- 52g
- Ultra-comfortable and technical tracker provides protection from all mechanical risks and also chemical risks, making it unique in the safety glasses range
- Strap must be used for **EN166B** protection
- Clear



Code: **SP2T22**

## Bollé Bandido Tinted Safety Glasses comes with Neck Cord

- Made entirely of highly-resistant polycarbonate
- Technology approved for permanent wear and certified with perfect optical quality with anti-fog and anti-scratch coatings
- 99.9% UVA/UVB protection
- Neck cord
- Tint/smoked
- **EN166 F**



Code: **SP2BANT11**

## Bollé Bandido Clear Safety Glasses comes with Neck Cord

- Made entirely of highly-resistant polycarbonate
- Technology approved for permanent wear and certified with perfect optical quality with anti-fog and anti-scratch coatings
- 99.9% UVA/UVB protection
- Neck cord
- Clear



Code: **SP2BANCL1**

## Bollé Contour Safety Glasses

- Only 21g in weight offering unparalleled levels of fit and user acceptance
- TPE arms provide excellent grip
- Also supplied with free microfibre bag
- Designer sports-style glasses
- **EN166 F**



Colour:	Code:
Smoke tint	<b>CONTPSF</b>
Clear	<b>CONTPSI</b>
Amber ESP lens	<b>CONTESP</b>

## Bollé Squal Overglasses with Anti-Mist Anti-Scratch Lens

- High-quality overspectacle
- Adjustable arms and neck cord
- Designed to fit over prescription spectacles
- Upper protection, adjustable temples, lower protection
- **EN166 F**
- Clear

Fits over prescription spectacles



Code: **SP2SQUPSI**

# Eye & face protection

## Bollé Rush Plus, Platinum Coated Safety Glasses with Anti-Scratch & Anti-Mist Lens

- Ultra-sporty design with ultra-flexible, co-injected and customisable temples (MOQs apply)
- Offers upper protection, non-slip adjustable bridge, Platinum® coating, ultra-flexible temples

- Anti-fog Platinum coating, UV light filtration and resistance to high speed particles at extreme temperatures
- **EN166 F**



Colour:	Code:
Clear	<b>SP2RP1</b>
Smoke	<b>SP2RP2</b>

## Bollé Contour Metal Lightweight Safety Spectacles

- Stylish and effective
- Increased upper protection
- Non-slip tipgrip temples
- 160% Flex temples
- Non-slip bridge
- ESP, extra sensory perception
- An innovative coating to reduce dazzle and the harmful affects of blue light
- B-ESP filters 57% of blue light, transmits 64% of visible light
- 99.99% of UVA/UVB
- Maximum protection for glasses
- **EN166 F**



Colour:	Code:
Clear	<b>BL2CMETCL</b>
Tint/smoke	<b>BL2CMETTI</b>

## Uvex I-Works Safety Spectacles with Anti-Fog & Anti-Scratch Lens

- Provide high-quality protection and comfort combined with a stylish design
- High-performance protective lens that is anti-fog inside and scratch-resistant outside
- 100% UV 400 protection
- 100% metal-free for reduced weight
- Panoramic lens with enhanced lateral vision
- Soft grip side arms for a secure and pressure-free fit
- **EN166 1F KN CE**



Frame colour:	Lens colour:	Code:
Anthracite/blue	Clear	<b>9194.171</b>
Anthracite/orange	Grey tinted	<b>9194.270</b>
Black/yellow	Amber	<b>9194.365</b>

## Uvex Pheos Safety Goggles with Clear Anti-Mist & Anti-Scratch Lens

- Wraparound and stylish
- Dual component arms provide great grip
- Large non-rimmed lens provides excellent all round vision
- Clear
- **EN166 F**



Code: **9192215**

## Bollé Rush Plus Twilight, Platinum® Coated, Customisable Safety Glasses with Anti-Scratch & Anti-Mist Lens

- Ultra-sporty design with ultra-flexible, co-injected and customisable temples (MOQs apply)
- Offers upper protection, non-slip adjustable bridge, Platinum® coating, ultra-flexible temples
- Anti-fog Platinum® coating, UV light filtration and resistance to high speed particles at extreme temperatures
- New Twilight technology offers the advantages of ESP with a double anti-fog coating (on both sides of the lenses) to prevent fogging in the most challenging conditions

- Designed and used in low light conditions, it improves contrast
- Its light transmission rate is perfect for outdoors, particularly early morning and late evening
- Twilight filters 76% of blue light making it ideal for VDU users
- **EN166 F**



Code: **SP2RP3**

## Bollé B-Line BL11 Overglasses

- High quality over spectacles
- Clear
- **EN166 F**
- **EN170**: recommended during high UV radiation



Code: **SP2BL11**

## Uvex Super G Safety Spectacles with Anti-Fog & Anti-Scratch Lens

- Non-slip arms grip the head holding the Super G securely in place for all workplace activities
- Ultra-thin lens provides great field of vision
- Lightest safety spectacle only 18g
- Metal-free
- Flexible nose bridge enables wearer to achieve a comfortable fit
- Uvex supravision HC-AF lens coating – permanent anti-fog on the inside, scratch-resistant on the outside, which helps to increase safety and prolongs the life of the product



Colour:	Code:
Clear lens	<b>9172265</b>

# Eye & face protection

## Visitor Safety Glasses

- Economical eyewear ideal for visitors, wearing over prescription spectacles and general use
- Wrap-around style with single lens
- Moulded browguard and vented side arms
- One size
- Clear
- **EN166 F**



Code: **SP1A01**

## Constructor Safety Glasses

- Ultra-lightweight safety glasses giving all round protection
- 24g
- Clear or tinted lens
- **EN166 F**



Colour: Code:  
 Clear **SP1CEC1**  
 Grey tint **SP1CET2**

## Ladies-Fit Lightweight Safety Glasses with Clear Lens

- Sized to fit the smaller face making them ideal for women in construction
- Lens and sidearm marking for quick identification
- Clear
- **EN166 F**



Code: **SP1LSC1**

## Montana Safety Glasses

- Montana lightweight wraparound safety glasses with soft grip side arms
- Comes with hang cord
- Clear or tinted lens
- **EN166 F**



Colour: Code:  
 Clear lens **SP1OTC1**  
 Tinted lens **SP1OTT2**

## Lucerne Safety Glasses

- Lucerne wraparound safety glasses with soft padded nosebridge and dual flex arms
- Complete with sports cord and storage bag
- Clear or tinted lens
- **EN166 F**



Colour: Code:  
 Clear lens **SP2B5302**  
 Tinted lens **SP2B5303**

## Xcel Lightweight Safety Glasses comes with Drawstring Pouch

- Lightweight glasses offered in clear and smoke grey colours
- Lenses are anti-mist and scratch-resistant
- Approved to **EN166 1 FT EN170**



Colour: Code:  
 Clear lens **SP2X24112**  
 Smoke grey **SP2X24133**

## Xcess X2 Safety Spectacles with Anti-Mist & Anti-Scratch Lens

- Lightweight, close-fitting frame for increased protection
- Comes with drawstring pouch
- **EN166 1 FT KN EN170**



Colour: Code:  
 Clear **SP2X24232**  
 XTP 50:50 (tint) **SP2X24236**  
 Amber **SP2X24284**  
 Blue mirror **SP2X24285**

## Xtreme X2 Safety Spectacles

- Lightweight 22g with anti-mist, scratch-resistant lenses
- Comes with drawstring pouch
- Available in HD blue, smoke grey and clear
- **EN166 1 FT KN EN170**



Colour: Code:  
 Clear **SP2X24332**  
 Smoke grey **SP2X24333**  
 HD blue **SP2X24338**

## X2 High Performance Safety Spectacles (Shade 5 for Cutting)

- Wraparound gas and flame cutting safety spectacles
- Snug fit to the face for safety
- Comfortable ear pieces and nosebridge
- Tinted shade 5
- **EN166 F**



Code: **SSP300-SH5**

## Contractor Chemical/ Dust Safety Goggles

- Polycarbonate lens
- Chemical and dust protection clear lens with elasticated head strap
- Anti-mist coating to lens
- Clear
- **EN166 1B**



Code: **GG1C92**

## Contractor Safety Goggles

- Polycarbonate lens with PVC frame with elastic head strap
- Lightweight, comfortable with direct vent
- **EN166 1B**



Code: **GG1S92**

## Xcalibur Safety Goggles

- The most compatible goggle when using a hard hat and RPE
- Anti-mist and scratch-resistant
- **EN166 1BT EN170**



Code: **SP2X24832**

## Bollé SuperBlast Goggles & Visor

- Design ensures a maximum fit and can be worn with prescription spectacles
- A wide adjustable strap ensures excellent comfort
- With the "Visor" accessory, the Blast model can be used as a face shield with protection guaranteed

- Anti-mist coating and new visor interconnect system for visor to ensure improved fit over original Blast
- Polycarbonate lens offers protection from impact, liquid droplets and molten metals
- All-round vision
- Ball-pivot
- Overflow chute for liquids

- Compatible with half-mask respirator
- Clear goggles
- UVA/UVB protection
- **EN166 and EN170**
- Mechanical strength B, T
- Chemical risk 3, 4



Product:  
 Bollé SuperBlast Goggle  
 Bollé SuperBlast Visor (2 separate variants within the product)

Code:  
**BLAPSYS**  
**BLVS**

# Eye & face protection

## Bollé Attack Safety Goggles

- Large adjustable strap, fits over prescription glasses
- Compatible with half-mask respirator
- **EN166 1B**



Code: **GG2BA1**

## Uvex Ultrasonic Goggles with Brown SCT Sunglare Lens

- Offers increased peripheral vision and excellent anti-mist properties, whilst being extremely lightweight
- Innovative frame combines hard and soft components to create a soft effective seal around the eyes
- Goggle is permanently anti-fog on the inside, scratch-resistant on the outside and suitable for virtually all light environments
- Can be worn over most prescription spectacles
- **EN166 B**



Code: **9302247**

## Uvex Ultrasonic Safety Goggles with Clear Anti-Fog & Anti-Scratch Lens

- Excellent peripheral vision and anti-mist properties
- Can be worn over most prescription spectacles
- Extremely comfortable fit
- Extremely lightweight
- Innovative frame combines hard and soft components to create a soft effective seal around the eyes
- Wide, fully-adjustable headband
- Combined hard and soft materials ensure a comfortable fit for long periods of wear
- Clear
- **EN166 1B**



Code: **9302645**

## Gas Welders' Goggles, One Piece Lens

- Ski-style, wraparound welding goggles for comfort and style
- Shade 5
- **EN166 B**



Code: **SWG505**

## Constructor Sport Style Safety Goggles

- Indirect vents for protection against impact, dust and chemical splash
- Soft and flexible inner face seal for ultimate comfort and protection
- Anti-scratch and anti-mist polycarbonate lens for excellent all-round vision
- Adjustable size
- Clear
- **EN166 1B**



Code: **GG2B282**

## Browguard comes with Polycarbonate Visor

- Economical browguard face screen carrier comes with ratchet headband
- Ratchet adjustment for comfortable fit
- 200mm
- Clear
- **EN166 B**



Code: **SB3JC1**

## Polycarbonate Visor to suit SB3JC1 Browguard

- Replacement 200mm polycarbonate shield
- Clear



Code: **SB4JRP2**

## Lightweight Faceshield Headband/Browguard

- Visor carrier only (see visor code SFS800)
- Excellent full-face impact protection
- Strong, durable and very lightweight at only 160g complete
- **EN166 B**



Code: **SFS700**

## Replacement Visor for SFS700 – Clear

- Pulsafe lightweight faceshield visor only
- Excellent full-face impact protection
- Strong, durable and very lightweight at only 160g complete



Code: **SFS800**

## Bionic Faceshield With Clear Polycarbonate Visor

- Offers more comfort and versatility than others on the market, including extended chin protection
- Comfortable fit with respirators



Code: **SFS900**

## Autochange Welding Helmet

- Ideal everyday welding helmet with a fast response autodarkening cassette
- Affordable and robust
- STS4700 Lens
- Shades 9 – 13



Code: **STH160**

## Welders' Helmet Flipfront, Nylon, Fitted With Lens

- Robust helmet with flip-up front to reveal clear lens for angle grinding
- 4¼ x 2"
- Shade 10, clear



Code: **SWH310-C**

## Welding Lens

- Anti-spatter lens, CR39
- 4¼ x 2" welding lens
- Tinted to protect from welding glare
- Clear lens goes over shaded lens to protect from welding spatter



Code: **SWL412-CLR**

## Leather Helmet Sweatband, Single

- Comfortable and soft replacement headbands to suit all types of welding helmet
- Red



Code: **SWHSBR**

# CLEAR AND EASY

## THE NEW SIMPLE WAY TO ORDER YOUR SAFETY GLASSES

# ALL INCLUSIVE PRESCRIPTION PACK

## PRESCRIPTION SAFETY GLASSES EASY AS 1, 2, 3...

Copyright Bollé Safety - F. Bourcier

- 1 Take the pack to your local optician (It includes everything you need)
- 2 Choose your frame (16 styles to pick from)
- 3 Your optician will order them and tell you when they are ready\*

### ENJOY WEARING YOUR PROTECTION !

(\* excludes eye test fee)



[bolle-safety.com](http://bolle-safety.com)

# bolle SAFETY

## Eye & face protection

### Bollé B500 Lens Cleaning Towelettes

- Individual pre-moistened cleaning tissues
- Anti-static
- Anti-reflective
- Anti-bacteria
- Box of 500



Code: SP3LCT1

### Bollé All-inclusive Prescription Glasses Pack

- Choice of frames, varifocal and single-vision choice (excludes sight test)
- Simple, effective, all-inclusive solution to getting prescription glasses
- Either provide your own prescription, or pay for a new one at the optician
- Choose from 16 frame designs with a choice of lens types



Code: SP2BPG1

### Bollé B600 Lens Cleaning Station

- Plastic dispenser includes two boxes of tissues and a cleaning spray
- Alcohol and silicone free spray does not damage lens coating
- Aqua formula guarantees perfect cleaning and protection for your glasses and goggles

- Tissues are larger than most competitors reducing the need for multiple tissue use per lens
- Certified by COLTS laboratory
- Can be either free standing or wall mounted
- Recommended for all safety spectacles



Code: SP3B600

### Bollé Replacement Lens Cleaning Station Tissues Box

- Replacement tissues for SP3B600



Code: SP3B401

### Bollé Replacement Lens Cleaning Station Spray Bottle

- Replacement cleaning spray for SP3B600



Code: SP3B405

For the latest pricing visit [onsite-support.co.uk](http://onsite-support.co.uk)

## Eye & face protection

### Lens Cleaning Station comes with Cleaning Fluid & Tissues

- Wall mounted
- Cleaning station includes four boxes of 450 non-abrasive tissues and one 16oz cleaning fluid
- Helps protect your PPE
- Suitable for use with most spectacles
- Durable plastic
- Refills available at 9991000 and 9992000



Code: 9990000

### Replacement Tissues for Lens Cleaning Station

- Tissues are non-abrasive, absorbent and low lint
- Each box contains 450 tissues, 36 boxes per case
- Packs fit 9990000
- Environmentally friendly
- Protects lens coatings
- Recyclable packaging



Code: 9991000

### Replacement Cleaning Solution for Lens Cleaning Station

- Specially-designed for anti-fog and scratch-resistant coatings
- Pump-action lens cleaning spray
- Suitable for use with most spectacles
- Fits 999000
- 500ml bottle



Code: 9992000

### Spectacle Nylon Bag with Cord

- Washable microfibre storage bag to keep your eyewear clean and in pristine condition for your safety and comfort
- Microfibre storage bag doubles as a handy lens wipe, suitable for use with most spectacles
- Black



Code: 9954550

### Spectacle Hanging Cord

- Standard spectacle hanging cord
- Breaks free in emergency
- Used to keep your spectacles from falling or dropping
- Can be secured on each arm of the spectacles and worn around the neck, suitable for use with most spectacles
- Adjustable size



Colour:	Code:
Black	9959002
Blue	9959003

### Sport Spectacle Hanging Cord

- Stylish, sporty and practical, breaks free in emergency
- Used to keep your spectacles from falling or dropping
- Can be secured on each arm of the spectacles and worn around the neck
- Suitable for use with most spectacles
- Adjustable size
- Black



Code: 9958005

We offer an Eye Protection Audit.  
See [page 14](#) for more information.

**OnSite**  
support

## Head protection

You will be more than aware that safety helmets have been available for decades and since 1989 were made compulsory in most situations where there is a risk of head injury. We take your safety very seriously, which is why we work with key UK manufacturers of safety helmets to ensure that the quality and standard of your safety helmet is second to none.

A surprising amount of research and testing has been carried out to make sure that the safety helmet you put on your head is able to deflect and absorb some of the impact from an object colliding with it. For that reason, a safety helmet is sacrificial and must be replaced if something collides with it.



# Head protection

## What is the lifespan?

A question we are often asked, and the honest answer is that it depends on a number of variables, and varies by manufacturer, but the general maximum is five years. The main reason for the variability is that safety helmets can be manufactured from a number of different materials. The most common are HDPE (High Density Polyethylene) and ABS (Acrylonitrile Butadiene Styrene) of which the latter is more expensive so generally only used in more expensive safety helmets. However, a safety helmet may also be stored in a controlled environment for up to five years so it's important that you check the instruction sheet which came with your safety helmet. If you are unsure, ask us or ask the manufacturer.

## Safety checks

It sounds pretty obvious, but you do have to complete checks on your safety helmet before each use and don't share safety helmets without changing the sweatband in the front (for hygiene reasons of course). If anything looks broken, weakened or damaged in any way, you should not use the safety helmet.

## Cleaning & maintenance

When you're cleaning it, keep solvents away as they can weaken the plastic in a way you can't see. For that reason, don't paint it, or apply large stickers since they can obscure damage.

## Branding

When it comes to logoing safety helmets, we know what we're doing (we've been doing it for decades) and we make sure all our logo stickers have adhesives which do not damage plastics and always prefer to apply them to the front 'shield' of the safety helmet, in line with manufacturer's recommendations. For the ultimate in professional finishes, we always prefer printing your logo to the safety helmet, and although this can add a little time to the process, the effect is amazing.

## Safety standards

It's easy to get lost among the plethora of standards which exist, so we have put together some of the common ones which exist and a little description as to where and why you'd need them. For really specialist applications, it's so important that you talk to us about what you need so we can make sure that you and your staff are not only kept as safe as possible, but that it is also legally compliant.



**This standard states that the head protection must be designed to protect the wearer from falling objects.**

Protection against mechanical impacts to the head safeguards the user against brain injuries, skull fractures and more. The standard also includes protection against lateral deformation of the helmet, as well as protecting the wearer from dangerous head injuries. The helmet must meet minimums associated with shock absorption, penetration and flame resistance and also have a chinstrap which releases between 150N and 250N.

**Notes:** There are other tests which EN397 have as options. They include very low temperature tests (-20C or -30C, very high temperature tests (+150C), 440V Electrical insulation, molten metal resistance and lateral deformation. If you're getting involved in a task with these risks, please talk to us before buying a safety helmet as we'll likely want to investigate your options with you.

**Example products:**



HM1EVR1 – page 60



HM1115 – page 61



HM1EVRP3 – page 61



**In addition to the requirements of EN397, this standard provides insulation compliance for low voltage installations (up to 1000V AC or 1500V DC).**

Compliance to this standard gives you the security that the shock will not be conducted by the safety helmet and guided through your head which, let's face it, is going to be a little more than just uncomfortable. Many of these safety helmets are not vented, but if they are then there are strict guidelines on placement and materials.

**Example products**



Chin strap available  
code HA14CC – page 64



**In recent years, working at height has been under more scrutiny than before. This is the standard which mountaineering helmets comply with.**

There are some significant differences between EN397 and this standard to help make working at height safer. Along with multiple impact test across different areas of the safety helmet, the chinstrap needs to withstand a 500N load before it releases (that's over 50 Kilogrammes of force to you and I, and more than the EN397 test sets as the maximum permissible).

**Notes:** A safety helmet cannot adhere to both EN397 and EN12492 standards unless the chin strap can be altered or changed so that the breaking strain of it falls within the requirements of each individual test.

**Example products**



HM1EVS2 – page 61



HM1EV5 – page 60



**This standard is essentially a seriously beefed up version of EN397.** The safety helmet is exposed to two drop tests in the same test and the impacts are far more ruthless. For example, the EN397 impact test requires a single strike to the crown from 1 metre by a 5kg weight. For EN14052, the same weight is dropped from twice the height and the helmet is then rotated to expose the side. The 5kg weight is then dropped again to validate side impact protection.

The same optional extra tests as EN397 for molten metal, low and high temperatures, electrical insulation as well as an additional radiant heat test are available.

**Notes:** EN14052 safety helmets are often much heavier than their EN397 counterparts as they are stronger and more resilient. Since PPE is considered the last line of defence, it does pay to see if you can eliminate or vastly reduce the risk to enable you to use a lighter, more comfortable helmet. In the event that you cannot do this, your personal safety is more important than anything else and an EN14052 safety helmet will be available to keep you safe.

**Example products**  
JSP Evo 8 – available upon request



# Head protection

## JSP EVO®5 Dualswitch Industrial Vented Safety & Climbing Helmet

- Switching to **EN397** mode sets the harness release force to less than 25daN, (250N), allowing the chinstrap to release if snagged to avoid risk of choking
- Switching to **EN12492** mode sets the harness release force to more than 25daN, (250N)
- Available in other colours upon request

Fully certified to both EN397 and EN12492 on a single CE certificate



Colour:	Code:
White	HM1EV5-WHT
Black	HM1EV5-BLK

## Evolite Reduced Peak Helmet comes with Slip Ratchet Harness

- Lightweight, extremely comfortable and fits the widest range of head shapes and sizes
- Gives added security and protection when working at height
- Lightweight shell: weighing less than 300g (dependent on model)
- Supreme comfort: 6-point terylene cradle harness system
- Chamlon™ Sweatband: Egyptian cotton core with porous PU coating for maximum sweat absorption
- Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2–3°C
- Adjustment: OneTouch™ slip ratchet
- Integral visor ensures that eye protection is on hand when needed and never lost
- Universal slots
- EN397**



Colour:	Code:
Blue	HM1EVR1-BLU
White	HM1EVR1-WHI

## EvoLite Skyworker Vented Safety Helmet

- Lightweight, extremely comfortable and fits the widest range of head shapes and sizes
- Harness and shell integrated as one
- Gives added security and protection when working at height
- E.P.S liner: side, front and rear impact protection from the shock absorbing E.P.S liner
- Comfort harness: a 6-point terylene harness system
- 4-point chinstrap: fully-adjustable, 4-point chinstrap with quick-release buckle
- Impact protection: side, front and rear impact protection from the shock-absorbing E.P.S liner
- Revolution wheel ratchet and 3D adjustment and a vented shell to reduce heat within the helmet
- Universal attachment slot enables firm fitting of a range of Surefit safety visors and ear defenders
- Extra large area for logos on the front, sides and rear
- Strong light shell: conforms to the mandatory shock absorption and penetration requirements of **EN397**
- EN12492**



Colour:	Code:
Black	HM1EVS2-BLK
Blue	HM1EVS2-BLU
Orange	HM1EVS2-ORG
White	HM1EVS2-WHT

## Evo 3 Comfort Vented Safety Helmet

- Unique 'One Touch' slip ratchet adjustment, firm fit in seconds
- Packed full of the latest protection technology and features such as the Evolution 3D Adjustment™ harness system, Revolution™ Wheel Ratchet or the unique OneTouch™ Slip Ratchet
- Supreme comfort: a 6-point terylene cradle harness system
- Chamlon™ sweatband: Egyptian cotton core with porous PU coating for maximum sweat absorption
- 3D precision fitting
- Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2–3°C
- Integral visor ensures that eye protection is on hand when needed
- Universal slots
- Tough HDPE shell: in tests the EVO3™ proved far tougher than the **EN397** standard



Colour:	Code:
Black	HM1EV3-BLK
Blue	HM1EV3-BLU
Green	HM1EV3-GRN
Orange	HM1EV3-ORG
Red	HM1EV3-RED
White	HM1EV3-WHT
Yellow	HM1EV3-YLW
Grey	HM1EV3-GRY
Pink	HM1EV3-PNK

## Evolite Mid Peak Vented Safety Helmet

- Weighs less than 300g
- 6-point terylene cradle harness system with cotton core sweatband
- Sweatband made from Egyptian cotton core with porous PU coating for maximum sweat absorption
- Extra large area for logos on the front, sides and rear
- Fits the widest range of head shapes and sizes
- Harness and shell integrated as one
- Gives added security and protection when working at height
- EN50365 Class 0 10KV**



Colour:	Code:
White	HM1EV1-WHT

## Evolite Micro Peak Unvented Linesman Helmet comes with Wheel Ratchet Harness & Four Point Chinstrap

- Lightweight, extremely comfortable and fits the widest range of head shapes and sizes
- Harness and shell integrated as one
- Gives added security and protection when working at height



Colour:	Code:
White	HM1LWR-WHI

## Evo 3 Micro Peak Ventilated Safety Helmet with Slip Ratchet

- Vented for ultimate comfort
- 6-point terylene cradle harness system
- Sweatband made from Egyptian cotton core with porous PU coating for maximum sweat absorption
- Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2–3°C
- Extra large area for logos on the front, sides and rear
- Unique 1-2-3 point front and rear harness depth settings
- Universal accessories slots
- EN397**



Colour:	Code:
Black	HM1EVRP3-BLK

## Contractor Safety Helmet

- Designed and manufactured to ensure optimum impact protection
- EN397**



Colour:	Code:
Blue	HM1115-BLU
White	HM1115-WHT

# Head protection

## V-Gard 520 Safety Linesman Helmet comes with Fastrac Harness

- Robust design, durable shell construction and cooling vents for increased breathability



Colour:	Code:
Blue	HM5M15R-BLU
White	HM5M15R-WHT
Yellow	HM5M15R-YLW

## V-Gard 500 Vented Safety Helmet comes with Fas-Trac Ratchet Harness

- Feature a robust design, durable shell construction and cooling vents for increased breathability
- **EN397**



Colour:	Code:
White	HM5MR5-WHT

## Centurion Visor Carrier

- Attach to the helmet with the standard Connect clips supplied with the accessories
- Offers a high degree of face protection without restricting the vision of the wearer
- To be used with the Centurion Visor S590



Code: **S54**

## Centurion Visor to fit S54 Carrier

- To fit S54 carrier
- 225mm polycarbonate clear face screen
- Please note, this visor does not come complete with helmet or visor carriers – these must be ordered separately
- **EN166 1B93**



Code: **S590**

## JSP InterEX Polycarbonate Visor comes with Carrier & Attachments

- Clear visor
- Surefit™ visor carrier to fit EVO® range of safety helmets
- Fits the InterGP/EX™ helmet mounted ear defenders
- **EN166 1B39**



Code: **HA2SFVC**

## JSP 200mm Polycarbonate Visor Only – to fit HA2SFVC

- Polycarbonate
- Clear Visor
- Offers protection against medium energy high-speed particles at 120m/s (270mph), liquid droplets and molten metal
- **EN166 1B39**



Code: **HA2SFVR**

## Replacement Sweatband for EVO Range Helmets

- For Evo2, Evo3 and Evolite
- Does not fit EVO8®
- One size



Code: **HM2RSBEVO**

## Centurion Kalis Dry Cooling Pad System for Safety Helmets

- Provides enhanced cooling comfort for the wearer as it is 100% dry and cools the head down to 15°C below ambient temperature
- The revolutionary technology is activated with a small amount of water and re-activation is only required every 1–3 days
- Weighs just 40g
- Fits any helmet whilst it continues to meet the requirements of **EN397** with the helmet pad fitted



Colour:	Code:
Yellow/black	S31DCHP

## Constructor Winter Helmet Liner

- Provide extra protection against the elements
- Insulating liner is suitable to be worn with all helmets
- Four velcro straps attach the liner for a secure fit
- Can be worn with a chin strap
- Head warmer is not designed to protect the wearer from falling masses
- One size



Code: **HA1MZH**

## JSP Premium Thermal Helmet Liner

- High-visibility orange full head and face comforter
- Available for MK7®, EVOLite™, EVO2®, EVO3® and EVO8®
- Orange/black



Code: **HM1EVHW**

## Universal Centurion Fleece Helmet Liner

- Ideal for keeping warm in the cold winter months
- Connects effortlessly to all Centurion hard hats and adds comfort
- Highly recommended for work out in the open during cold times, and also for work in cold-rooms
- One size
- Black



Code: **S50UFL-BLK-OSFA**

## JSP Track Safety Alliance Approved Helmet Liner/Beanie

- To be worn under JSP hard hats
- 80% cotton, 15% polyester, 5% spandex
- Offers thermal insulation (for cold weather)
- Machine washable at 30°C
- Prevent the wearing of hoodies and polyester beanies under hard hats which can cause hats to slip
- Fully track safety alliance certified
- One size, 52–64cm
- Black



Code: **HM1HB1**

## Visilite Safety Helmet Light

- Developed as a method of increasing worker visibility without dazzling colleagues in close proximity
- VisiLite® offers three lighting modes to suit the user's needs
- During optical testing Visilite® remained visible up to a distance of 50m
- Independently tested for luminous intensity, visibility in darkness and flash rate
- Quick release for replacement or USB charging
- Simply clip onto the sides and rear of the safety helmet
- IP rating IP54
- Easily rechargeable with a USB charging supply: PC, mains or car
- Can be charged while fitted to the helmet

- Micro USB cable supplied
- Charge time: approximately 2.5hrs
- The clips and main housing are made from highly durable ABS
- The main housing is sealed to protect against dust and dirt
- Visilite® is splash-proof making it suitable for use in wet weather conditions
- It has an operating temperature range of: +50°C to -10°C (14°F to 122°F)

### Modes and runtimes:

- Mode1: static (9hrs)
- Mode2: fast flash (150hrs)
- Mode3: slow flash (190hrs)



Product:	Code:
To suit Evolite helmet range	HA2VE1
To suit EVO 2/3/5 range	HA2VE3

## Helmet Mounted InterGP Ear Defender comes with Attachments

- To suit JSP MK7 and Evo helmet
- Easy to attach and detach with spring loaded arms that give an excellent fit to the ear
- The steel arms maintain a constant and even pressure, whether hot or cold conditions
- The InterGP™ feature a low-profile and lightweight design
- Tilt and adjust the position of the cup for optimum comfort and fit, also offering even distribution of pressure
- Thick, wide and soft cushions provide comfort for prolonged use
- SNR rating of 24dB
- One size
- Black/yellow
- **EN352-3**



Code: **HA2JEVH1**

## Head protection

### Evo 4 Point Linesman Chinstrap

- Ideal for working at height
- 4-point chin strap harness that fits the EVOLite® and EVO2/3/5® Safety Helmets
- Fits the Evo and Mk7 JSP safety helmet range
- Adjustable clip for secure fitting while ensuring comfortable day long use
- Black
- Conforms to **EN397** and **EN50365, ANSI Z89**



Code: **HA14CC**

### Elastic Chinstrap with Chinguard

- Elasticated chinstrap releases automatically with forces between 150–250 newtons
- Adjustable size
- When fitted to JSP helmets meets **EN397**



Code: **HA1AC1**

### Elasticated Chinstrap to suit Centurion Helmet

- Two-point strap with Chin Cup provides a secure fit
- Elasticated chin strap that is soft to touch and smooth on the skin
- Strap is adjustable allowing the user to create a comfortable fit
- Reinforced area hugs to the chin to secure the strap
- Two side clips allow it to clip onto accommodating helmets



Code: **S30E**

### First Aid Helmet Sticker (Green On White)

- Suitable for all safety helmets
- Self-adhesive



Code: **HB1FA1**

### First Aid Helmet Sticker (White On Green)

- Suitable for all safety helmets
- Self-adhesive



Code: **HB1FA2**

### EVOLite CR2 – First Aid Reflective Decal Helmet Sticker to suit Evolite Helmet

- This kit allows you to add extra visibility to your head protection
- CR2™ is highly reflective offering on average 60% more reflectivity than standard reflective clothing material



Code: **HM1CR1-FIRSTAID**

### CR2 – First Aid Reflective Decal Sticker to suit Evo 2/3 Helmets (Single)

- Allows you to add extra visibility to your head protection
- On average 60% more reflectivity than standard reflective clothing material



Code: **HM1CR3-FIRSTAID**

### CR2 – Reflective Decal Sticker to suit Evo 2/3 Helmets

- Pack of 10
- Allows you to add extra visibility to your head protection
- On average 60% more reflectivity than standard reflective clothing material



Code: **HM1CR3-SILVER**

### Visitor Helmet Sticker


- 55mm x 22mm
- Ideal for identifying visitors on sites especially construction sites to ensure safety in the premises
- These stickers are printed on high-quality, self-adhesive vinyl
- Long-lasting and highly visible
- Black on white



Code: **HB1VIS1**

## Hearing protection

Loud construction sites are unavoidable, but there are various sound reduction options available from OnSite Support, including ear defenders and ear plugs. We also supply a sound level meter to monitor safe levels of noise on site.



# Hearing protection

## Regulation update

The recent PPE Regulation 2016-425 elevated hearing protection into category 3 risk. Primarily, this is on account of hearing loss representing an irreversible health risk so it falls to us all to ensure that we are adequately protecting our hearing.

All hearing protection will come with an SNR level. At its simplest, this number tells you how many dB the product will drop your environment by. For example, if the environment is averaging 95dB, then a 26dB ear defender will take the environment down to 69dB.

The ideal environment will be around 70dB(A) so whenever you have to use hearing protection, always aim to end up around this number. If you over-protect, you will affect communication which can lead to ignorance of warnings and instructions.

In an environment of 80dB(A) average and 135dB(C) peak you may consider hearing protection as part of your PPE, though at this level it is still precautionary and optional.

At 85dB(A) average and 137dB(C) peak, you need to use/supply hearing protection.

The ultimate limit a person can safely be exposed to is 87dB(A) average and 140dB(C) peak. If you cannot achieve a drop to this level using available hearing protection then the environment is too noisy to work in and must be risk-assessed to identify a way of lowering the noise levels.

## Combining hearing protection

As a rule of thumb, combining ear plugs and ear defenders will only ever add an average SNR of 5 to the total to the highest rated product. So adding an ear plug with an SNR of 30 to an ear defender with an SNR of 26 will give you an SNR of 35. Never add the SNR numbers on each product together as this is inaccurate.



## Hygiene

Best practice and hygiene varies by product, but consider that ear plugs are generally disposable and in direct contact with the outer ear. With this in mind, do not re-use foam ear plugs, make sure that re-usable ear plugs are cleaned after or before each use and stored in sealed containers to prevent dirt ingress. It is not advisable to allow staff to share re-usable ear plugs. Make sure hands are clean before rolling and inserting the plug.

There are fewer concerns and complications when it comes to using ear defenders. They may contact the skin to a degree but they form a seal around the ear and can be more comfortable than an ear plug – especially if a user has narrow ear canals. They can be helmet mounted if required, but the extra weight should be considered and maintenance should still be heeded to ensure that they are kept clean.

## Standards

### EN352 overview:

This standard covers ear defenders and ear plugs.



Covers ear muffs/defenders which are either over the head or neckband type.



Is reserved for earplugs as fitting instructions and sizing need more clarification than for ear defenders. Where ear plugs are user-moulded to a user's ear, left and right must be specified.



Cover ear defenders which are attached to safety helmets, and -5 up to -8 are for ear defenders which have electrical inputs or features.

### Quality Ear Defenders

- Padded comfort headband has folding side arms to enable compact storage
- Suitable for medium to heavy industrial use
- SNR rating 30dB, earmuffs must be put on before exposure to noise and worn at all times in noisy environment
- One size
- EN352-1



Code: ED16250

### General Purpose Ear Defenders

- Lightweight ear muff with easy adjustment and comfort ear cushions
- Durable and robust
- SNR rating 27dB
- One size
- Green
- EN352-1



Code: ED1S05

### 3M Peltor Optime I Wire Neckband Ear Defenders

- Wide, comfortable sealing rings are filled with a unique combination of fluid and foam, which gives optimum sealing and low-contact pressure, ensuring the best possible comfort even during long periods of use
- SNR rating 26dB
- Yellow
- EN352-1



Code: HA23MOP1

### Digital Sound Level Meter

- 35mm LCD Display
- Precision dual range, ideal for measuring noise level in different environments and industries
- ½" electret condenser microphone
- Three manual ranges: 30dB – 80dB, 50dB – 100dB, 80dB – 130dB
- 0.1dB resolution
- Selectable 'A' or 'C' frequency weighting
- Fast (125ms) or Slow (1s) response filters
- 35mm LCD display with function indicators
- Over/Under range indicator
- Auto power-off after 15mins of no activity
- Low battery indication
- Foam wind muffler for outside use
- 2yr warranty
- Supplied with soft carry case, wind muffler and battery
- White/black



Code: ED3NM1

### Centurion Baltic Ear Defenders

- Note: to fit Centurion helmets only
- Available to fit Euro, Connect or Combi slot helmets
- Helmet-mounted ear defender system to complement all Centurion safety helmets
- Suitable for most general requirements
- SNR rating 25dB
- EN352-3:2002



Code: S41C

### JSP Sonis 2 Helmet Mounted Ear Defenders

- To suit JSP Safety Helmets
- Permits use of impact visor / JSP Powercap Infinity
- Wide fitting ear cups and variable pressure spring system
- EN352-4



Product:	Code:
Sonis 1	HA2JSO1
Sonis 2	HA2JSO2
Sonis 3	HA2JSO3

## Hearing protection

### Banded Foam Ear Plugs

- One band and one spare pair
- Lightweight banded ear plug complete with one free pair of replacement foam pods
- SNR rating 20dB



Code: EP16005

### Constructor Premium Foam Ear Plugs

- Box of 200 pairs
- Low-pressure ear plugs for softer fit and exceptional comfort
- SNR rating 34dB



Code: EP16060

### Disposable Foam Ear Plugs On Flexible Neck Cord

- Classic earplugs with a flexible connecting cord to save unnecessarily losing earplugs
- Connecting cord allows easy storage around the neck when not in use
- SNR rating 37dB
- One size



Code: EP16001

### Ear Plug Dispenser comes with 500 Pairs Ear Plugs

- A wall mounted dispenser, only dispensing one earplug at a time to prevent waste
- Comes complete with 500 pairs of disposable foam earplugs
- Earplugs have excellent attenuation of SNR 37dB
- Refillable dispenser
- Can be wall mounted or free standing



Code: EP16004C

### Foam Ear Plug Refill

- Suits dispenser EP16004C
- Containing 500 pairs of low pressure ear plugs to go into the plastic dispenser
- SNR rating 37dB



Code: EP16004R

You can order with us by phone, email or online:

T: 01293 744 444

E: [hello@onsite-support.co.uk](mailto:hello@onsite-support.co.uk)

W: [onsite-support.co.uk](http://onsite-support.co.uk)

**OnSite**  
support



## Hi-Vis clothing

It is important to understand the level of protection required for the task so that you can work as comfortably and efficiently as possible. Since first entering the UK in 1964, Hi-Vis clothing has been a major part of construction.

In the past few decades, the range of garments and materials available to end users has grown rapidly and today we see a greater range of options available than ever before. Where volumes have driven greater purchase power and improved manufacturing processes have created savings, the cheaper end of the market is awash with basic protective garments which meet requirements. For additional or superior protection, a more premium garment is required.

The basic ingredients in standard high visibility garments don't change much. Polyester is the main component with cotton and PVC present in some cases, however the weave, construction method and addition of polymers, chemical treatments and fibres to alter the main

performance angle of the garment in question serve to add to the range we see today. Added properties can range from limited flame spread and antistatic properties through to full electric arc flash protection and hydrostatic performance (waterproofness) or a combination of both.

The world is your oyster. Talk to us about the environment in which you are working and the hazards you will potentially face, and we can work together to ensure the correct garment is issued. Be aware that it's rarely a case of one garment solving all your needs, so be prepared to risk assess different areas to ensure that each user has access to the correct protection levels without being inhibited by unnecessary protective gear.

## Safety standards

**EN20471**  
 This standard specifies the bare minimum in conformance for visibility on site and has several classes within it ranging from 1 to 3. The higher the number, the more material is present on the garment. In certain circumstances, you will only be permitted class 3 garments, and be aware that the 20471 standard allows for 2 garments to be tested as a set (trousers and jacket for instance) to give a combined higher class compliance.

**RIS-3279-TOM**  
 Required for active rail lines and when working for certain contractors on railway tracks. From March 2017, the RSSB replaced GO/RT3279 with this standard. In technical terms, nothing changed between the old and new standard and GO/RT garments remain valid. New products will be released to the RIS-3279-TOM standard.

Look out for on items with rail compliance.

**EN381**  
 Covering chainsaw proof clothing exclusively, this standard should be sought if that level of protection is required. Note that usually only a part of the front of trousers and jacket will have protective material in it and it will be rated at a certain speed (meters per second). As a result, you need to know the speed of your chainsaw so that you can select the correct PPE.

**EN343**  
 Specifically for waterproof garments, the breathable aspect of EN343 has been much discussed in recent times. The ratings given are X:X, the first number (1-3) being waterproofness and the second number being breathability. 3 is the highest number so the ideal garment will be rated 3:3 but within that test there are a range of garments performing to various levels within EN343 and still claiming a classification of 3:3. If inclement weather is a real concern of yours, please talk to us as we have solutions which will help you be more comfortable, more effective and remain compliant.

Look out for for compliant garments.

**EN533 / ISO 14116**  
 If there is a marginal risk of flame/fire then EN533 will give you limited flame spread properties within the garment. ISO14166 has replaced EN533. The spread index will range from 1 to 3 with 3 being the most resistant. These garments are designed to protect the wearer from brief contact with small flames and is not designed to be a garment protecting the wearer from heat.

**EN470**  
 If you are undertaking welding or allied processes, look for this standard. It's important not to simply have a heat proof garment since your contact with both heat and fire is a risk which this standard takes into account.

**EN1149**  
 Should you need antistatic properties in your garments, this is the standard you're looking for. It is achieved by simply weaving a conductive thread through them – often carbon based – essentially creating a Faraday cage effect around the wearer.

**IEC 61482-2**  
 This standard is for electrical workers to ensure they are protected from the thermal hazards of electric arc flashes, which for up to a second, can expose a person to temperatures up to 19,000°C.

**BS EN 13034**
**EN14605**  
 If you're likely to suffer small splashes from liquid chemicals, this standard is likely all you need. Where total coverage is required, look out for EN 14605.

### Hi-Vis Standard Jacket

- Quilted lining with heavyweight polyester filling
- Concealed hood
- Two-way, heavy-duty zip front with storm flap and security pocket
- Two lower pockets with flap
- Inside breast pocket
- Fabric: PU-coated polyester
- Larger sizes on request
- Yellow
- **EN20471 Class 3**
- **EN343 3:1**

Sizes: S – 4XL



Code: VS3J30

### Hi-Vis Standard Jacket

- Quilted lining with heavyweight polyester filling
- Concealed hood
- Two-way, heavy-duty zip front with storm flap and security pocket
- Two lower pockets with flaps
- Inside breast pocket
- Fabric: PU-coated polyester
- Orange
- **EN20471 Class 3**
- **EN343 3:1**

Sizes: S – 4XL



Code: VS3O30

### Hi-Vis Premium Constructor Jacket

- Design influenced by premium outdoor garments means enhanced style, comfort and function
- Deep collar provides additional protection from the elements
- Fleece chin protector
- Full-length zip with storm flap
- Internal lycra storm cuffs
- Ergonomic drop tail
- Concealed, three-piece hood with drawstring adjustment
- Nelson chest pocket
- Map pocket
- Deep hand pockets
- Generous interior poacher pocket and zip pocket
- Velcro cuff adjustment
- Sleeve pen slots
- High-performance Vislite® retro reflective tape
- Warm, quilt lining
- Yellow
- **EN20471 Class 3**
- **EN343 3:1**

Sizes: S – 3XL



Code: VS3CJY5

### Hi-Vis Premium Bomber Jacket

- Fleece-lined collar
- High-performance Vislite® reflectors
- Nelson chest zip pocket
- Fleece-lined pockets
- Diamond-stitched quilt lining
- Rib knit cuffs and waistband
- Full-length zip
- Zip interior pocket
- Fabric: PU-coated polyester, fully-taped seams
- Yellow
- **EN20471 Class 3**
- **EN343 3:1**

Sizes: S – 3XL



Code: VS3CBY5



# Bespoke clothing

## Corporate Uniform Personalisation and Branding Services

We understand that today's corporate clothing needs to do more than just carry a name, it needs to reflect an image.

We can take an existing design and tweak it with your own combination of colours, sleeves, pockets, etc.

**Embroidery:** The method of choice for premium branding collars etc to really reflect your image. With low minimum

quantities and relatively short lead times, this scheme is ideal for minimum hassle with maximum impact. From one garment to thousands, we're experts in the many methods of garment marking, including:

- 1. Heat Seal Transfers** – Durable, sharp and clear with rapid turnaround
- 2. Screen Printing** – Excellent value, ideal for larger quantities

## Fully Bespoke Workwear Branding Service

We can work with you to create a unique corporate image entirely from scratch. We will listen to your requirements, visit the working environments and gain an understanding of your brand values in order to get the look and feel just right.

## Hi-Vis clothing

### Hi-Vis Bomber Jacket

- Warm microfleece-lined collar
- Press stud storm flap and zip front
- Quilted lining
- Fully-taped seams
- Two lower front pockets with flaps
- Internal breast pocket
- Fabric: heavyweight 300D polyester Oxford outer shell with PU coating
- Yellow
- **EN20471 Class 3**
- **EN343 3:1**



Sizes:  
S – 4XL

Code: **VS3YBJ3**



### Hi-Vis Wet Weather Trousers

- Goretex high-performance and lightweight
- Affordable price for maximum comfort in harsh conditions
- Yellow
- **EN20471 Class 1**
- **EN343 3:3**

Sizes:  
XS – 4XL



Code: **VS3GT50**



### Classic Orange Hi-Vis Bomber Jacket

- Quilted lining with heavyweight polyester filling
- Concealed hood
- Two-way, heavy-duty zip front with storm flap and security pocket
- Two lower pockets with flaps
- Inside breast pocket
- Fabric: PU-coated polyester
- Orange
- **EN20471 Class 3**
- **EN343 3:1**



Sizes:  
S – 3XL



Code: **VS3OBJ5**

### Heavyweight Hi-Vis Polycotton Cargo Trousers

- Comfort and function
- With water-repellent and stain-resistant finish
- Level 2 reflective tape
- Two cargo pockets with reflective piping
- Back pocket with reflective piping
- Internal knee pad pockets
- Triple-needle stitching on all main seams
- Two waist pockets
- YKK brass zipper
- Side waist elastication
- Five belt loops
- Fabric: 80% cotton, 20% polyester, 280gsm
- Orange
- **EN20471 Class 2**

Sizes:  
30R – 36T



Code: **VS3WCO10**

### Heavyweight Hi-Vis Polycotton Cargo Trousers

- Comfort and function
- Robust and practical
- With water-repellent and stain-resistant finish
- Level 2 reflective tape
- Two cargo pockets with reflective piping
- Back pocket with reflective piping
- Internal knee pad pockets
- Triple-needle stitching on all main seams
- Two waist pockets
- YKK brass zipper
- Side waist elastication
- Five belt loops
- Fabric: 80% cotton, 20% polyester, 280gsm
- Yellow
- Yellow/grey available upon request
- **EN20471 Class 2**

Sizes:  
28R – 44T



Code: **VS3WCY10**

# Hi-Vis clothing

## Hi-Vis Coolviz Polo Shirt – Yellow

- Coolplus fabric technology originally designed for use in professional sports means this polo shirt keeps you cool in warm conditions, offering superb comfort and performance
- Quick drying: synthetic fibres retain minimum water
- Moisture wicking: transfers moisture away from the skin
- Easy to care for: resilient fabric resists creasing, washes easily
- Rib knit collar with three button placket
- Open hem cuffs
- Fabric: 100% polyester Coolplus®
- **EN20471 Class 2**

Sizes:  
S – 4XL



Code: VS2HVP2

## Hi-Vis Coolviz Polo Shirt – Orange

- Coolplus fabric technology originally designed for use in professional sports means this polo shirt keeps you cool in warm conditions, offering superb comfort and performance
- Quick drying: synthetic fibres retain minimum water
- Moisture wicking: transfers moisture away from the skin
- Easy to care for: resilient fabric resists creasing, washes easily
- Rib knit collar with three button placket
- Open hem cuffs
- Fabric: 100% polyester Coolplus®
- **EN20471 Class 2**

Sizes:  
M – 4XL



Code: VS2HVPO

## Hi-Vis 100% Cotton Round Neck T-Shirt

- Underarm mesh vents
- Chevron tape
- Chest Pocket
- Orange

Sizes:  
S – 2XL



Code: VS2HVT1

## Hi-Vis Coolviz Long Sleeved Polo Shirt

- 100% Coolviz polyester 185gsm
- Generous fit
- Optimal wearer movement
- Yellow
- **EN20471 Class 3**

Sizes:  
M – 3XL



Code: 2041CV

## Hi-Vis 100% Cotton Long Sleeved Round Neck T-Shirt

- Underarm mesh vents
- Chevron tape
- Chest pocket
- Orange

Sizes:  
S – 2XL



Code: VS2HVT2

## Hi-Vis Coolviz Plus Long Sleeved Polo Shirt

- Improved breathability allows garment to stretch
- Protect from sunburn
- 100% polyester 130gsm
- Mesh-ventilated underarms and side seams
- Orange
- **EN20471 Class 3**

Sizes:  
S – 4XL



Code: VS3CPP3

## Hi-Vis Executive Waistcoat

- Zip fastening front
- Deeper arm openings
- Scooped hem allows pocket access
- Mobile phone pocket
- Two front bellows storage pockets with flaps
- Double pen pocket with D-ring
- Fabric: 100% knitted polyester
- Available in yellow or two-tone
- **EN20471 Class 2**

Sizes:  
S – 3XL



Colour: Code:  
Yellow VS2EX10-YLW  
Yellow/orange VS2EX10-YLW/OR  
Navy/yellow VS2EX10-NVY/YLW

## Hi-Vis Executive Waistcoat – Orange

- Zip fastening front
- Deeper arm openings
- Scooped hem allows pocket access
- Mobile phone pocket
- Two front bellows storage pockets with flaps
- Double pen pocket with D-ring
- Fabric: 100% knitted polyester
- **EN20471 Class 2**

Sizes:  
S – 3XL



Code: VS2EX10-ORG

## Class 2 Hi-Vis Waistcoat – Orange

- Polyester hi-vis waistcoat
- Velcro front fastening
- Fabric: 100% polyester
- **EN20471 Class 2**

Sizes:  
S – 4XL



Code: VS2O20

## Class 2 Hi-Vis Waistcoat – Yellow

- Velcro front fastening
- Fabric: 100% polyester
- Larger sizes available on request
- Yellow
- **EN20471 Class 2**

Sizes:  
S – 4XL



Code: VS2W20

## Shortened Hi-Vis Waistcoat

- Velcro front fastening
- Fabric: 100% polyester
- **EN20471 Class 2**

Sizes:  
S – 2XL



Sizes:  
L – XL

Colour: Code:  
Yellow VS2SW20-YLW  
Orange VS2SW20-ORG

## Hi-Vis Waistcoat – Red

- Velcro front fastening
- Fabric: 100% polyester
- Red
- **EN20471 Class 2**

Sizes:  
S/M – 2XL/3XL



Code: VS2W20-RED

## Hi-Vis clothing

### Class 3 Hi-Vis Sleeved Waistcoat



Sizes:  
S – 4XL

- Velcro front fastening
- Additional reflective stripes on sleeves corresponding with body bands
- Fabric: 100% polyester
- **EN20471 Class 3**

Colour: Code:  
Orange VS3J20-ORG  
Yellow VS3J20-YLW

### Hi-Vis Bodywarmer

- 100% polyester, 300D Oxford Weave with a stain-resistant finish
- PU coated 190g
- Four pockets for ample storage and interactive inner garment
- Reflective tape for increased visibility
- Interactive zip for added functionality
- Reversible garment for multi-use
- Quilt-lined for thermal insulation
- 50+ UPF rated fabric to block 98% of UV rays
- Extremely water-resistant fabric finish, water beads away from fabric surface
- Certified to **EN20471 Class 2** up to 50 washes



Sizes:  
S – 3XL

Colour: Code:  
Yellow BWENG-YLW

### LED Hi-Vis Executive Waistcoat with LEDs to Front & Rear



- Features innovative integrated LED lights to maximise visibility
- Multiple pockets offer excellent personal security
- Clear ID pocket for security passes and cards complement this unique garment
- Total of 16 LED lights to front and rear with three modes: On, steady flash and fast flash
- Up to 80hr battery life from a pair of AA batteries (not included)

- Lightweight for all day use, and can be branded/personalised if required
- Radio loop, phone and pen pocket, as well as cleverly designed dual-access pockets
- **EN20471 Class 2**



Code: VS7LW1-ORG

### Active LED Hi-Vis Yoke with 3 Modes

- Comes with battery pack and USB charging lead
- Total of 11 LED lights to front and rear
- Three different light modes: Soft Flash (up to 20hrs battery life), Rapid Flash (up to 15hrs), Constant (up to 10hrs)
- Tested to ensure no risk of epilepsy
- Li-ion battery charges from flat in 5hrs (5,000 full recharges)
- Lightweight with inbuilt padding for comfort and LED loom protection
- Velcro-adjustable shoulders and waist to allow a comfortable and secure fit
- Charges by mini USB lead (included) and each yoke has ICE tags included
- Orange



Sizes:  
S/L –  
XL/3XL

Code: VS7LY1-ORG

## Ladies Hi-Vis clothing

We offer Ladies PPE – more available upon request

### Hi-Vis Ladies Traffic Jacket



Sizes:  
XS – XL

Colour: Code:  
Yellow S360-YLW

- All the excellent characteristics of the standard traffic jacket are retained whilst studded side vents provide the preferred fit for the wearer
- Waterproof with taped seams preventing water penetration
- Fully lined and padded to trap the heat and increase warmth
- Reflective tape for increased visibility
- Four pockets for ample storage
- Concealed mobile phone pocket
- Internal chest pocket
- Two-way zip for quick and easy access
- Storm flap front to protect against the elements
- Pack-away hood for added functionality
- Inner ribbed cuffs for warmth and comfort
- Print access for corporate branding
- Reflective piping for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays
- **EN20471 Class 2**



### Class 3 Ladies Breathable Jacket

- Polyester mesh-lined body and sleeves
- Full-length hook and loop fastened storm flap
- Micro fleece-lined collar
- Detachable hood
- Zipped hand warmer front pockets
- Two internal drop pockets
- Nelson pocket cuff adjusters
- Fabric: breathable LTEC 10,000 two-layer laminated polyester
- Fastener: YKK main zip
- Reflective tape: 3M Scotchlite
- **EN20471 Class 3**
- Size XS certified to **EN20471 Class 2**
- **EN343 3:3**

### Ladies Superior Hi-Vis Coolviz Polo Shirt

- Segmented reflective tape
- Mesh-ventilated underarms and side seams
- **EN20471 Class 2**



Sizes:  
XS – 3XL

Colour: Code:  
Orange VS3LCP3

### Class 2 Ladies Polycotton Hi-Vis Cargo Trousers

- Triple-stitched main seams
- Quadruple-stitched reflective tape
- Cargo-style leg pockets with reflective piping
- Internal knee pad pockets
- Back pocket
- Side waist elastic
- Seven belt loops
- Fabric: 280gsm poly/cotton with water- and stain-repellent finish (80% polyester, 20% cotton)
- Fastener: metal button with YKK brass zip fly
- Reflective tape: 3M Scotchlite
- **EN20471 Class 2**



Sizes:  
8 – 18

Colour: Code:  
Hi-Vis yellow VS5LPC1

# Ladies Hi-Vis clothing

## Pulsarail Ladies Teflon® Coated Trousers

- Durable 275gsm 80% polyester, 20% cotton fabric with twill finish to reduce pulls and snags
- Teflon® coating ensures unrivalled resistance to dirt and grease, whilst offering water repellence in light showers
- Twin-needle stitching and bar tacked at stress points for maximum durability
- Triple-stitched inseam for added strength
- All pocket flaps have reflective piping detail
- Bellowed combat style pockets to both thighs offering excellent storage, with extra 1" reflective stripe to pocket flaps
- Knee pad pockets (knee pads not included)
- Unique double belt loop design allows a standard belt and utility belt to be worn at the same time
- Partially-elasticated waistband for extra comfort
- Double press stud and button fastening with zip fly
- Rear patch pocket with flap
- **EN20471 Class 2**



Sizes:  
8 – 18

Colour: Orange  
Code: VS3PR336LDS-ORG



## Ladies Teflon®-Coated Combat Trousers



Sizes:  
12 –14

Colour: Yellow  
Code: VS3P346LDS-YLW

- Double-stitched reflective tape
- Teflon® coating increases resistance to dirt and light showers
- Partially-elasticated waistband
- Double press stud and button fastening
- **EN20471 Class 2**

## Class 2 Ladies Breathable Overtrousers

- Elasticated waist with shock cord adjuster
- Half-leg side opening with YKK zip hook and loop ankle adjuster tabs
- Side pocket access
- Fuchsia detailing
- Fabric: breathable LITEC 10,000 two-layer laminated polyester
- Reflective tape: 3M Scotchlite
- **EN20471 Class 2**
- **EN343 3:3**



Sizes:  
XS – 2XL

Colour: Hi-Vis yellow  
Code: VS5LT1



# Hi-Vis rail clothing

## Pulsarail 7-in-1 Storm Coat

- Comes with interactive reversible bodywarmer with detachable sleeves
- Waterproof 300 Denier PU-coated polyester outer fabric with extra hydrophilic coating to increase breathability
- 100% polyester lining
- Zip off detachable sleeves to bodywarmer
- Micro-fleece collar
- Storm cuffs to jacket, knitted cuffs on bodywarmer

### Product description – Outer Coat:

- Full length YKK® 2-way zip concealed by double Velcro storm flap
- Large external bellowed pockets with separate hand warmer pockets
- Velcro wrap-around adjustable storm cuffs for superior fitting
- Underarm ventilation
- Reflective piping detail to all external pocket flaps
- Three pen pockets on left sleeve with embroidered eyelets for water expulsion
- Micro-fleece collar for extra warmth and comfort
- Chin protector
- Class 3 waterproof and breathable 300 denier PU polyester outer fabric
- 100% polyester mesh lining

### Product Description – Interactive Bodywarmer:

- Full length YKK® interactive zip fastening
- Sports-style waterproof zip pocket to right chest ideal for mobile phone
- Zip off detachable sleeves with knitted cotton cuffs
- Document pockets to both sides with sports-style waterproof zip closures to orange side only

- Reverses to grey padded soft touch micro-fibre lining
- Unique flip-out ID window design
- Hi-Vis sleeves available separately (PR525)
- Class 3 waterproof and breathable 300 denier PU-coated polyester orange fabric
- Anchorage fastening points at cuffs and neck for a more secure fit
- Longer scalloped back length
- Interacts with VS3PR502-ORG

### Conforms to:

- **EN20471 Class 3**
- **EN343 3:3** (Outer coat only)



Sizes:  
S – XL



Code: VS3PR497

## Pulsarail EN471 Padded Waterproof Storm Coat



Sizes:  
S – 2XL

- Full length YKK® 2-way zip concealed by double Velcro storm flap
- Sports style waterproof zip pocket to right chest ideal for mobile phone
- Large external bellowed pockets with separate hand warmer pockets
- Velcro wrap around adjustable storm cuffs for superior fitting
- Neoprene inner cuff, with underarm ventilation
- Reflective piping detail to all external pocket flaps
- **EN20471 Class 3**
- **EN343 3:1**



Code: VS3PR502-ORG

## Hi-Vis Breathable Jacket

- Interactive with the fleece TRF532
- Practical detailing and design means this jacket represents outstanding value
- Waterproof and breathable microporous PU-coated fabric
- Deep collar provides additional protection from the elements
- Full-length zip with velcro-fastening double storm flap
- Internal lycra storm cuffs
- Ergonomic drop tail
- Concealed, three-piece hood with drawstring adjustment
- Map pocket
- Deep hand pockets
- Generous interior poacher pocket and zip pocket
- Velcro cuff adjustment
- Sleeve pen slots
- High-performance Vislite® retro reflective tape
- Mesh lined with interactive zip
- **EN20471 Class 3**
- **EN343 3:3**



Sizes:  
S – 3XL



Code: VS3BO35

To support a fast and efficient delivery of products to your sites, you can order our products online at [onsite-support.co.uk](http://onsite-support.co.uk)



# Hi-Vis rail clothing

## Pulsarail 300 Denier Waterproof PU-Coated Storm Coat

- Interactive with the fleece TRF532
- Waterproof 300 denier PU-coated polyester outer fabric with extra hydrophilic coating to increase breathability
- 100% polyester lining
- Reflective 3M piping detail to all external pocket flaps
- **EN20471 Class 3**
- **EN343 3:3**



Sizes:  
XS – 3XL



Code: **VS3PULSSC**

## Orange Bomber Jacket

- Functional and stylish bomber jacket
- Quilted, padded lining and fleece-lined collar for great comfort
- **EN20471 Class 3**



Sizes:  
S – 3XL



Colour:  
Orange

Code:  
**VS4OBJ10-ORG**

## Hi-Vis Fleece Jacket Class 3

- Interactive YKK front zipper with puller
- Zipped front pockets with pullers shock-cord hem adjuster
- 280gsm Anti-Pill fleece
- **EN20471 Class 3**



Colour: Code:  
Orange **VS4FJ10-ORG**  
Yellow **VS4FJ10-YLW**

## Pulsarail 300 Denier PU Coated Waterproof Bomber Jacket

- Waterproof 300 denier PU-coated polyester outer fabric with extra hydrophilic coating to increase breathability
- 100% polyester lining
- 3M Scotchlite reflective tape to body and sleeves
- Reflective 3M piping
- **EN20471 Class 3**
- **EN343 3:3**



Sizes:  
S – 3XL



Code: **VS3PULSBJ**

## Hi-Vis Sweatshirt

- Stretch reflective tape
- 50% polyester/50% cotton
- Orange
- **EN20471 Class 3**

Sizes:  
S – 2XL



Code: **B303**

## Hi-Vis Pulsarail Polyester Long Sleeved Polo Shirt

- 100% Polyester bird-eye knit fabric with added wicking treatment for extra comfort
- Fabric certified to Solar Protection Factor (SPF)
- Orange
- **EN20471 Class 3**

Sizes:  
XS – 3XL



Code: **VS2HVPBP**

## Hi-Vis Coolviz Plus Short Sleeve Polo Shirt

- Improved breathability allows garment to stretch
- Protect from sunburn
- 100% polyester 130gsm
- Mesh-ventilated underarms and side seams
- Orange
- **EN20471 Class 2**

Size:  
2XL



Code: **VS3CPP4**

## Hi-Vis 3-Part Waistcoat

- London Underground Ltd approved three-part hi-vis waistcoat – a proven product
- Adjustable stud front fastening
- Quick-release velcro shoulder and side seams
- Fabric: 100% Polyester
- Orange
- **EN20471 Class 2**

Sizes:  
S – 2XL



Code: **VS1WLU**

## Standard Velcro Fasten Hi-Vis Waistcoat

- Velcro fastening front
- Quick-release velcro sides and shoulders
- Fabric: 100% polyester
- **EN20471 Class 2**

Sizes:  
S – 2XL



Code: **VS4WR2**

## Hi-Vis Pulsarail PolyCotton, Zip Front Tear Apart Waistcoat

- 'V' style reflective tape front but vertical rear braces
- Anti-entanglement design
- Durable 275gsm polyester, 20% cotton fabric with twill finish to reduce pulls and snags
- Zip front fastening for a secure fit
- Double press studded sides and shoulders for further adjustment
- Elasticated at sides and rear for a more precise fit
- Colour contrast bound edges
- Orange
- **EN20471**

Sizes:  
S – 3XL



Code: **VS2PR145**

## Hi-Vis Waistcoat

- Railtrack-approved, three-part hi-vis waistcoat – a proven product
- Zip front and side elastication for secure fit
- Quick-release concealed stud fastening shoulder and side seams
- Fabric: polyester/cotton
- Orange
- **EN20471 Class 2**

Sizes:  
M – 2XL



Code: **VS1WBR**

## Hi-Vis rail clothing

### Railway Polycotton Hi-Vis Work Trousers

- Practical and durable hi-vis work trousers with Teflon® coating for oil, dirt and water repellance
- Hook and bar fastening at waist
- Two hand pockets
- Fabric: 50% cotton/50% polyester, Teflon®-coated
- Orange
- **EN20471 Class 2**



Sizes:  
30S – 42R

Code: VS4ROT2

### Heavyweight Hi-Vis Poly/Cotton Cargo Trousers

- Built-in kneepad.
- Designed equally for comfort and function as for meeting safety legislation
- With water-repellent and stain-resistant finish
- Two cargo pockets with reflective piping
- Back pocket with reflective piping
- Internal knee pad pockets
- Triple-needle stitching on all main seams
- Two waist pockets
- YKK brass zipper
- Side waist elastication
- Five belt loops.
- Fabric: 80% polyester, 20% cotton, 280gsm
- Orange
- Level 2 reflective tape
- **EN20471 Class 2**



Sizes:  
32S – 40T

Code: VS4WCO10

### Pulsarail 300 Denier PU-Coated Waterproof Trousers

- 300 denier PU-coated polyester
- 3M Scotchlite tape
- Full-length vertical stripes front and rear
- Sports-style waterproof zip gusseted at hem of the leg
- Orange
- **EN471:2003 Class 1**
- **EN343 3:3**



Sizes:  
XS – 3XL

Code: VS3PULSPUT

### Hi-Vis Cargo Overtrousers

- Elasticated waist with shock cord adjustment
- Large Velcro-fastened front pockets
- Side pocket access
- Cargo pockets with Velcro fastening flaps on thigh
- Lower leg zip opening with Velcro fastening storm flap
- Fabric: waterproof and breathable microporous PU-coated polyester with fully-taped seams
- Orange
- **EN20471 Class 2**
- **EN343 3:3**



Sizes:  
M – 3XL

Code: VS3WCO5

## Hi-Vis rail clothing / Thermal clothing

### Pulsarail Teflon® Coated Trousers

- Water-repellent finish
- Teflon® coating
- Combat pockets to the left and right thighs
- Kneepad pockets
- Rear pocket with flap
- 3M Scotchlite reflective tape
- Double belt loop design allowing use of both a standard belt and utility belt simultaneously
- Fabric: 80% polyester, 20% cotton twill with Teflon® fabric protector finish
- Certified to: **EN471:2003 Class 1**
- Hi-visibility orange



Sizes:  
30S – 52T

Code: VS3PULSTT

### Railtrack Poly-Cotton Overalls

- Industrial wash Hi-VisTex tape to the arms, legs, chest and shoulders provide outstanding wearer visibility, while the heavyweight fabric and rugged design ensures the coverall lasts longer
- Elastic to waist provides a roomy fit
- Durable polyester/cotton fabric with Texpel stain-resistant finish
- Reflective tape for increased visibility
- Four pockets for ample storage
- Phone pocket
- Rule pocket
- Side access pockets
- Two-way zip for quick and easy access
- Concealed zip opening for added security
- Back elastic for ease of movement
- Orange
- **EN20471 Class 3**



Sizes:  
S – 5XL  
M – 3XL (tall)

Code: SCM100

### Pulsarail Teflon® Coated Coverall

- 80% polyester, 20% cotton fabric with twill finish
- Genuine Teflon® coating ensures unrivalled resistance to dirt and grease
- Orange
- **EN20471 Class 3**



Sizes:  
S – 3XL

Code: VS4PULSB

### Thinsulate™ Interactive Liner for PR505 Coverall

- Thinsulate™ insulation type G100 quilting for maximum heat retention
- Anchorage fastening points at the ankles, cuffs and back of neck for a more precise fit
- Knitted cotton cuffs and ankles for extra comfort
- Insulation for cold weather
- Grey



Sizes:  
S – 2XL

Code: G100-COV

### Pulsarail 300 Denier PU-Coated Waterproof Coverall

- 300 denier PU-coated polyester outer fabric with extra hydrophilic coating to increase breathability
- 3M Scotchlite reflective tape to body and sleeves
- Reflective 3M piping
- Orange
- **EN20471 Class 3**
- **EN343 3:3**



Sizes:  
S – 3XL

Code: VS4PULSWPB-ORG

# Waterproof clothing

## Hi-Vis PU-Coated Jacket



- Concealed hood
- Full zip front with double storm flap
- Hand pockets with flap
- Elasticated storm cuffs
- Stitched and welded seams
- Fabric: 100% polyester
- Yellow
- **EN20471 Class 3**

Sizes:  
S – 3XL



Code: PUJ471

## Regatta Ashford II Waterproof/Breathable Jacket

- Part mesh, part polyester taffeta lining
- Inner storm flap with extended scrumlined chin guard
- Internal security pocket
- **EN343**



Sizes:  
S – 2XL



Code: TRW484

## Premium Rain Jacket

- Helly Hansen Voss rain jacket
- Light and extremely tough and, of course, waterproof
- Flexible properties mean it is both comfortable and versatile
- Fold away hood with drawcord adjustment
- Extended back
- Adjustable cuffs
- Fabric: lightweight PU-coated knitted polyester
- **EN343 3:1**



Sizes:  
M – 3XL



Colour: Code:  
Black **R70180-BLK**  
Navy **R70180-NVY**

## Hydrowear Uithoorn Hi-Vis Waterproof Breathable Storm Coat/ Parka Jacket with Interactive Zip

- Parka 85cm
- Fixed hood
- Detachable quilted lining
- Lining can be ordered separately
- Double storm flap over the zip
- Two front pockets with flap and velcro

- One inner pocket with velcro closure
- 210g 100% polyester laminate
- Yellow or orange
- **EN20471 Class 3**
- **EN343 3:3**



Sizes:  
S – 4XL



Colour: Code:  
Yellow **VS8HY3-YLW**  
Orange **VS8HY3-ORG**

## Hydrowear Uitdam Hi-Vis Waterproof Breathable Jacket with Interactive Zip

- Raincoat 80cm
- Mesh polyester lining
- Fixed hood
- Concealed zip with press-stud closure
- Two front pockets with flap
- 210g 100% polyester laminate
- Yellow or orange
- **EN20471 Class 3**
- **EN343 3:3**



Sizes:  
S – 4XL



Colour: Code:  
Yellow **VS8HY1-YLW**  
Orange **VS8HY1-ORG**

## Hydrowear Ureterp Hi-Vis Waterproof Breathable Coverall

- Fixed hood
- Zipper with double storm flap and press-studs
- Wind cuffs
- Adjustable legs with press-stud
- Mesh polyester lining
- 210g 100% polyester laminate
- Yellow or orange
- **EN20471 Class 3**
- **EN343 3:3**



Sizes:  
S – 4XL



Colour: Code:  
Yellow **VS8HY5-YLW**  
Orange **VS8HY5-ORG**

## Two-Piece Nylon Rainsuit

- Nylon B-Dri suit pack
- Lightweight two-piece rain suit
- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed hood
- Lower front pockets with flap
- Studded cuffs
- Hip drawcord
- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully-taped seams



Sizes:  
S – 3XL



Colour: Code:  
Yellow **WR5LW25-YLW**  
Navy **WR5LW25-NVY**

## Hi-Vis PVC Rain Jacket & Trouser

- Our two-piece nylon/PVC rainwear is manufactured from lightweight water-resistant fabric
- Elasticated waisted trousers
- Heavy-duty zip fastening front
- Front flap pockets
- Concealed hood
- **EN20471 Class 3**
- **EN343 3:1**



Sizes:  
S – 3XL



Colour: Code:  
Yellow **VS3LW25-YLW**  
Orange **VS3LW25-ORG**

# Waterproof clothing

## Premium Rain Trousers

- Light and extremely tough and, of course, waterproof
- Flexible properties mean it is both comfortable and versatile
- Elasticated waist with drawcord adjustment
- Snap fasteners at ankle
- Fabric: Lightweight PU-coated knitted polyester
- **EN343 3:1**



Sizes:  
S – 3XL

Colour:	Code:
Black	R70480-BLK
Navy	R70480-NVY
Orange	R70480-ORG

## Hi-Vis PU-Coated Trousers

- Elasticated waist
- Studded ankles
- Fabric: 100% polyester
- Yellow
- **EN20471 Class 3**
- **EN343 3:1**



Sizes:  
S – 3XL

Code: **PUT471**

## Hi-Vis Overtrousers

- Elasticated waist
- Two side pockets
- Fabric: PVC-coated polyester
- **EN20471 Class 2**
- **EN343 3:1**



Sizes:  
S – 5XL

Colour:	Code:
Yellow	WR5LW25-YLW
Navy	WR5LW25-NVY

## Hydrowear Ursum Hi-Vis Waterproof Breathable Overtrousers

- Mesh polyester lining
- Elasticated waist with elasticated draw cord
- 210g 100% polyester laminate
- Yellow or orange
- **EN20471 Class 2**
- **EN343 3:3**



Sizes:  
S – 4XL

Colour:	Code:
Yellow	VS8HY7-YLW
Orange	VS8HY7-ORG

## Hi-Vis Cargo Overtrousers

- Water-resistant trousers with added practical features
- Elasticated waist with cord adjuster
- Two large leg pockets with Velcro fastening flaps
- Side pocket access
- Lower leg zip opening with Velcro-fastened storm flap
- Fabric: PU-coated polyester
- Yellow
- **EN20471 Class 2**
- **EN343 3:1**



Sizes:  
S – 4XL

Code: **VS3WCY2**

## Elka Bib & Brace

- Easily adjusted to ensure reliable waterproof protection
- Adjustable suspenders with Fix-lock
- Inside pocket
- Orange
- **EN343 3:1**



Sizes:  
S – 2XL

Code: **177302-ORG**

## Hydrowear Utting Hi-Vis Waterproof Breathable Saloppes/Bib & Brace

- Bib & brace with polyester lining
- Elastic bands with fix lock
- Two pockets with velcro flap closure
- Chest pocket with flap and zipper
- Adjustable legs with velcro flap closure
- Two pockets with flap and press stud
- 210g 100% polyester laminate
- Yellow/navy or orange
- **EN20471 Class 2**
- **EN343 3:3**



Sizes:  
S – 4XL

Colour:	Code:
Yellow/navy	VS8HY9-YLW
Orange	VS8HY9-ORG

You can order with us by phone, email or online:

T: 01293 744 444

E: [hello@onsite-support.co.uk](mailto:hello@onsite-support.co.uk)

W: [onsite-support.co.uk](http://onsite-support.co.uk)

**OnSite**  
support

## Fristads Airtech Hi-Vis Winter Parka cl 3 4036 GTT

- Detachable lining
- Detachable lined hood with adjustable strap and drawstring
- Fleece-lined collar
- Reflective detail on shoulders
- Front placket opening with two-way zip to top of collar and concealed snap fastening
- Two chest pockets with zip
- ID-card pocket
- Map pocket with inside mobile phone pocket accessible from outside
- Two bellowed front pockets with flap and concealed snap fastening
- Two fleece-lined hand-warmer pockets
- Microphone loop inside
- Two inside pockets with zip
- Adjustable waist with drawstring
- Elastic inner cuff with thumb grip
- Adjustable sleeve end
- Zip-in lining for easy embroidery and transfer
- Waterpillar 10.000mm
- Leasing laundry-tested according to ISO15797
- Material info: Airtech®, 100% polyester, breathable, wind and waterproof
- Quilted lining in 100% polyester
- Weight: outer fabric 150g/m<sup>2</sup>, lining 260g/m<sup>2</sup>
- Approved according to EN ISO 20471 class 3, EN 343 class 3:3 and EN 342



Sizes: XS – 4XL

Colour:	Code:
Yellow/navy	119628-171
Orange/navy	119628-271

## Fristads Airtech Hi-Vis Winter Jacket cl 3 4035 GTT

- Fully lined
- Detachable lined hood with adjustable strap and drawstring
- Fleece-lined collar
- Reflective detail on shoulders
- Front placket opening with zip to top of collar and concealed snap fastening
- Two chest pockets with zip
- ID-card pocket
- Map pocket with inside mobile phone pocket, and buttonhole and loop for earpiece accessible from outside
- Two fleece-lined front pockets with zip
- Adjustable hem with drawstring
- Two inside pockets with zip and buttonhole and loop for earpiece
- Mesh lining in armhole
- Zip-in lining for easy embroidery and transfer
- Elastic inner cuff with thumb grip
- Adjustable sleeve ends
- Extended back
- Waterpillar 10.000mm
- Leasing laundry-tested according to ISO15797
- Material: Airtech®, 100% polyester, breathable, wind and waterproof
- Quilted lining: 100% polyester
- Weight: outer fabric 150g/m<sup>2</sup>, lining 120g/m<sup>2</sup>
- Approved according to EN ISO 20471 class 3, EN 343 class 3:1 and EN 342 Shell fabric meets class 3 for water vapour permeability; EN 343 class 3:3



Sizes: XS – 3XL

Colour:	Code:
Yellow/navy	119626-171
Yellow/black	119626-196
Orange/navy	119626-271
Red/black	119626-396

## Regatta Bomber Jacket

- Excellent value
- Fleece-lined collar
- Velcro storm flap
- Concealed hood
- Adjustable cuffs
- Two lower zipped pockets
- Mobile phone pocket
- Concealed zip entrance in lining for embroidery access
- Fabric: waterproof Hydrafort polyester fabric; windproof; 250gsm anti-pill fleece lining; Thermoguard insulation
- Black, navy and other colours available on request



Sizes: S – 3XL

Colour:	Code:
Black/grey	TRW297-BLKGRY
Navy	TRW297-NVY

## Regatta Steller Bodywarmer

- Polyester material
- Thermo-guard insulation
- Mobile phone and pen pockets
- 220gsm body insulation wadding
- Black



Sizes: S – 2XL

Code: TRA803-BLK

## Regatta Uproar Softshell Jacket

- Lightweight and stretchy fabric moves effortlessly with you, and provides enough outdoor weather protection
- Durable water-repellent finish, wind-resistant and quick drying
- Super soft handle
- Two zipped hand pockets
- Adjustable shockcord hem
- Fabric: Warm backed woven stretch softshell



Sizes: XS – 4XL

Colour:	Code:
Black	TRA642-BLK
Black/seal grey	TRA642-BLKSGY
Navy	TRA642-NVY

## Regatta Full Zip Fleece

- A high-quality fleece offering excellent value, great when worn on its own, but interactive zips mean it can also be zipped into jackets for extra versatility
- Fleece cuffs
- Two zipped lower pockets
- Adjustable shockcord hem
- Interactive zip
- Fabric: 100% polyester, 280gsm anti-pill symmetry fleece



Sizes: S – 4XL

Colour:	Code:
Navy	TRF532-NVY
Black	TRF532-BLK

## Ladies Regatta Uproar Softshell Jacket

- Warm-backed woven stretch Softshell fabric
- Durable water-repellent finish
- Wind resistant
- Quick-drying fabric



Sizes: 8 – 14

Colour:	Code:
Black	TRA645-BLK
Navy	TRA645-NVY

## Heavyweight Full Zip Fleece

- Premium heavyweight full zip fleece, a proven product and great uniform garment
- For lightweight warmth
- Full zip
- Adjustable drawcord at waist
- Two side pockets
- Fabric: 100% polyester, anti-pill fleece



Sizes: S – 2XL

Colour:	Code:
Navy	FJ10-NVY

## Classic Sweatshirt

- Classic crew neck, set-in sleeve style sweatshirt in fine-gauge, fleece-back knit, offering great comfort and a smooth surface
- Taped back of neck for extra comfort
- Twin-needle stitching detail
- Ribbed neck, cuff and waistband
- Fabric: 50% polyester, 50% cotton, 275gsm
- Other colours available upon request



Sizes: S – 3XL

Colour:	Code:
Black	SW5-BLK
Navy	SW5-NVY

## Regatta Sandstorm Softshell Jacket

- Hard wearing warm backed woven stretch soft shell
- Water repellent
- Wind resistant



Sizes: S – 2XL

Colour:	Code:
Black	TRA651-BLK

## Mediumweight Full Zip Fleece

- Great value fleece for lightweight warmth
- Full zip
- Two side pockets
- Adjustable drawcord at waist
- Fabric: 100% polyester, anti-pill fleece, 300gsm



Sizes: XS – 2XL

Colour:	Code:
Navy	FJ1-NVY

# Workwear & corporate wear

## Classic Value Weight T-Shirt

- For budget and/or high volume
- Tubular knit for shape retention
- Other colours available upon request



Sizes:  
S – 2XL

Colour:	Code:
Black	CTS1-BLK
Navy	CTS1-NVY
Orange	CTS1-ORG

## Classic Mediumweight T-Shirt

- Quality t-shirt suitable for a broad range of applications, great for keeping cool in summer
- Twin-needle stitching at neck, sleeves and hem
- Taped neckline for added comfort
- Fabric: 100% ringspun cotton, fine-gauge knit
- Other colours available upon request



Sizes:  
S – 2XL

Colour:	Code:
Black	CTS2-BLK
Navy	CTS2-NVY

## Premium Weight Polo Shirt

- For use in hard-wearing environments
- 60° washability, reinforced shoulder seams and durable fabric make for ultimate practicality
- Taped inside neck for extra comfort
- Raised detail on collar
- Three self-coloured button placket
- Fabric: 50% polyester, 50% cotton
- Other colours available upon request



Sizes:  
XS – 6XL

Colours:	Code:
Black	PS5-BLK
Navy	PS5-NVY
White	PS5-WHT

## Classic Polo Shirt

- Tough, comfortable polycotton blend polo shirt offering exceptional value
- Practical, easy-care fabric
- Rib-knit collar
- Three self-coloured button placket
- Fabric: 50% cotton, 50% polyester
- Other colours available upon request



Sizes:  
S – 2XL

Colour:	Code:
Black	PS1-BLK

## Long Sleeve Oxford Shirt

- Classic button-down collar Oxford shirt in cotton-rich, easy-care fabric which gives extra comfort
- Wrinkle-resistant fabric with quality features for outstanding value
- Pinpoint Oxford weave
- Pocket on left breast
- Adjustable cuffs
- Shirt tail bottom
- Inverted pleat on the rear for movement
- Fabric: 15% polyester, 85% combed cotton 140gsm



Sizes:  
15.5"(M) –  
18.5"(2XL)

Colour:	Code:
White	OSL5-WHT

## Short Sleeve Oxford Shirt

- Classic button-down collar Oxford shirt in cotton-rich, easy-care fabric, which gives extra comfort
- Wrinkle-resistant fabric with quality features
- Pinpoint Oxford weave
- Pocket on left breast
- Adjustable cuffs
- Shirt tail bottom
- Inverted pleat on the rear for movement
- Fabric: 15% polyester, 85% combed cotton 140gsm
- Other colours available upon request



Sizes:  
14.5"(S) –  
19.5"(3XL)

Colour:	Code:
White	OSS5-WHT

## Workwear Cargo Trousers

- Smart, well-made trousers that are excellent value
- Expandable waistband for comfortable fit
- Cargo pocket on right leg
- Two back pockets with pocket flaps
- Mobile phone pocket
- Weight: 245gsm
- Fabric: 65% polyester, 35% cotton twill



Sizes:  
38S – 48T

Colour:	Code:
Black	001M-BLK
Navy	001M-NVY

## Fristads Icon Light Trousers 280 P154

- Two side pockets
- Two rear patch pockets with button
- Rule pocket
- Leg pocket with flap and telephone pocket
- Waist size adjusters
- Fabric: 65% polyester, 35% cotton, brushed 260gsm
- Other colours available on request



Sizes:  
38S – 48T

Colour:	Code:
Black	P154280-BLK
Navy	P154280-NVY

## Fristads Pro Stretch Craftsman Trousers 241 PS25

- Tough fabric with inbuilt mechanical stretch improves comfort during active work
- Multi-function handy pockets can be tucked away when not required
- D-ring for keys/ID card
- Rule pocket with pen slots
- Leg pocket with phone compartment and tool slots
- Ergonomically-designed knee pockets of 100% Cordura® for ultimate durability
- Hammer holders
- Fabric: 65% polyester, 35% cotton, mechanical stretch, brushed 300gsm (Cordura® knee pockets)
- Black



Sizes:  
38S – 48T

Code: PS25241-BLK

# Workwear & corporate wear

## Merlin Tradesman Trousers

- Triple stitching on all main seams
- Multiple pockets with extra-strong lining, including two front, two rear and combat leg and rule pockets
- Part-elasticated waistband for comfort
- High-quality pocket liners for durability
- Heavy-duty, non-scratch fixing stud on waistband
- Brass YKK zip
- Functional D-ring
- External kneepad pocket
- Leg lengths: S (29"), R (32"), T (35")



Sizes:  
30S – 48T

Colour: Navy Code: 2800-NVY

## Fristads Cargo Shorts 254 BPC

- Made in a new cotton-rich canvas fabric that's tough yet offers supreme comfort
- Two front pockets
- Two back pockets with bellows pleat for extra room
- Bellows construction leg pocket with Velcro fastening
- Leg pocket with telephone compartment, pen slots and tool pockets
- D-ring
- Broad belt loops
- Fabric: canvas, 60% cotton, 40% polyester, brushed, 295gsm



Sizes:  
28R – 46R

Colour: Black Code: BPC254-BLK  
Khaki Code: BPC254-KHK  
Navy Code: BPC254-NVY

## Rubber Knee Pads (Pair)

- Economical knee pad with ribbed face
- Ideal for use in general construction
- Single strap for comfort
- Sold as pairs
- One size



Code: KP1R05

## Gel Filled Knee Pads (Pair)

- Functional and technically innovative
- Thick silicone gel adapts to your kneecap offering unrivalled comfort, whilst the tough abrasion-resistant PVC shell ensures ultimate protection and a longer life span
- Adjustable straps allow for great flexibility for fitting while providing comfort to the back of the leg
- One size



Code: KP4G15

## Basic Overalls

- 65% polyester, 35% cotton, 245gsm concealed stud front boilersuit
- Features a chest pocket with flap for secure storage and two side pockets
- Comfort, practicality and durability are ensured
- Breast pocket
- Rule pocket
- Navy



Sizes:  
S – 2XL

Code: BL2P15-NVY

## Super Polycotton Zip Front Boilersuit

- Pre-shrunk, top-quality fabric contributes to the professional appearance of this garment
- 8 pockets
- 50+ UPF rated fabric to block 98% of UV rays
- Durable polycotton
- Navy



Sizes:  
S – 3XL

Code: BL2P20-NVY

## Fristads Knee Pads 9125 KP (pair)

- 165mm(W) x 290mm(L)
- Lightweight ergonomic kneepads designed to fit most kneepad trousers
- One size
- One colour



Code: KP9125

# Flame retardant clothing



## Bizweld Cotton Overalls Flame Retardant

- High-quality, ultra-comfortable flame retardant garment
- Ideal for metal fabrication
- Bizweld is a heavyweight 100% cotton fabric; specially treated with a flame retardant finish
- Side pockets with access
- Concealed stud front
- Rule pocket
- Two chest pockets with flaps
- Inner mobile phone pocket
- Fully certified to the European Standard EN470 and EN531
- EN ISO 11612 A1+A2, B1, C1, F1 and EN ISO Class 1, A1+A2



Sizes:  
S – 2XL

Colour: Navy Code: SCM200

## Flame Retardant Cargo Trousers

- Twin-stitched seams
- Conveniently placed rule pocket
- Fabric: 330gsm flame retardant-treated cotton drill
- Certified to EN470-1, EN531: A, B1, C1 and EN533



Sizes:  
28R – 52T

Colour: Navy Code: WT1FR15

## ProGarm 4617 FR AS Hi-Vis Trousers

- Two hip pockets with flaps
- Combat pocket on leg with phone pocket
- Rear pocket with flap
- 50mm FR AS reflective tape with double stitching
- ThermSAFE™ jeans button
- Triple-stitched side seams
- ProGarm® VXS+ HVO 360W inherent fabric
- Instant extinguishing properties: for ultimate protection against flame hazards
- Great comfort: breathable, soft to wear, fantastic touch
- Highly durable: colour fast with less than 3% washing shrinkage
- ThermSAFE™ plastic zipper
- EN11612, EN1149, EN471



Sizes:  
30S – 44T



Colour: Orange Code: VS4FRT10

## Flame Retardant Bizweld Coverall

- Bizweld Iona Coverall offers visible protection to the wearer
- Clever design features include flame resistant reflective tape on the shoulders, sleeves and legs, the option to insert knee pads when needed, ample storage space and a rule pocket
- CE certified and guaranteed flame resistance for life of garment
- ARC2 (previously HRC2)
- Concealed stud front for easy access and stud adjustable cuffs for a secure fit
- Certified protection against molten metal splash
- 50+ UPF-rated fabric to block 98% of UV rays
- Eight pockets for ample storage
- EN11611



Sizes:  
S – 3XL

Colour: Orange Code: SCM300-ORG



# UNBELIEVABLE GRIP



## HEX PATTERN FOR WATER DISPERSAL

We designed our hex grip pattern to cut through water and quickly channel it away, ensuring wearers are always in contact with the ground and avoid slipping up even in the wettest conditions.

## LADDER GRIPS GRIP WHEN WORKING AT HEIGHT

Falls from height account for more than a quarter of all fatal injuries in the work place. This is why the IGS has a deep ladder grip that complies with Firefighter boot standards EN15090:2012, which is over and above safety boot requirements.

## 7° HEEL STRIKE SLIP PREVENTION AND BRAKING

Slips are most likely to happen when the heel is placed down to make a new step, which is why we have designed the heel strike at 7°, the angle at which most slips occur. Angled splines provide increased contact with the ground, effortlessly cutting through water or dirt at every step.



**Intelligent Grip System**

### THE INNOVATION IN IGS

The IGS sole has been designed to answer a major concern for employers – sickness and staff welfare issues caused by slips, trips and falls, the most common workplace injuries. What's more, this innovation has been endorsed by national and international safety accreditations.

### THE ONLY MULTI-PURPOSE SOLE WITH A 4 STAR GRIP RATING

Most multi-purpose safety boots boast a 2 Star GRIP Rating at very best. With the Bison Boot's IGS sole we can now offer a 4 Star GRIP Rating – the only multi-use sole that can offer such comfort on the market.



### Take comfort in the safety features

Classification	Test Performed	Safety Standards				
		S1	S2	S3	SBP	S1P
SB	Toe protection tested with 200J impact and 15kN compression force	●	●	●	●	●
P	Penetration resistant outsole tested at 1100 newtons			●	●	●
A	Electrical resistance between foot and ground of between 0.1 and 1000 mega ohms	●	●	●		●
E	Energy absorption of the seat region tested at 20 joules	●	●	●		●
WRU	Water resistant upper leather		●	●		

### Additional test classifications

HRO	Heat resistant outsole compound tested at 300°C
CI	Insulation against the cold – temperature drops less than 10°C when tested at -17°C
M	Metatarsal protection – tested to 100J impact
SRA	Slip resistant on ceramic tile floor with sodium lauryl sulphate solution
SRB	Slip resistant on steel floor with glycerol
SBC	Slip resistant for both SRA and SRB

Visit [v12footwear.com](http://v12footwear.com) to view our full range of IGS footwear.

**STEP UP IN COMFORT**



# Foot protection

## Key to icons

-  Steel toe cap
-  Composite toe cap
-  Composite midsole
-  Steel midsole
-  Metal free
-  Insulated lining
-  Vegan friendly
-  Waterproof and breathable
-  Zip side
-  Anti-static
-  Heat resistant
-  Slip resistant
-  Impact resistant ankle

## V12 Rawhide Oiled Dealer Boots

- Crafted from a water-resistant rugged oil stuffed hide, is one of the strongest elastic-sided work boots available
- With reinforced leather pull on tabs, dual-layer elastic and triple-stitched seams, it is incredible durable
- Features a Goodyear welted rubber sole making them classic-looking boots that will never go out of style
- Compliance: **EN ISO 20345 SBP HRO SRA**
- Brown



Code: V1231

## V12 Colt Waxy Leather Dealer Boots

- With large pull-on loops
- With a light composite toe cap, the boots are comfortable to wear all day long, but also strong enough to protect feet
- Steel midsole
- Compliance: **EN ISO 20345 S1P HRO SRC**
- Black



Code: VR609

## Leather Brogue Safety Shoes S1P

- Leather lined for comfort
- Compliance: **EN ISO 20345 S1 SRA**
- Black



Code: V9193

## Light Year Trekker Metal-Free Boots

- Totally metal-free with full-length removable cushioned footbed, full 3D breathable lining, padded collar and tongue
- Compliance: **EN ISO 20345 S3 SRC**
- Other sizes available upon request
- Black



Code: ST650

## Light Year Meteor Composite, Breathable, Metal-Free Hiker Boots

- Lightweight boot
- Full length, removable cushioned footbed
- Full 3D breathable lining
- Padded collar and tongue for comfort
- Comfortable and flexible
- Oil and hear resistant out-sole
- **EN20345 S3 SRC**



Code: ST460M

## Marble Ultra Lightweight Metal-Free Boots

- Ultra lightweight 100% metal-free
- Premium full-grain, waxy leather upper with breathable mesh and composite toe cap
- Extremely lightweight and comfortable
- Rubber HRO outsole, matrix rubber scuff cap and kick-off ankle protector
- EVA midsole providing increased anti-fatigue properties
- Fully **anti-static**
- Non-metallic upper materials: premium full-grain leather and breathable mesh panels
- Lining materials: moisture-wicking mesh
- Internal toe cap: composite
- Internal midsole: anti-penetration composite
- Outsole: heat resistant to 300°C
- Compliance: **EN ISO 20345 S1P SRC**
- Black



Code: RF0MB1

## Steel Toe and Midsole Hiker Boots



Sizes: 3 – 12

- Complete with steel toe cap, midsole and heavy-duty eyelets and cleats
- Water-resistant upper features a padded collar, and the front of the boots are equipped with a low-profile scuff cap
- Integrates a kick plate to the rear for easier doffing and is equipped with a dual density, shock-absorbing sole and additional moulded insole, which can be removed and replaced if required
- Wide fitting boots so won't feel tight after a long day on your feet
- Compliance: **EN 20345 S3 SRC**

Colour:	Code:
Wheat/tan	<b>FW2MH1-TAN</b>
Dark brown	<b>FW2MH1-BRN</b>
Black	<b>FW2MH1-BLK</b>

## Lightyear Non-Metallic Ankle Boots

- **Waterproof** trekker boots complete with smooth full-grain leather upper, composite toe cap and midsole, aquaguard membrane, ventoplus footbed
- **Metal-free**
- Scuff cap for durability
- Compliance: **EN ISO 20345 S3 SRC**
- Black



Sizes: 3 – 13

Code: BX631

## Chukka Boots

- Lightweight and flexible chukka boots, **anti-static** properties, **steel toe cap** and **midsole**
- Compliance: **EN 20345 SBP SRC**
- Black



Sizes: 3 – 13

Code: 00471

## V12 Boulder Derby Boots



Sizes: 4 – 16

- Constructed from full grain-oiled cow hide, the Boulder is durable, water-resistant and breathable
- Features heavy-duty triple-stitching, gun metal eyelets and a soft padded collar
- With a Goodyear welted rubber sole, the Boulder are classic-looking boots that are built to last
- Compliance: **EN ISO 20345 S3 HRO SRA**
- Black



Code: V1235

## V12 Endura Heavy-Duty Scuff Cap Boots

- Features a heat-resistant sole to keep you comfortable in the extreme conditions
- Features a scuff cap, heel support, reflective strip and is SRC slip-rated for a sure grip on all surface

### Upper

- Tough hide upper – water-resistant, durable and breathable
- Padded full bellows tongue
- Triple-stitched stress points and has a deep padded scoop collar with reflective strip
- Unique ankle stabiliser offers support and protection and a scuff toe extends the wear life

### Lining

- Padded, moisture-wicking and highly breathable. Cool in summer, warm in winter
- Footbed: VS100 twin shock-absorbing footbed is contoured to support and cradle the foot

### Toe cap

- Wide-fitting composite, non-sparking and thermal-insulating
- Tested to impact of 200 Joules
- Protective midsole
- Flexible corrosion resistant steel, pierce-resistant to 1100N

### Sole

- 3D: a clever combination of three densities of polyurethane and rubber
- Ensures high-slip, heat and abrasion resistance as well as comfort
- Multi-directional tread ensures good traction in a variety of conditions
- Heat resistant to approximately 300°C

- Compliance: **EN ISO 20345:2011 S3 HRO SRC**
- Black



Sizes: 5 – 13



Code: E3570

# Foot protection

## V12 Bison IGS Waxy Derby Boots

- Lightweight, metal-free and with non-snagging eyelets, the Bison is created on a new last and has an improved shock absorbing footbed
- Constructed from a polished full-grain leather upper, the new and improved Bison has a cut away scoop collar for easy foot access and comfort
- Innovative IGS rubber sole unit ensures superb grip on all surfaces and increased cushioning underfoot
- Compliance: **EN ISO 20345 S1 HRO SRA**
- Black



Sizes:  
3 – 14



Code: **VR600.01**

## V12 Avenger IGS Black High Leg Zip Side Boots

- Strong moulded scuff cap protects the vulnerable toe area, and anti-scuff heel protector increases the boot's life
- High-leg boots based on the best-selling Bison
- Combines a quick on-off zip-side and a non-snagging lace system to provide good ankle support and a fully-adjustable fit
- Created on a new last and with a shock absorbing footbed, the new and improved Avenger is suited to a broad range of industries
- Superb grip on all surfaces and increased cushioning underfoot
- Compliance: **EN ISO 20345:2011 S3 HRO SRC**
- Black



Sizes:  
5 – 13



Code: **VR620.01**

## Welders Boots, Strap and Buckle, Flameproof

- CE certified
- **Composite toe cap**
- **Anti-static** footwear
- **Water-resistant** upper to prevent water penetration
- Lightweight compose PU cushioned midsole
- Compliance: **EN ISO 20345 S3 HRO**



Sizes:  
6 – 13

Code: **FW07**

## Contractor Lined Rigger Boots

- Leather upper with pull on loops, **anti-static** sole, pierce-resistant midsole
- Warm-lined leather upper
- Compliance: **EN ISO 20345 S1P SRC**
- Tan



Sizes:  
4 – 13

Code: **BT80741**

## Uvex Quatro Pro Boots with Midsole & Uvex Hydroflex 3D Foam Insole

- **Steel midsole**
- Sturdy modern safety shoe with extra wide fit and **water-resistant** leather upper for hard outdoor applications, e.g. construction works
- Compliance: **EN ISO 20345 S3 SRC**
- Black



Sizes:  
7 – 12

Code: **W8401**

## V12 Tomahawk Waterproof Rigger Boots

- Created from full-grain vintage cow hide, these ultimate rigger boots comes with a waterproof, breathable lining
- Rugged heel support and padded ankle to provide stability on rough terrain and help maintain a perfect fit
- Features Thinsulate temperature control material to keep feet warm even at -20°C and cool in hot climates
- Impact-resistant ankle protection
- Compliance: **EN ISO 20345 S3 HRO WR SRA**
- Brown

## V12 Grizzly Fleece Lined Scuff Cap Rigger Boots

- With heat-resistant sole, rugged heel support for stability, triple-stitched for strength
- Padded ankle protector to protect anklebone
- Anti-scuff toe for durability
- Powergrip™ Sole Unit Vr6 triple density rubber sole: rubber sole which gives outstanding levels of slip resistance. Heat and chemical resistant
- Wide-fitting composite toe cap to reduce weight and improve insulation
- Heel brace for extra stability on rough terrain
- Tan fleece-lined rigger
- Heat-resistant sole, rugged heel support and triple stitching
- For strength there's a padded leg, which protects the anklebone

### Upper

- Full-grain cow leather upper: water-resistant, durable and breathable
- Heavy-duty triple stitching on vamp
- Reinforced pull on loops
- Ankle stabiliser/kick-off plate for protection from twisting/impacts

### Lining

- Padded synthetic fleece lining giving extra warmth and comfort – cold insulation (CI) to EN requirements

### Footbed

- Padded synthetic fleece footbed giving extra warmth and comfort

### Toe cap

- Wide-fitting composite, non-sparking and thermal-insulating
- Tested to impact of 200 Joules
- Protective midsole
- Flexible corrosion-resistant steel, pierce resistant to 1100N

### Sole

- 3D: a clever combination of three densities of polyurethane and rubber
- Ensures high slip, heat and abrasion resistance as well as comfort
- Multi-directional tread ensures good traction in a variety of conditions
- Heat resistant to approximately 300°C

- CE Specification: **EN ISO 20345:2011 S3 CI HRO SRC**
- Tan



Sizes:  
5 – 13



Code: **VR690**

## V12 Puma IGS Nubuck Boots

- Constructed from a luxurious honey Nubuck upper, the new and improved Puma has a cut away scoop collar for easy foot access and comfort

- Lightweight, metal-free and with non-snagging eyelets, the Puma is created on a new last and has an improved shock-absorbing footbed
- Innovative IGS rubber sole unit ensures superb grip on all surfaces and increased cushioning underfoot
- Compliance: **EN ISO 20345 S3 HRO SRC**
- Honey



Sizes:  
3 – 13



Code: **VR602.01**

## V12 Boulder Nubuck Safety Boots

- Constructed from top-quality honey Nubuck hide, the Boulder is durable, water resistant and breathable
- Features heavy-duty triple-stitching, gun metal eyelets and a soft padded collar
- With a Goodyear welted rubber sole, the Boulder are classic-looking boots that are built to last
- Compliance: **EN ISO 20345 SBP HRO SRA**
- Wheat



Sizes:  
4 – 13



Code: **V1237**

## Timberland Pro Traditional Boots Composite Toe Cap

- New and improved rugged design for a lighter shoe
- Premium water-resistant nubuck leather upper
- Moisture management lining
- **Anti-static** textile, **anti-perforation** midsole
- Metal-free traditional workboots
- Compliance: **EN ISO 20345 S3 HRO SRC**
- Wheat/nubuck



Sizes:  
6 – 12

Code: **S62016**

# Foot protection

## Timberland Pro Splitrock Boots

- **Water-resistant**, premium full-grain leather upper, nylax moisture management lining and **anti-perforation steel midsole**
- Reinforced ankle padding
- Compliance: **EN ISO 20345 S3 HRO SRB**
- Wheat

Sizes:  
6 – 12



Code: **S62045**

## Rockfall Onyx Ladies Safety Boots

- Exclusive ladies fit
- Robust fully non-metallic safety boots
- Premium waxy full-grain upper
- Genuine full-grain leather upper materials, 100% waterproof and breathable Activ-TEX®
- Membrane, super-durable solid rubber outsole bonded using heat-resistant glue
- Outsole heat resistant to 300°C and slip-resistant to the highest EN standard SRC
- Fully non-metallic construction making these boots ideal for rail, construction and offshore
- Upper materials: genuine full-grain waxy smooth leather
- Lining materials: waterproof and breathable Activ-TEX® membrane
- Internal toe cap: composite
- Internal midsole: anti-penetration composite
- Outsole: solid rubber outsole HRO to 300°C and SRC slip resistance
- Footbed: EVA anti-fatigue footbed
- Compliance: **EN ISO 20345 S3 HI WR HRO SRC**
- Honey

Sizes:  
3 – 8



Code: **VX950C**

## Rockfall Onyx Ladies Safety Boots

- Fitting: British ladies Last (BN0239)
- Composite toe cap and midsole, heat-resistant to 300°C
- Robust fully non-metallic safety boots
- Premium waxy full-grain upper
- Exclusive ladies fit
- Genuine full-grain leather upper materials, 100% waterproof and breathable Activ-TEX®
- Membrane, super-durable solid rubber outsole bonded using heat-resistant glue
- Outsole heat resistant to 300°C and slip-resistant to the highest EN standard SRC
- Fully non-metallic construction making these boots ideal for rail, construction and offshore
- Upper materials: genuine full-grain waxy smooth leather
- Lining materials: waterproof and breathable Activ-TEX® membrane
- Internal toe cap: composite
- Internal midsole: anti-penetration composite
- Outsole: solid rubber outsole HRO to 300°C and SRC slip resistance
- Footbed: EVA anti-fatigue footbed
- Compliance: **EN ISO 20345 S3 HI WR HRO SRC**
- Black

Sizes:  
3 – 8



Code: **VX950A**

## Timberland Pro Splitrock Gaucho Boots

- **Water-resistant**, premium full-grain leather upper, nylax moisture management lining and **anti-perforation steel midsole**
- Reinforced ankle padding
- Compliance: **EN ISO 20345 S3 HRO SRC**
- Brown

Sizes:  
7 – 12



Code: **S62043**

## V12 Thunder IGS Waterproof Hiker Boots

- With a full bellows tongue and a waterproof leather upper
- Constructed to a new extreme comfort shape, the design also features a robust speed lace system to make wearing them even more efficient and comfortable
- Incredibly lightweight with a composite toe cap and midsole, and features the innovative IGS rubber sole unit to ensure superb grip on all surfaces and increased cushioning underfoot
- Compliance: **EN ISO 20345:2011 S3 HRO WR SRC**
- Black

Sizes:  
3 – 13



Code: **V1215.01**

## V12 Defender STS V1750 Waterproof, Metal-Free, Lightweight Ankle Boots

- Lightweight and metal-free, waterproof and constructed from black leather hide
- Equipped with a tough scuff cap and heel support, along with high-comfort shape and shock-absorbing footbed
- Poron impact protection material keeps your ankles safe
- Innovative new STS sole unit provides superior traction
- Compliance: **EN ISO 20345:2011 S3 AN WR SRC**

Sizes:  
6 – 12



Code: **V1750**

## V12 Caiman Waterproof IGS Composite Boots

- Waterproof and breathable hiker boots combining a nubuck-feel finish and woven-fibre upper
- A shock-absorbing, reinforced heel and a scuff cap make the boots very durable; and the innovative IGS sole unit provides superior grip and stability
- Compliance: **EN ISO 20345 S3 HRO WR SRC**

Sizes:  
3 – 14



Code: **V1501.01**

## Tomcat Ashstone Full Grain Leather Waterproof Breathable Safety Boots with Comfort EVA Footbed

- Tough enough for steelwork
- Protective **steel toe cap** and **stainless steel anti-penetration midsole**
- Full-grain black rubber-coated abrasion-resistant leather
- Waterproof and breathable Activ-TEX® membrane
- Supportive foam padded collar
- Compliance: **EN ISO 20345 S3 HI WR HRO SRA**

Sizes:  
5 – 13



Code: **RF1ABL**

## V12 Storm IGS Waterproof Lined Hiker Boots

- Full bellow tongue and a breathable waterproof vintage leather upper
- Features a rugged ankle stabiliser and a heel pump full foot cushioning insole, and is created to a new extreme comfort shape for daylong comfort
- Lightweight, with a composite toe cap and midsole, and features the innovative IGS rubber sole unit to ensure superb grip on all surfaces
- Compliance: **EN ISO 20345 S3 HRO WR SRC**
- Brown

Sizes:  
6 – 12



Code: **V1219.01**

# Foot protection

## Dunlop Acifort Ribbed Safety Wellington Boots

- Suitable for various construction environments, and has a ribbed top to protect the shinbone (metatarsal)
- Strong and durable
- **Toe cap protection and midsole protection**
- Energy absorbent
- Oil-resistant outsole
- 100% waterproof
- Compliance: **EN ISO 20345 SBP P A FO SRA**

Sizes:  
7 – 11



Code: **S8252**

## Dunlop Purofort Thermo+ Safety Wellington Boots (Steel Toe Cap & Midsole)

- Prevents heat loss
- Due to the unique recipe and molecular structure, they assure excellent cold insulation – down to -50 °C
- Designed for use in the construction industry
- Energy-absorbing heel and cold-insulating lining
- Classified as CI, meaning that the temperature decrease measured at the upper surface of the insole does not exceed 10°C after 30mins
- Guards against falling objects and collisions
- Steel midsole to prevent sharp object penetration
- Water penetration and absorption resistant
- Material is light, durable, soft and flexible
- Compliance: **EN ISO 20345 S5 CI SRC**
- Orange (blue sole)

Sizes:  
5 – 13



Code: **FW3PT1**

## Constructor Steel Toe Cap & Midsole Wellington Boots

- With ankle protector, kick off spur and cut down bands
- PVC/nitrile – abrasion resistance, water resistance, oil resistance, anti acid alkali, anti static, slip resistance, anti corrosion, shock resistant
- Compliance: **EN ISO 20345 S5 SRC**
- Black

Sizes:  
6 – 13



Code: **S8151**

## Chest Waders comes with Toe Cap & Midsole

- With welded seams, inside pocket, reinforced toe and easy-adjust, clip-fastened braces
- Reinforced toe
- Compliance: **EN ISO 20345 S5 SRC**
- Black

Sizes:  
6 – 12



Code: **S9200**

## Quality Steel Toe Cap & Midsole Wellington

- Meets the highest requirements for slip resistance, with an SRC rating
- Created from a supple compound of PVC and Nitrile rubber, Titan has resistance to many contaminants and is also anti-static and hydrocarbon resistant
- Features an air exchange channel to regulate temperature, and a padded footbed laid over a shock-absorbing honeycomb heel section for day-long comfort
- Titan is reinforced over the toe area and under the arch of the foot for durability
- **EN ISO 20345:2011 S5 SRC**

Sizes:  
3 – 13



Code: **VW256**

## Thigh Waders comes with Toe Cap & Midsole

- Incorporate double-welded seams as well as a reinforced knee and toe design for toughness
- Belt attachment strap


Sizes:  
6 – 12



Code: **S9500**

## Seaboot Socks

- Contractor quality 22" (55cm) seaboot sock containing 50% thermal fibre and 50% wool
- Heavyweight material with good insulation
- With a loop pile cushion lining for comfort and a no rub 'invisible' toe seam with the comfort of quality cotton, this is a great product
- One size (10.5)



Code: **BL4S25**

## Endura Sock

- Loop pile cushion lining for comfort and a no rub 'invisible' toe seam with the comfort of quality cotton
- 68% cotton, 28% polyamide, 4% elastic
- Insulation for cold weather
- Price per pair
- Other sizes upon request
- Navy or black



Size	Colour:	Code:
L	Black	<b>ESOK-BLA-L</b>
XL	Black	<b>ESOK-BLA-XL</b>
L	Navy	<b>ESOK-NVY-L</b>
XL	Navy	<b>ESOK-NVY-XL</b>

## Full Length Anti-Static Insole

- Dual-shock footbed insoles to give you all-day comfort on your feet
- Ergonomically styled for comfort
- Other sizes available upon request



Size:	Code:
11	<b>VS100-11</b>
12	<b>VS100-12</b>

## V12 MukGuard Reusable Overshoes

- Keeps floors protected from dirty boots and shoes
- Reusable, washable and offers excellent grip as well as abrasion resistance
- Integral pull loop means it's easy to get on and off whilst the carabiner ensures that MukGuard remains paired and can always be easily located



Size:	Code:
7 – 8	<b>V1610-7/8</b>
9 – 10	<b>V1610-9/10</b>
11 – 12	<b>V1610-11/12</b>

## Boot Laces

- Black



Code: **S0014**

We offer a Protective Footwear & Task Hazard Audit with Report.  
See page 15 for more information.

**OnSite**  
support

## Disposable protection

### Non-Woven Polyprop. Disposable Coverall comes with Hood

- Economy version
- Uncoated contract disposable coverall – to be worn as light protection from dirt and grease
- White



Sizes:  
M – 2XL

Code: **BL2BD0**

### Type 5/6 Disposable Coverall – Orange

- Breathable fabric Cat III type 5/6 disposable coverall
- Strong and robust providing excellent chemical barrier
- Fitted design means this coverall is more comfortable to wear
- Elasticated hood, back, wrist and ankles



Sizes:  
M – 2XL

Code: **BL3DX561-ORG**

### Type 5/6 Disposable Coverall – White

- Breathable fabric Cat III type 5/6 disposable coverall
- Strong and robust providing excellent chemical barrier
- Fitted design means this coverall is more comfortable to wear
- Elasticated hood, back, wrist and ankles



Sizes:  
M – 3XL

Code: **BL3DX561-WHT**

### Tyvek, Disposable Type 5/6 Hooded Coverall

- Hooded coverall, white external stitched seams, three-piece hood
- Elasticated hood, cuffs and ankles, glued in waist elastic
- Ergonomic design offering enhanced fit and full freedom of movement
- Larger zip puller and hood/sleeve design



Sizes:  
M – 3XL

Code: **SDT200**

### Premium Disposable Overshoes

- Pack of 40 pieces (20 pairs)
- Luxury overshoe with non-slip sole and elasticated ankle
- One size
- White/blue



Code: **BL3LD52**

### Disposable Overshoes Pack of 50 Pairs

- 100 pieces (50 pairs)
- Disposable blue overshoes with elastic for extra grip around shoes
- Anti-slip textured surface at the bottom
- Ideal for protecting carpets and flooring
- Blue



Code: **BL3DS1-BLU**

### On-Shoe Automatic Overshoe Dispenser

- Dons your overshoes while you stand upright
- Easy one-step application, hands free, neat and compact design
- Complete dispenser with 110 overshoes.
- Improves hygiene and cleanliness
- Fits over your shoes
- Reduces germs and infections
- Easy to load, innovative design
- Refills available including slip-resistant covers – BL3DSR3



Code: **BL3DSD3**

### On-Shoe Disposable Overshoe Refill Pack

- For dispenser system – slip-resistant
- Pack of 100



Code: **BL3DSR3**



## Respiratory protection

Respirators may be tight-fitting like half masks, which cover the mouth and nose or full facepieces that cover the face from the hairline to below the chin. These can be either reusable or disposable and all require face-fit-testing to the user. For this reason, people wearing these masks are to be clean-shaven.

In some cases, tight fitting Respiratory Protective Equipment (RPE) may not be an option. This can be due to face shape, skin conditions or facial hair. In these situations, loose fitting RPE like hoods or helmets with positive pressure air supplies can be used to ensure clean, filtered air reaches the wearer.

When protecting against particles, you'll be using a filtering facepiece (FFP). These will be rated from 1 to 3, with 1 offering the lowest level of protection. In a toxic environment with non-fibrogenic particles, a disposable filtering facepiece of level FFP1 or 2 is more than acceptable. As soon as more harmful and irritant particle types are likely around, an FFP2 mask must be used. This is regarded as the bare minimum in construction.

When working in an environment with silicates, respirable dusts, mists and fumes, FFP3 must be used. To put it simply, whenever construction products are being cut which aren't timber or metal, it's likely an FFP3 mask is required.

For oxygen deficient environments, highly toxic or contaminated environments and smoke-filled areas, positive pressure, self-contained breathing apparatus and are encouraged to seek specialist assistance in that area.

There are a number of standards and designations surrounding respiratory protection, which can serve to confuse things, but we have listed the main ones on the next page. If you need help on any of this, please get in touch with us.

# Respiratory protection

## Safety standards



**Covers full face masks.** Any visors are covered under EN166 and filters are under separate standards.

Example product:



JSP Force 10 Full Face Mask MA2JF10 – page 109



**Covers quarter or half-mask equivalent.** Again, filters will be released to a different standard.

Example product:



JSP Force 8 Half Mask MA2PTC1 – page 108



**Any filtering facepiece provided with the filter built into the respirator and will be rated as either FFP1, 2 or 3.** An expiry date will be printed on the mask and it will be marked R (Reusable) or NR (Not Reusable) as appropriate. A non-reusable face mask is regarded as a single-shift mask. A P1 filter is 80% efficient, a P2 filter is 94% efficiency and a P3 filter is 99.97% efficient

Example product:



Betafit FFP3 Valved Masks MA1303V – page 107



**FFP rated filters for full face, half and quarter masks need to adhere to this standard.** They will be marked with their FFP rating (1, 2 or 3) and also marked NR or R to signify reusable or not reusable in the same way that an FFP mask will be. Non Reusable filters should be changed at the end of a shift. A P1 filter is 80% efficient, a P2 filter is 94% efficiency and a P3 filter is 99.97% efficient



**(originally EN 141 and 371) The minimum requirements for gas and combination gas/particulate filters.** It classifies filters into various types such as A, B, E, and K as well as categories such as filter capacities.

It is important that you know the chemical or solvent you are looking to protect against so that the correct filter can be chosen. Combination filters are available where a range of airborne, respirable hazards exist.



**Powered filtering devices with helmets or hoods conform to 12941 and powered devices with just a mask are covered by EN 12942.** This standard takes into account a lot of different variables and markings so it's important to know what you are protecting against. If it's just particles, you'll be able to use an FFP rated filter, but where solvents, chemicals, fumes, vapours or low boiling point fluids are involved, specialist or dedicated filters may be required and this category may not be able to support you.

Example product:



JSP PowerCap Infinity MA2PC1 – page 110

**We offer a Respiratory Hazard Audit and Respiratory Face Fit Testing & Train the Trainer Sessions. See page 14 for more information.**

## Betafit FFP3 Valved Masks

- Box of 5
- Very low breathing resistance due to the latest in filter medium technology
- Soft face seal reduces the risk of irritation
- Classification: **FFP3 NR**
- Outer cover: polypropylene
- Filter media: melt Blown P.P. + P.E.
- Inner cover: polyester
- Headstrap: PE woven elastic
- Valve cover: PP/ABS
- Valve diaphragm: synthetic rubber
- Standard: **EN149:2001+A1:2009**



Code: MA1303V

## Betafit FFP2 Valved Masks

- Box of 10
- Very low breathing resistance due to the latest in filter medium technology
- Soft face seal reduces the risk of irritation
- Valve products increase user comfort by lowering CO<sub>2</sub> and heat build-up
- No metal parts
- Classification: **FFP2 NR**
- Outer cover: polyester
- Filter media: Melt Blown P.P. + P.E.
- Inner cover: polypropylene
- Headstrap: PE woven elastic
- Valve cover: PP/ABS
- Valve diaphragm: synthetic rubber
- Standard: **EN149:2001+A1:2009**



Code: MA1302V

## Constructor FFP2 Valved Masks

- Box of 10
- Offers protection against fine dust, water and oil-based mists and fumes
- Valve products increase user comfort by lowering CO<sub>2</sub> and heat build-up
- **EN149**



Code: MA1EC2V

## Constructor FFP3 Valved Masks

- Box of 5
- Offers protection against fine dust, water and oil-based mists and fumes
- Valve products increase user comfort by lowering CO<sub>2</sub> and heat build-up
- **EN149**



Code: MA1EC3V

## FFP2 Valved Fold Flat Masks

- Box of 20
- Individually wrapped
- Offers protection against fine dust, water and oil-based mists and fumes
- Valve products increase user comfort by lowering CO<sub>2</sub> and heat build-up
- **EN149**



Code: MA1MF2

## FFP3 Ladies Fit Valved Masks

- Box of 5
- Specifically designed for smaller faces, making it ideal for women in construction or those with smaller face shapes
- Very low breathing resistance due to the latest in filter medium technology
- Soft face seal reduces the risk of irritation
- Valve increase user comfort by lowering CO<sub>2</sub> and heat build-up
- Mask has no metal parts
- Classification: **FFP3 NR**
- Outer cover: polypropylene
- Filter media: melt Blown P.P. + P.E.
- Inner cover: polyester
- Headstrap: PE woven elastic
- Valve cover: PP/ABS
- Valve diaphragm: synthetic rubber
- Standard: **EN149:2001+A1:2009**



Code: MA1L03V

# Respiratory protection

## Force8™ Half Face Mask with P3 RD PressToCheck Filters

- With P3 RD PressToCheck filters
- The Force8™ twin cartridge half mask with Typhoon™ valve offers superior low breathing resistance and a four-point suspension harness with quick-release buckles
- Made with a durable thermoplastic rubber offering a superior fit to most face shapes
- Accepts the full range of low-profile Force8™ filters giving the Force8™ the flexibility to be used for many applications, providing filtering protection against particulates, many gases and vapours
- Winner of the BSIF Product Innovation Award
- Durable thermoplastic rubber mask for superior fit to most face shapes
- CR2™ reflectivity: reflective strips create increased visibility in low-light environments for added safety
- Typhoon™ exhalation valve: low-resistance exhalation valve for easy breathing, with stable mask configuration
- Force™ filters: cost-effective filters available with low-profile angle for minimum visual impairment
- Daily face-fit reassurance
- Passes dolomite
- Protection against construction dust
- Improved hygiene
- Inhalation valve for easy maintenance
- Low-profile covers protect filters
- Medium
- Grey
- Conforms to **EN140** (face piece), **EN14387:2004** (filter performance), **EN143:200** (filter performance)



Code: MA2PTC1

## JSP Force8™ Half Masks (excluding filters)

- With Typhoon™ valve offers superior low breathing resistance and a four-point suspension harness with quick-release buckles
- Made with a durable thermoplastic rubber offering a superior fit to most face shapes
- Accepts the full range of low-profile Force8™ filters giving the Force8™ the flexibility to be used for many applications, providing filtering protection against particulates, many gases and vapours
- Winner of the BSIF Product Innovation Award
- Durable thermoplastic rubber mask for superior fit to most face shapes
- CR2™ reflectivity: reflective strips create increased visibility in low-light environments for added safety
- Typhoon™ exhalation valve: low-resistance exhalation valve for easy breathing, with stable mask configuration
- Force™ filters: cost-effective filters available with low-profile angle for minimum visual impairment
- Daily face-fit reassurance
- Passes dolomite
- Protection against construction dust
- Improved hygiene
- Inhalation valve for easy maintenance
- Low-profile covers protect filters
- Conforms to **EN140** (face piece), **EN14387:2004** (filter performance), **EN143:200** (filter performance)

Winner of the BSIF Product Innovation Award



Size:	Code:
Large	MA2JF8-L
Medium	MA2JF8-M
Small	MA2JF8-S

## JSP Force8™ Mask Belt Bag with Storage Compartments for Filters

- Helping you to maximise the safety and lifespan of your respirator



Code: MA2JFBB1

## JSP Force8™ Half Mask Face Size Guide

- Accessories for your JSP Force 8™ half-mask – helping you to maximise the safety and lifespan of your respirator



Code: MA2PTG1

## JSP Force10™ Full Face Twin Cartridge Mask

- Force10™ Full Face mask compatible with P3 RD PressToCheck filters
- Fully-adjustable, five-point suspension harness for optimum fit and comfort
- Quick-release buckles for ease of use
- Panoramic anti-mist, anti-scratch design providing impact protection
- Exhalation valve to reduce heat and moisture build-up
- Filters available with low-profile angle design
- Full face twin cartridge mask with Class 3 heavy-duty filter connections
- Completely clear panoramic visor maximises light levels within the mask giving optimum visibility
- Lens also offers impact protection and has anti-mist and anti-scratch coating as standard
- Mask moulds to the shape of the face for an excellent seal, and is also padded for extra comfort over prolonged use
- Accepts any of the wide range of low-profile Force8™ filters designed for minimal visual impairment
- Conforms to: **BS EN136:1998**



Code: MA2JF10

## JSP Force8™ and Force10™ PressToCheck Filters

- One pair
- Daily face-fit reassurance
- High-efficiency dust protection
- Protects against – silica, concrete and stone cutting, plaster, welding (ferrous and lead), hardwood, softwood, asbestos removal (Force 10™ only), fibres and fibreglass, water based, manual prep, powered prep, glyposate (weed killer)
- Passes dolomite
- Improved hygiene
- Inhalation valve for easy maintenance
- Low-profile covers protect filters
- Conforms to **EN143**



Product:	Code:
P3 RD	MA2PTC5
ABEK1 P3	MA2PTC7

# Respiratory protection

## JSP PowerCap Infinity, Fully Integrated, Powered-Air Respirator

- One of the most innovative pieces of respiratory PPE on the market
- With a weight of just 1200g, it is lightweight and comfortable to wear, even for longer periods of time
- No need to Face Fit Test
- Up to 8hr battery life
- Smart monitor adjusts air flow to meet user demands twice per second
- Blast rated user replaceable visor
- Compatible with JSP Sonis and standard ear defenders
- A must for any concreting or demolition environment
- One size
- Black
- **EN12941** and **TH3P R SL** protection to the same standard as a full face mask APF40
- **EN397 LD** and **MM** standard compliance for head protection (LD = Lateral Compressive load, MM = Molten Metal)
- **EN166B** Rated eye and face protection with class 1 optics

Ultimate protection against harmful dust



Code: **MA2PC1**

## Replacement Battery Unit for JSP PowerCap Infinity

- Approx. 8hr life span
- Use with MA2PC1



Code: **MA2PCB**

## Replacement Polycarbonate Impact Visor to fit JSP PowerCap Infinity

- Impact visor to **EN166B** to fit the JSP Powercap Infinity
- Bare visor supplied
- Clear
- Use with MA2PC1



Code: **MA2PCV**

## Visor Protector to fit JSP PowerCap Infinity

- Pack of 10
- A spare pack of 10 peel-off visor protectors
- Prolong the life of your visor to save down-time in changing it
- Clear
- Use with MA2PC1



Code: **MA2PCVP**

## Replacement Pre-filters to fit JSP PowerCap Infinity

- Supplied with two pre-filter covers
- Pair of replacement pre filters, supplied with covers for the JSP Powercap Infinity
- Available as standard pre-filters and nuisance pre-filters
- Use with MA2PC1



Size: Code:  
Pack of 10 (5 pairs) **MA2PC4P-10**  
Pack of 100 (50 pairs) **MA2PC4P-100**

## Replacement Visor Seal for PowerCap Infinity

- If there is any damage or wear to the visor seal, it must be replaced
- Seal prevents ingress of material into the wearer's breathing space
- Vital to ensure it remains in peak condition
- Use with MA2PC1



Code: **MA2PCVS**

## Replacement FFP3 filters to fit JSP PowerCap Infinity

- Pair of replacement filters for the most innovative pieces of respiratory PPE on the market
- Base filters only: pre filters and covers sold separately
- One pair
- Use with MA2PC1



Code: **MA2PC3**

## Moldex 7000 Series Half-Mask Respirator

- 100% PVC-free
- Unique features and benefits for increased worker acceptance
- Lightweight design plus extra-wide sealing area provides all-day comfort
- Drops down for convenient storage around the neck or locks down for custom fit
- Adjustable head cradle and curved neck buckles for extra comfort
- Low-profile, compact design allows a wide field of vision, fits well under welding helmets and with safety glasses
- Maintenance and cleaning are made simple with very few replacement parts
- Available pre-assembled with the most popular cartridge/filter combinations and also as individual components
- Size: M
- **EN140:1998**



Code: **MM7002**

## Moldex 7000 Easylock Filter Cartridges ABEK1

- Pack of 5 pairs
- Suitable for series 7000 and 9000 masks
- Particulate filters can either be connected with the gas cartridges or directly with the mask body
- Bayonet connector
- Adaptors and particular pre-filters are not necessary
- Simpler logistics – 30% less parts
- Particulate filters with pleated filter technology – significantly reduces breathing resistance, improves wearer comfort and reduces fatigue
- Gas filters and pre-assembled filters tested and certified to **EN14387:2004+A1:2008**



Code: **MM9400**

# Respiratory protection

## Moldex P3 Moldex Filters to suit MM7002

- One pair (price per pair)
- Moldex P3 particulate filter to suit the 7000 face piece
- 100% PVC-free



Code: MM9030

## Moldex 7000 Half Mask & ABEK1 P3 Filter Cartridge Complete in Lidded Tub

- Pre-assembled mask with ABEK1P3 filters in a resealable plastic storage container
- Size: M



Code: MM7432

## Test A Bitrex Solution Ampoules for Face Fit Test Kit

- Box of 6 x 2.5ml
- Sensitivity A Solution for Face Fit Test Kit
- Test A (Sweet) – 2.5ml Ampoule Bitrex® Test Solution



Code: MA1FFS1A

## Face Fit Test (Qualitative) Kit in Portable Carry Case

- Complete Face Fit Kit
- Qualitative RPE Face Fit Test Kit for FFP1, 2 and 3 filtering facepieces and half facemask respirators
- Training in the proper use and care of respirators has been mandatory in the COSHH (Control of Substances Hazardous to health) regulations since 1989
- There are various test methods, the two main options being Qualitative and Quantitative
- Enables wearers of negative pressure half masks and disposable respirators to be fit tested correctly and economically
- Skilled professional staff are available to conduct 'Train the Trainer' courses designed to enable companies to carry out the fit testing of wearers with complete confidence
- Robust hood
- Compact, sturdy and portable storage case
- Complete instructions in DVD and hard copy formats
- Spare parts available
- Full training package available

We can offer RPE Face Fit Testing through a third party provider



Code: MA1FF0

## Test B Bitrex Solution Ampoules for Face Fit Test Kit

- Pack of 6 x 2.5ml
- Test B (Bitter) – 2.5ml Ampoule Bitrex® Test Solution
- Six ampoules per box, 12 boxes per pack – 72 ampoules in total



Code: MA1FFS1B

# Fall protection

## Aresta Two Point Comfort Stretch Harness, Elasticated Webbing Lanyard with Scaffold Snap Hook & Carabiner, in Kit Bag

- With shock absorber fitted with 50mm scaffold hook
- Front and rear attachment points present
- 2m fall arrest, elasticated lanyard complete with scaffold hook and carabiner
- Supplied in kit bag for ease of stowage and transport



Code: HN2MT12X

## Aresta Horizontal Lifeline – comes with Carabiners

- Temporary horizontal anchorage line for work restraint and fall arrest, for up to three workers at the same time
- G-force horizontal safety line adjustable up to 20m
- Integral storage bag (stitched into connecting webbing) enabling fast and simple storage of safety line
- Individually serial numbered certification for traceability
- Supplied with a swivel snap hook connector at each end
- CE approved to EN795 Class B



Code: HN3HL5X

## Automatic & Manual Rope Grab With Lanyard & Connector

- Suitable for 14/16mm rope
- Automatic and manual rope grab
- Rope grabs prevent workers from falling during ascent or descent
- Particularly useful on sloping roofs where retractable lifelines may react too slowly



Code: HN3MF52

## Anchorage Line to suit Rope Grab

- Twisted polyamide rope suitable for 14mm/16mm rope grabs
- Suitable for vertical, horizontal and sloping applications
- Supplied with a counterweight and screwgate carabiner



Size: 10m Code: HN3MH10

## Nylon Rope comes with Spliced Thimble Each End

- Long length rope restraint lanyards with spliced thimble each end, not to be used for fall arrest applications
- Temporary restraint anchorage line



Size: 16mm x 10m Code: HN3RL10  
16mm x 20m Code: HN3RL20

# Fall protection

## Steel Screwgate Connector/Carabiner

- 107mm x 56mm, gate 18mm opening
- 25kN breaking load
- For connecting lanyards and other products
- Conforms to **EN362:2004**



Code: **HN5D05**

## Scaffold Snaphook

- Ideal to help connect your lanyard or connector to the nearby scaffold to keep you safe
- 50mm opening scaffold connection



Code: **HN5ML04**

## Quick Lock Fall Protection Anchor

- Drill 16mm, hole 90mm
- Removable anchorage point, rapid install temporary concrete anchor
- Quicklock can be used in horizontal, vertical and overhead concrete surfaces
- 2000daN pull out test to **EN795 Class B**



Code: **HN6AQ20**

## Alloy Twistlock Carabiner

- Aluminium lightweight screwgate connector
- 23kN breaking load
- 21mm gate opening
- Conforms to **EN362:2004**



Code: **HN5ML02**

## Mobile Beam Glider

- Adjustable temporary anchor for the steelworker, easily adjustable to suit many beam sizes
- Can be used on top or bottom flange on steel beam



Size: 360mm Code: **HN6GL10**

## Classic Fall Arrest Block



- G-Force CR240 Fall Arrest Inertia Reel
- Anchor point with built in swivel
- Transportation handle makes this block simple to carry and install
- Lower snap hook with double-action safety trigger
- Includes a built-in brake with energy-dissipating mechanism inside a durable plastic housing
- Comes with a screwgate carabiner to connect top anchor point
- Maximum rated load: 140kg
- Conforms to **EN360**

Size: 10m Code: **HN3FAB10**

## Lightweight Inertia Reel with Shock Absorber

- Robust and cost-effective solution for different forms of working at height, complete with a Screw Lock carabiner
- Conforms to **EN360 CE** standards
- Maximum load: 140kg



Size: 2.5m Code: **HN3L24**

## Lanyard with Shock Absorber

- Have a built-in shock absorber which in the event of a fall reduces the impact forces on the body
- Fall arrest lanyard comes with 18mm carabiners
- Weight: 0.4kg
- Maximum arrest force: < 6kN
- Supplied with EN362 carabiners



Size: 1.5m Code: **HN3L15**

## Lanyard with Shock Absorber & Scaffoldhook

- Have a built-in shock absorber which in the event of a fall reduces the impact forces on the body
- Fall arrest lanyard complete with screwgate carabiner
- Conforms to **EN 354** and **EN 355**



Product: 2m Code: **HN3ML52**  
2m, black Code: **HN3ML52A**

## Rope Restraint Lanyard with Screwgate Carabiner each End

- Used to restrict the worker's movement to prevent him reaching a location where a fall hazard exists



Size: 1m Code: **HN3RL01**  
1.5m Code: **HN3RL15**  
2m Code: **HN3RL02**

## Forked Twin Tail Shock Absorbing Lanyard comes with Scaffold Snaphooks

- Lightweight and compact shock absorbing twin tail lanyard with deployment indicator
- For permanent attachment to structure
- Equipped with two 50mm opening scaffolding hooks and a carabiner
- Feature a built-in shock absorber, which limits the fall arrest force in a fall situation to within 6kN
- 100% tie off
- Weight: 1.5kg
- Breaking Strength: > 15kN
- Operating temperature: -30°C to +500°C
- Webbing raw material: polyester webbing 23mm
- Webbing breaking strength: > 3000daN

## Forked Twin Tail Shock Absorbing Elasticated Lanyard comes with Scaffold Snaphooks



- Lightweight, elasticated lanyard for use in scaffolding, construction, plant maintenance, roof maintenance and more
- Twin legs, each with scaffold snap hooks, ensure you are always attached whilst moving from anchor to anchor or onto platforms
- Two snaphooks at lanyard ends and a screwgate carabiner on the harness end
- Full **EN355** compliant and rated to 140kg, with 20kN
- Less trip hazard when compared with a standard webbing lanyard due to the elasticated nature
- Black

Size: 2m Code: **HN3TMS20X**



Size: 2m Code: **HN3TLS20**

# » Fall protection

## Forked Twin Tail Shock Absorbing Lanyard comes with Carabiners

- Web material: 26mm water-repellent polyester
- Weight 0.5kg



Size:	Code:
1.3m	<b>HN3TLK13</b>
1.5m	<b>HN3TLK15</b>

## Adjustable Work Positioning Lanyard comes with Two Twistlock Carabiners

- Rope restraint lanyard with two interlocking carabiners
- Ideal for work positioning and MEWP work
- Not to be used for fall arrest applications



Size:	Code:
1.8m	<b>HN3WP88</b>

## Lightweight Aluminium Tripod

- Two anchorage points, self-locking, fully-adjustable legs with rubber feet, complete with one pulley
- 2.1m(H)
- Suitable for use on manholes, tanks, hatches and other below-ground work and confined spaces



Code: **HN4MN10**

## Aresta Elasticated Harness with Eze-Klick Buckles and Front & Rear Attachment Points

- Adjustable
- General-purpose harness with front and rear D-ring attachment point
- High-comfort, elasticated webbing
- Fully elasticated for supreme comfort levels during long shifts
- Quick-connect buckles save time during donning and ensure users correctly secure their harnesses before starting work
- Fully compliant with **EN361:2002**
- Red



Code: **HN3MA04X**

## Restraint Harness Kit comes with 2m Lanyard

- Complete kit
- One-point Spartan™ harness
- Fixed-length lanyard
- Drawstring bag
- Harness conforms to **EN361:2002**
- Retractable fall limiter conforms to **EN354:2010**
- Black



Code: **HN2MRK1**

## Manhandler Work Winch

- With galvanised steel rope for use with tripod for safe retrieval and descent of workers



Size:	Code:
20m	<b>HN4MN20</b>

## Webbing Anchorage Point

- Versatile webbing anchorage sling adapts to a wide range of anchorage points
- Allows a safe and reliable connection when anchorages are not safe
- Material: 27mm polyester yellow webbing
- Complies to the **EN 795 B** and **EN 795 A** for the fixed anchorage point



Size:	Code:
1.2m	<b>HN5MJ02</b>

## Arresta Full Body Harness with One Rear Attachment Point

- Fully-adjustable, sliding rear D-ring for comfortable fit
- One-point attachment to rear, ideal for working in restraint situations



Code: **HN1TM10X**

## Arresta Full Body Harness with Front & Rear Attachment Points

- Fully-adjustable, sliding rear D-ring for comfortable fit and front attachment available for use where rear point is impractical
- Front attachment point acts as an ideal rescue/retrieval point if required
- Front attachment can be used for tethering small tools if required



Code: **HN1TM20X**

## Lightweight Full Body Harness comes with 2m Lanyard & Shock Absorber

- Fall arrest kit including the Spartan 40 front and rear attachment harness
- With screwgate carabiner and aluminium scaffold hook, all in a handy drawstring bag
- 1.8m
- Blue



Code: **HN2MT10T**

## Duraflex Harness comes with 2m Manyard Kit

- Kit composed of a H-Design Duraflex one-point harness with mating buckles – size 2 and a Manyard 2m with scaffold hook
- Supplied in a backbag



Code: **HN2MMK1**

## Aresta MEWP Harness Kit in Bag comes with 2m Adjustable Lanyard

- Manufactured with comfort-stretch webbing, adjustable 2m lanyard and supplied with a kit bag
- Harness equipped with front and rear attachment points for greater flexibility and convenience
- Kit bag makes stowage and assignment of responsibility easier
- Eze-click buckles make for fast donning with no doubt as to correct fitting
- Designed for working at height in MEWPs and scaffold platforms
- Harness to standard **EN361:2002**, lanyard to standard **EN354:2010**



Code: **HN2MAK1**


# Don't let your team mate become another statistic...

## Tether your tools.

Over 650\* of all injuries in the construction industry were caused by a moving, flying or falling object.




What happens when they drop



### Falling objects: deflection diagram

Objects don't just fall straight down! The diagram below illustrates how far a 3.6kg wrench can deflect after hitting a bar 6 metres off the ground



 We offer Tailored Training Sessions on Working at Height and Tailored Sessions on Tool Tethering Principles. See page 16-17 for more information.

# Tethered tooling

## Plastic Coiled Key Chain

- Pack of 12
- 200mm
- Spiral key chain
- Stretchable spring, high-quality plastic
- Durable and wear-resistant
- Several colours available



Code: **SCLP20**

## Lightweight Coil Tether

- 0.65kg SWL
- 5" retractable lanyard with VersaClamp® and rope clip (package of 25)
- All plastic
- Sell in singles



Code: **CC5PHSNP**

## Fallproof Coil Lanyard comes with Double Swivel Hooks

- 1kg SWL
- Double-swivel fittings for secure attachment to a wide range of tools
- 0.45m – 1.5m working length
- Red



Code: **SFAHCTLD**

## Fallproof HD Coil Tool Lanyard with Screwgate Carabiners

- 1.8m
- 2.5kg SWL
- Safety factor: 2:1
- Red



Code: **SFTCL18**

## Fallproof HD Coil Tool Lanyard with Aluminium Twistlock Carabiners

- 0.53m – 1.5m
- 2.5kg SWL
- Red



Code: **SFTCL18A**

## Scaffold Spanner Tool Lanyard Coil Type comes with Single Swivel & Wrist Choke Loop

- Lightweight and low-profile tool lanyard with plastic coil sheath
- Light gauge and strong swivel designed for attachment to tethered box scaffold spanners
- 0.45m – 1.5m working length
- 1kg SWL
- Red



Code: **SFAHCTWS**

## Personal Webbing Tool Lanyard comes with Twin Stainless Steel Screwgate Carabiners

- Heavy-duty tool lanyard is designed for attaching small hand tools
- 6.8kg SWL
- 0.5m – 1.06m working length



Code: **SFAHGKTL**

## Personal Webbing Tool Lanyard comes with Single Stainless Steel Screwgate Carabiner & Barrel Choke

- Heavy-duty tool lanyard is designed for attaching small hand tools to your person supplied with a screwgate carabiner and elasticated barrel loop for choking tools
- 6.8kg SWL
- 0.6m – 1.2m working length
- Item sold individually



Code: **SFAHGKL**

## Fallproof Personal Tool Lanyard comes with Aluminium Screwgate Carabiner & Barrel Choke

- Basic hand tool lanyard with a far superior webbing to most lanyards in this price range
- Aluminium carabiner
- 0.7m – 1.09m working length
- 6.8kg SWL
- Black/red



Code: **SFAHELAK2**

## Webbing Strap to suit Fixed Anchorage Tool Lanyard

- To suit SFASCTL11 Fixed Anchorage Tool Lanyard
- Versatile webbing anchor strap to attach carabiner to fixed anchorage point
- 500mm(L)



Code: **SFASCTLAS**

## Fixed Anchorage Tool Lanyard comes with Single Stainless Steel Screwgate Carabiner & Webbing Loop

- 1.25m – 3m(L)
- 11.3kg SWL
- Incredible capacity fixed tool lanyard allowing for superb working capability when working with large items such as sledge hammers or powertools
- Use with SFASCTLAS webbing strap
- For use with heavy tools or items
- Short retracted length allows freedom of movement and extends with up to 10' of working length
- Orange



Code: **SFASCTL11**

## Personal Webbing Tool Lanyard comes with Single Stainless Steel Screwgate Carabiner & Quick-Release Clip

- Supplied with a single screwgate carabiner and a 'quick change' accessory
- 2.2kg SWL
- 0.6m – 1.2m working length
- Goes with SFAHDL-RL replacement accessory



Code: **SFAHGKTLR**

## Premium Retractable Wrist Lanyard comes with Quick Change Tool Loop

- Unique reinforced webbing wrist lanyard with integrated retractor built into webbing to enable fast tool use with either hand
- 0.45kg SWL
- 0.9m working length
- Supplied with one Quick Change tool loop



Code: **SFAHWLR**

## Tool Lanyard Webbing Loop with Quick-Release Clip

- 2.7kg SWL
- Elasticated tool loop for use with Quick Change lanyards to enable fast switching of tethered tools
- Sold individually



Size: Code:  
150mm **SFAHDL-RL-150**  
250mm **SFAHDL-RL-250**

## Quick Change Premium Wrist Lanyard comes with Quick Change Tool Loop

- Superb heavy-duty wrist lanyard with reinforced webbing for increased comfort and support, and Quick Change tool capability without removing wrist strap
- 2.7kg SWL
- Supplied with one replacement tool loop
- 13" extension
- SFAHDL-RL replacement webbing loop



Code: **SFAHWL-DL**

# Tethered tooling

## Retractable Tool Lanyard comes with Quick-Release Barrel Choke, Stainless Steel Carabiner Mounted

- Lightweight retractable tool retractor is ideal for enabling fast tool changes and reducing the risk of lanyard entanglement
- 0.45kg SWL
- 1.06m working length
- One accessory Quick Change loop supplied with retractor
- SRQA-QCRTL replacement accessory loop



Code: SFGKRTL16

## Replacement Quick Change Accessory to suit Lightweight Tool Retractor

- Use with SFGKRTL16 Tool Retractor and can also be used with SFAHWLR
- 150mm OAL



Code: SRQAQCRTL

## Locking Retractable Tool Lanyard, Carabiner Mounted

- 1.06m
- Locking mechanism on this retractor reduces drag when tool is in use for extended periods
- Ideal for enabling fast tool changes and reducing the risk of lanyard entanglement
- 0.9kg SWL
- Stainless steel carabiner mounted
- SRQA-SRRTL replacement accessory loop



Code: SFGKRTL32

## Replacement Quick Change to suit Retractable Tool Lanyard

- 9kg
- 150mm OAL
- Use with SFGKRTL32 Tool Retractor



Code: SRTASRRTL

## Quick Switch Tool Lanyard comes with Wrist Strap and Belt Docking Station

- Allows workers to safely and securely carry and use tools at heights and manage tools effectively
- 2.7kg SWL
- Stainless steel screwgate carabiner
- Interchangeable between hands with additional wrist strap
- Reduced swinging tool hazard
- Low profile for snag resistance
- Hands-free tool switching
- Switch from place to place while maintaining 100% tie-off
- Fast and easy use
- Lightweight and comfortable
- Impact, chemical and corrosion-resistant materials



Lightweight and comfortable



Code: SFEQSWL

## Quick Switch Spare Velcro Wrist Strap

- As replacements or to enable co-workers to share tools
- Comfortable velcro to enable size adjustments
- Black/grey



Code: SFEQSWS

## Quick Switch Spare Switch & Dock Set

- Fits up to 2" work belt
- For adapting your belt and tool holders to the Quick Switch System



Code: SFEQSSD

## Quick Switch Tape Pocket

- Fits up to 2" work belt
- Belt-mounted tape measure pocket fitted with one Quick Switch dock
- Comes with one switch
- Requires SFEQSWS wrist strap



Code: SFETBQSTH

## Quick Switch Tool Pocket for Hammers

- Fits up to 2" work belt
- Belt-mounted hammer holder fitted with one Quick Switch dock
- Comes with one switch
- Requires SFEQSWS wrist strap



Code: SFETBQSHH

## Quick Switch Rail Apron, 6 Pocket

- Maintenance tool holding saddle fitted with Quick Switch system to allow safe storage and transfer of tools when working around handrails
- Fitted with six docks
- Comes with six switches
- Requires SFEQSWS wrist straps
- Black/orange



Code: SFETBQRA

## Fallproof Retractable Radio Pouch with Tether Loops

- One size fits most
- Mobile electronic device holder; keep yourself organised and available
- Belt or harness mount
- Wire retractor or coil lanyard
- Manufactured of Ballistic Nylon
- Comes with hardware to make tether ready



Code: FPRH05

## Belt Mounted Retractable Two Way Radio Tether

- Locking retractor device has a stronger retraction force for larger devices such as two-way radios
- Secures to most radios using split ring attachment or choking loop around belt clip
- Belt mounting rotates through 360°
- Black



Code: SFABMRRT

# Tethered tooling

## Retractable Hard Hat Lanyard comes with Barrel Choke & Velcro Strap

- 0.5kg SWL
- Tethers hard hat to fall protection harness to prevent it from dropping
- Practical alternative to elasticated or four-point chinstraps
- Can be quickly and easily fitted to virtually any standard safety helmet
- Velcro strap can be secured to the steel lanyard D-ring or similar integral part of the lanyard
- Mounting system
- Attaches to harness tri-ring or strap
- Spectra/nylon line
- Stainless steel spring and hardware
- 355mm extension
- 2.5oz retraction force
- 18oz weight limit (hard hat)



Code: SFARHHL

## Retractable Mobile Phone Tether



- Retractable device allows use of mobile phone or similar devices while securely attached to belt or waistband, preventing drops, loss and damage
- Belt mounting rotates through 360°
- Black

Code: SFARMPT

## Spare Adhesive Pad Eyes to suit Mobile Phone Tether

- Replacement adhesive pad eye to secure to multiple devices for fast phone changes when working at height



Code: SFARMPE

## Replacement Lanyard to suit Mobile Phone Tether

- Replacement lanyard attachment to attach to multiple devices for fast phone changes when working at height



Code: SFARMPL

## Fallproof Hard Hat Lanyard

- Excellent alternative to a chin strap
- Easy-release clamp secures to almost anything
- Max safe weight limit: 0.9kg
- Composed of high-stretch elastic material lanyard and composite clasp and buckle
- Dynamically tested with a 2:1 ratio
- One size fits all



Code: SFASHL

## Fallproof Heavy-Duty Hammer Holder

- Heavy-duty stainless steel, belt-mounted snap-in hammer holder
- Holder only – does not include belt



Code: FPHL05

## Leather Snap in Hammer Holder

- Snap in type hammer holder to allow fast hammer return with tool lanyard still attached
- Quality USA made



Code: STLSIHH

## Leather Flat Scaffolders' Spanner Clip

- Quality leather belt loop with integrated carabiner for traditional scaffold tool holding
- Black



Code: STLFC

## Arsenal Padded Tool Belt

- Heavy-duty foam for easy belt support
- Thick, vented foam padding for comfort
- Nickel-plated 2" double tongue metal roller buckle
- Nickel-plated grommets set firmly for durability
- Nickel-plated suspender anchors



Size: Code:  
3", large SFAPT3-L  
3", extra large SFAPT3-XL

## Belt Adapter with 2 Captured Screwgate Carabiners

- 50mm
- 2.74kg SWL
- Belt adapter with two screwgate carabiners allowing for safer tool control
- Handy personal tool lanyard anchorage point
- Fits standard 2" work belts
- Orange



Code: SFETBKA

## Fallproof iPad Pouch

- Ideal pouch for an iPad when working at height or generally on site
- 8"(W) x 10"(H) x 4"(D) (20.3cm x 25.4cm x 10.2cm)



Code: SFAIPP2

## Fallproof Adjustable Belt Loop Attachment

- 2" – 3"
- Black



Code: SFEFLA

## Fallproof Canvas Parts Pouch

- 18oz
- Black/red canvas variant of the small parts pouch is made from durable 18oz duck canvas
- 8"(W) x 10"(H) x 4"(D) (20.3cm x 25.4cm x 10.2cm)



Code: SFAPP5

## Premium Quality Cinch Top Canvas Bolt Bag comes with Exterior Tool Loops



- For keeping fixings and fasteners secure when working at height
- Two exterior tool loops for podgers/hammers etc.
- 16oz canvas
- Patented one-handed closure for safety and security
- Nickel-plated rivets
- 6 and 12 ply nylon stitching
- Two exterior tool loops
- Maximum safe working capacity: 25lb (12kg)
- 10" x 5" x 9" (25cm x 13cm x 23cm)
- White

Code: SFATBB

## Heavy-Duty Scaffold Fittings Transit Bag

- 30kg SWL
- Cost-effective and versatile bag for getting materials or fittings to the work area
- Made from extra tough UV-resistant, woven polypropylene
- Circular base keeps bag open whilst loading



Code: SFESFB30

# Tethered tooling

## Fallproof Tethered Tape Measure Holder

- Adaptable retro-fit tape measure sleeve to suit most brands from 5m – 8m
- Complete with belt clip to rear permitting traditional clipping and unclipping to most work belts
- Provides protection for tape measures from knocks and bumps whilst preventing the item falling beyond the length of the connected lanyard



Code: **FPTS05**

## Fallproof Tool Pouch comes with Shoulder & Waist Straps

- Low-profile design means this pouch is ideal for climbing or working in confined spaces
- Internal anchorage points for securing tool lanyards to pouch
- Black



Code: **SFESTP**

## Arsenal 16 Pocket Aerial Tool Pouch

- 15kg SWL
- Versatile tool pouch which attaches to any fall arrest harness or tool belt
- Nickel-plated attachment points
- Angled hammer loop
- Tape measure pocket
- 1680D Ballistic Nylon
- Top cover flap with hook and loop closure
- Four nickel-plated D-rings for tool lanyard attachment
- Patented Storm Drains™
- Abrasion-resistant PVC-reinforced pouch bases
- Maximum safe working capacity: 33lb (15 kg)
- Tools not included
- Grey/black



Code: **SFATP**

## Stainless Steel D Shackle for Tethering Unbreakable Sledge Hammers

- Width: 10mm
- Wide D shackles with standard screw pins are forged by electrical upset methods here in the UK from A4-AISI 316 grade stainless steel
- Incredibly strong and hard-wearing
- Finished to the highest of standards with a highly-polished finish
- Used for tethering sledge hammers when working at height
- Tested and certified to **BS EN 10203 3.1b**



Code: **HWUSHSS**

## Fallproof Stainless Steel Wide D Shackle for Tethering Estwing Hammers

- 6mm
- Incredibly strong and hard-wearing, perfect for highly corrosive environments
- Finished to the highest of standards with a highly-polished finish



Code: **HR4WDS**

## Double D Rings Lanyard Attachment Rings

- Customised to create a simple and fast lanyard attachment point for tools with enlarged ends
- Eliminates the need for attachment tape or heat shrink systems
- Unique pin design to help prevent backing out
- Installs in seconds
- Easy to clean
- Cost-effective



Size:	Code:
10mm x 15mm	<b>SFEDDR1</b>
19mm x 25mm	<b>SFEDDR2</b>
21mm x 38mm	<b>SFEDDR3</b>
33mm x 60mm	<b>SFEDDR4</b>

## Eyebolt

- M8: 8mm, net weight 0.06kg
- M14: 14mm, net weight 0.4kg



Size:	Code:
M8	<b>YA1EB8</b>
M14	<b>YA1EB14</b>

## Attachment Webbing with Steel D-Ring

- High-strength Nylon webbing with encapsulated steel D-ring for attaching lanyards to tools using attachment tape or shrink rings



Size:	Code:
70mm x 12mm, pack of 25	<b>SFERAWS-070</b>
85mm x 25mm, pack of 25	<b>SFERAWS-085</b>
325mm x 25mm, pack of 5	<b>SFERAWS-300</b>

## Lanyard Attachment Loop comes with Barrel Choke & Stainless Steel Ring

- Length: 8" (200mm)
- Versatile webbing attachment for quickly creating an attachment point for a 'non tethered' tool using the barrel choke



Code: **SFRFTL08**

## Split Ring

- Install easily to manufacturers pre-drilled holes on tools



Size:	Code:
10mm	<b>SFASR04</b>
15mm	<b>SFASR06</b>
25mm	<b>SFASR100</b>
31mm	<b>SFASR125</b>
50mm	<b>SFASR200</b>
75mm	<b>SFASR300</b>

## Attachment Webbing with Plastic D-Ring

- High-strength Nylon webbing with encapsulated plastic D-ring for attaching lanyards to tools using attachment tape or shrink rings
- Non-conductive, ideal for electricians tools
- Use with SFERSAT-RF Reinforced Self Amalgamating Webbing Attachment Tape
- Pack of 25



Size:	Code:
70mm x 12mm	<b>SFERAWP-070</b>
85mm x 25mm	<b>SFERAWP-085</b>
325mm x 25mm	<b>SFERAWP-300</b>

## High Strength Adhesive Heat Shrink Rings

- Comes with integrated webbing loop
- Pack of 10
- Highly innovative use of high-strength adhesive shrink tubing with an integral captured webbing loop for use on tools with enlarged ends



Diameter:	Length:	Code:
19mm	44mm	<b>SFERHSR-1944</b>
25mm	44mm	<b>SFERHSR-2544</b>
35mm	50mm	<b>SFERHSR-3550</b>
50mm	100mm	<b>SFERHSR-5010</b>
50mm	50mm	<b>SFERHSR-5050</b>
71mm	100mm	<b>SFERHSR-7100</b>

## Heat Shrink Cylinders With Rotating Lanyard Ring

- Pack of 5
- Fits around the base of the tool handle providing a rotating lanyard attachment point
- Fast, easy installation



Size:	Code:
Fits 6mm – 19mm handles	<b>SFERCHC-0619</b>
Fits 19mm – 31mm handles	<b>SFERCHC-1931</b>

# Tethered tooling

## Rubber Tool Collar comes with Rotating Plastic Tethering Ring



- Pack of 25
- Slides on to tool shaft to provide a fully-rotating attachment point without obstructing the tool handle or function
- Non-conductive
- Quickly fitted without needing tools to install

Suits shaft size:	Code:
0.9mm – 2.4mm	SFETCPL-0924
2.4mm – 3.9mm	SFETCPL-2439
3.9mm – 6.3mm	SFETCPL-3963
5.5mm – 7.9mm	SFETCPL-5579

## Reinforced Self Amalgamating Webbing Attachment Tape

- 25mm x 10.9m
- Fantastic temporary solution for awkward-to-tether items
- Does not require equipment or heat source to install
- Installs in seconds
- Easy to remove and leaves no residue



Code: SFERSAT-RF

## Tethered Cordless Power Tool Wrap

- Securely wraps around the battery portion of drills, impact drivers and other cordless power tools
- D-ring connection point attaches to a lanyard to prevent drops
- Maximum safe working capacity: 6lb (2.7 kg)
- Third party tested using a 2:1 safety factor
- Will fit cordless power tool batteries up to: 12.5cm x 9cm x 9cm
- 1000D nylon with water-resistant backing



Code: SFAPTWL01

## Industrial Heat Gun with Nozzle Kit

- With variable temperature control and removable front ring which enables working in tight corners and hard to reach places
- 50–600°C temperature range
- Closed grip and ergonomic handle shape
- Brands may vary



Size:	Code:
110V	PSFEHG-110
240V	PSFEHG-240

## Rubber Tool Collar comes with Rotating Steel Tethering Ring

- Pack of 25
- Slides on to tool shaft to provide a fully-rotating attachment point without obstructing the tool handle or function
- Non-conductive
- Quickly fitted without needing tools to install



Suits shaft size:	Code:
3.9mm – 6.3mm	SFETCSS-3963
5.5mm – 7.9mm	SFETCSS-5579

## Fallproof Cable Loop Attachment



- Provide an approved way of creating a load-rated tether point whilst still on site
- Ideal retro-fit option that allows you to create a tether point within seconds and can be used on most tools including hammers, saws, screwdrivers, adjustable spanners, ring and open end spanners
- Dimensions: 150mm or 120mm x 3mm
- 1kg SWL

Size:	Code:
120mm	SFACL2
150mm	SFACL4

## Fallproof Lifting Bucket

- 380mm(H) x 310mm(D)
- Loaded with features that help prevent dropped objects
- The massive 113kg SWL is fully verified and certified
- Heavy-duty velcro closure with 'locking' feature protects against accidental spills
- Composite insert in the base protects against punctures
- Built-in tool connection points inside the bucket enable tools to be tethered directly to the inside of each unit
- Extra-heavy-duty vinyl used in the construction of these buckets is designed to last in the harshest of construction environments
- Auto-locking carabiner provides extra security and peace of mind

## Swivel Tool End Cap Tether

- Pack of 10
- 11.4mm
- Universal swivel cap tether attachment
- Quick installation for secure attachment
- D-ring can be rotated for easy use
- Anti-roll tab extensions



Code: SC045

## Tether Loop Attachments

- A crimped and thimble length of wire, which allows the tethering of odd shaped tools and items
- Each tether loop has a protected label identifying the load rating
- Max tool weight: 7.5" – 15lb; 10.5" – 30lb; 12.5" – 30lb



Size:	Code:
7.5"	SFERTLA-75
10.5"	SFERTLA-105
12.5"	SFERTLA-125

## Fallproof Dual Wing Tool Choke

- 400mm
- Certified for tools up to 16kg and provides an excellent option for securing a wide range of tools
- Use with self-amalgamating tape
- Black/red



Code: SFATC1

## Swivel Tether Coil Tie Off Loops

- 4.5kg SWL
- Ultra light weight for measuring tools, limited interference with levels
- Useful on applications where key rings and other solid anchors are cumbersome
- Use to attach any number of tool lanyards
- 150mm tether cinch loop



Code: SFATC5

## Fallproof Elasticated Wrist Tether Point

- For securing small/lightweight hand tools when working at height
- One size (SWL 2.3kg)



Code: SFAEWL

## Fallproof Aluminium Clipboard with Lanyard Attachment Points

- 350mm x 250mm
- Heavy-duty, aluminium clipboard with lanyard attachment points for surveyors or management staff working at height
- High-force metal clips
- Two lanyard attachment holes



Code: SFETMCB



Code: FPTB1

# Hats, bags & accessories

## Fleece Ski Hat

- Pill-resistant fleece hat
- Fabric: 100% polyester fleece, 285gsm
- One size
- Black, navy and other colours available



Colour:	Code:
Black	<b>FH5-BLK</b>
Navy	<b>FH5-NVY</b>

## Navy Baseball Style Bump Cap

- Designed as a safeguard against accidental bumping or scraping of the head
- Low-dome profile of the cap allows it to be worn with other safety protection such as ear plugs, spectacles, goggles and respiratory masks
- Fully conforms to latest 2001 release of **EN812**
- Navy



Code: **HBCJTC1**

## Knitted Hat

- Acrylic knitted hat
- Fabric: 100% acrylic high-bulk soft feel
- One size
- French navy



Code: **KH5-NVY**

## Drawstring Bag

- Non-woven fabric
- One nylon drawstring
- Navy



Code: **QD17-NVY**

## PPE Organisa & Boot Bag



- Comes with footwear compartment
- Offers a convenient, safe and organised way for workers to stow issued safety equipment whilst being versatile
- Green zipped end compartment with first aid symbol
- Hi-vis yellow zipped end compartment with reflective zip
- Flexible internal organiser
- Separate extendable zip-out compartment for footwear
- One size

Code: **10200**

## Jumbo Sports Holdall/Kit Bag

- 80ltr sports holdall bag
- An oblong design and reinforced base allows the bag to hold a great deal more than just PPE
- Black



Code: **QD80-BLK**

## PPE Organisa Holdall

- 510mm(L) x 270mm(W) x 290mm(H)
- Offers a convenient, safe and organised way for workers to stow issued safety equipment
- Green zipped end compartment with first aid symbol
- Hi-vis yellow zipped end compartment with reflective zip
- Flexible internal organiser



Code: **10210**

## PPE Boot Bag

- Raquet pocket on side
- Zippered end pocket
- Wet pocket
- Baseboard and studs
- Fabric: 420D nylon
- Excellent way of carrying around your dirty site boots
- Comes with webbing carrying handle and ID/name card holder
- One size
- Black/graphite



Code: **BB86-BLKGPH**

## QD057 Pursuit Backpack

- Great way to keep your PPE requirements safe and clean
- Side pockets with small zippered pockets
- Front pocket organiser section
- Base board for even weight distribution
- Detachable chest straps and waist strap
- Fabric: 600D micro rip-stop polyester, 1680D
- Headphone port
- Padded back panel
- 48cm x 32cm x 14cm
- Reflective strip
- Wet pack



Colour:	Code:
Black	<b>QD057-BLK</b>
Navy	<b>QD057-NVY</b>

## Hi-Vis Backpack

- Hi-vis yellow
- Also available in orange
- Suitable for storing PPE



Colour:	Code:
Yellow	<b>BPHV5-YLW</b>
Orange	<b>BPHV5-ORG</b>

## Hi-Vis ID Armband

- Excellent new way of identifying employees, visitors, and site contractors
- Fits around the upper arm
- Reflective, tough and durable
- Wipe-clean design
- Made from a tough, clear PVC with a protective flap that prevents rainwater or dirt from entering into the plastic display area
- Has an adjustable elastic band to allow comfortable positioning on the upper arm, with the added bonus of coloured reflective strips



Colour:	Code:
Blue	<b>IDARM-BLU</b>
Red	<b>IDARM-RED</b>
Fluorescent Green	<b>IDARM-GRN</b>
Fluorescent Orange	<b>IDARM-ORA</b>
Fluorescent Yellow	<b>IDARM-YLW</b>

## Backpack

- Ideal for those needing to carry items to and from site
- Several pockets make this a versatile rucksack
- Black/navy



Code: **BP76-BLKNVY**

## Evaporative Cooling Vest with Unique Polymer Chemistry

- For protection against heat stress and UV
- An innovative product that keeps workers cool for up to 8hrs
- Keeps the body at an ideal temperature allowing the wearer to work in comfort
- An innovative PVA multi-layered fabric which uses a unique polymer chemistry. Simply activate by soaking in water creating a chemical reaction within the fabric which enables the garments to act like a sponge
- Adjustable side opening for added flexibility
- 50+ UPF rated fabric to block 98% of UV rays
- Front zip opening for easy access
- Can be worn against the skin or over clothing
- One size (reg)
- Grey



Code: **VS0CV1**

# First aid kits, defibrillators & accessories

## HSE Approved First Aid Kit

	10 person	20 person	50 person
• No 16 eye dressing	2	4	6
• 12cm x 12cm medium dressing	6	9	12
• 18cm x 18cm large dressing	2	3	4
• Elite washproof plasters, pack of 20	1 x pack of 20	4 x pack of 10	3 x pack of 20
• Non-woven triangular bandage	4	6	8
• Nitrile disposable gloves, pair	1	2	3
• HSE guidance leaflet	1	1	1
• Moist cleansing wipes, singles	6	10	20
• Assorted safety pins, pack of 6	1	2	2
• Plastic box, dark green	240mm x 170mm x 80mm	270mm x 220mm x 85mm	270mm x 340mm x 100mm



Size:	Code:
10 person	FA2S10
20 person	FA3M20
50 person	FA3L50

### Clip in Wall Bracket for HSE First Aid Kit

- To use with FA3L50



Code: FA3L50B

### Travel First Aid Kit

- One person
- Handy to use hygienic plastic dispenser



Code: FA1T01

### HSE Approved First Aid Kit in Belt Bag

- 10 person
- Comes with an adjustable waist strap with a buckle clip to secure the bag around your waist
- There is a zip on the front pocket and main compartment making it easy to access the first aid items quickly



Code: FA3S10B

## BS8599 First Aid Kit

- Incorporating the new BS8599-1:2011 standard


	Small	Medium	Large
• No 16 eye dressing	2	3	4
• 12cm x 12cm medium dressing	4	6	8
• 18cm x 18cm large dressing	1	2	2
• Elite washproof plasters, pack of 20	2	3	5
• Non-woven triangular bandage	2	3	4
• Nitrile disposable gloves, pair	6	9	12
• HSE guidance leaflet	1	1	1
• Moist cleansing wipes, singles	20	30	40
• Assorted safety pins, pack of 6	1	2	5
• Microporous tape 2.5cm x 10m	1	1	1
• Conforming bandage 7.5cm x 4m	1	2	2
• Quick-fix sterile finger dressing	2	3	4
• Pharmagel 10cm x 10cm	1	2	2
• Emergency foil blanket 2.1m x 1.3m	1	2	3
• Heavy-duty first aid snips	1	1	1
• Resusciate	1	1	2
• Plastic box, dark green,	270mm x 220mm x 85mm	270mm x 220mm x 85mm	270mm x 340mm x 100mm



Size:	Code:
Small	FA3BSK1
Medium	FA3BSK2
Large	FA3BSK3

### Clip in Wall Bracket for BS8599 First Aid Kit – 20 Person

- Allowing for a first aid kit to be permanently fixed to a First Aid point or station
- For use with FA3BSK1



Code: FA3BSK1B

### BS8599 Travel First Aid Kit

- Incorporating the new BS8599-1:2011 standard



Code: FA3BSKTK1

### Resusciate – Disposable Face Shield

- Supplied in a tearable polythene pouch for easy access in an emergency
- Provides protection against cross infection and dust
- For single use only



Code: FA3AFS1

# First aid kits, defibrillators & accessories

## HSE Approved Medium Dressing

- 12cm x 12cm
- Box of 10



Code: **FA3HSE12**

## Assorted Fabric Plasters

- Assorted size, sterile, loose fabric plasters, packed in boxes of 120
- Breathable to aid wound healing



Code: **FA4P10**

## Waterproof Plasters

- Packed in boxes of 100
- Breathable to aid wound healing



Code: **FA4PW1**

## Foil Blanket



- 2.1m x 1.3m
- Single-use emergency blanket
- Ultra-insulating keeping the patient warm and comfortable
- Emergency foil blankets are ideal for protection against cold, rain, heat and wind
- Helps to treat or prevent hypothermia
- Heat-reflective metallic surfaces
- Disposable

Code: **FA3FB130**

## Eye Pad

- Box of 10
- Sterile eye pad has an elasticated strap attached to the pad for ease of use and comfort
- Boxed and complies with the latest HSE codes of practice
- Thick/comfortable
- Stretchy conforming bandage to allow ease of use



Code: **FA3HS01**

## Antiseptic Cleaning Wipes

- Pack of 100
- Alcohol free



Code: **FA4AW1**

## Accident Book

- A4
- Allows accidents to be recorded on tear-off slips so that details can be stored in a secure location



Code: **FA6ABN2**

## Compact First Aid Burns Kit

- Suitable for emergency care on burns and scalds, minimising trauma and infection
- Ideal for hot works areas
- Small



Code: **FA3BK1**

## Eye Wash Solution Box of Pods

- 25 x 20ml pods
- Sterile saline pods for eye irrigation or cleaning wounds and burns
- Handy eyewash pods



Code: **FA5E20**

## Eye Wash Solution Bottle

- 500ml bottle
- Sterile saline pods for eye irrigation or cleaning wounds and burns



Code: **FA5E50**

## Eye Wash Pod Station

- 330mm x 250mm
- 10 pods, two No 16 eye pads and mirror
- Compact and portable eyewash kit ideal for eye irrigation in the home and small offices
- Fully portable and easy to wall mount



Code: **FA5EPS7**

## Sharps Handling Kit

- Sharps such as contaminated needles and syringes, knives, blades and broken glass can puncture the skin and act as a vehicle for the transmission of biological agents such as harmful micro-organisms

### Complete pack includes:

- Disposable gloves
- Disposable bio-hazard bag
- Disinfectant wipe
- Disposal unit
- Forceps



Code: **FA4SHK5**

## Sharps Bin



Size:  
0.6ltr  
4ltr

- Wide aperture allows the easy disposal of needles and syringes
- Translucent lid, clear internal flap and visible fill line help ensure that the container is not overfilled
- Specifically shaped to contain the maximum amount of sharps in the minimum amount of space
- Flip top lid combines security with ease of use whilst the final locking feature ensures total security during transportation for final disposal
- Complies with **UN 3291, BS 7320**

Code:

**FA4SB06**

**FA4SB4**

## Eye Wash Station

- Wall-mountable plastic unit with shatterproof mirror
- Contains two 500ml eyewash solution
- Essential for every workspace



Code: **FA5ES1**

## CPR Defibrillator Training DVD

- Instructional DVD for HeartSine defibrillators
- Three DVDs available for 500P, 350P and 360P defibrillators
- Price per one



Code: **FA6HDT1**

## Outdoor Cabinet for Defibrillator

- With heating and lighting
- With or without keypad lock
- 40cm x 40cm x 20cm



Option:

With keypad lock

Without lock

Code:

**FA6WC1**

**FA6WC2**

## First aid kits, defibrillators & accessories

### HeartSine Samaritan Defibrillator PAD

- One PAD-Pak™ combined battery and electrode cartridge
- 4yr shelf time
- Suitable for adults and children >8yrs or >25kg
- Carry case (yellow/blue)
- User manual, quick reference card
- 8yr warranty
- Easy-to-use: two-button operation with clear and simple voice and visual prompts
- Easy to maintain with combined battery and electrode cartridge
- Fastest time to first shock delivery: Heartsine defibrillators have a charging time of just 8 secs
- Highest industry IP rating of IP56, providing protection against dust and water ingress and tested to the Military Standard 810F for robustness, including a drop test of 1m
- Delivers a lifesaving shock in more cases than other defibrillators, the impedance operating range of the Heartsine devices is 25–230ohms



Ask us about training on how to use this product

Product:	Code:
500P with CPR advisor	FA6HD1
350P (semi automated)	FA6HD2
360P (fully automated)	FA6HD3

## Other safety & clothing products

### Automatic Lifejacket

- Standard horseshoe design with a zip closure cover and a single back strap for general utility use
- Durable waterproof fabric
- Zip fastening cover
- Stainless steel interlocking belt buckles and adjustable waist belt
- Detachable crutch strap
- Marine grade stainless steel D-ring in front
- Actual buoyancy: 208N
- Colour: RSO red
- **EN396 : 1994**

### Inflatable bladder:

- Single chamber
- Oral inflation tube
- SOLAS approved retro-reflective tape on bladder
- Red recovery grab strap on bladder marked 'LIFT'
- 33g CO<sub>2</sub> gas cylinder
- Inflation system
- Whistle



Code: HN7WC50

### Floating Lifeline to suit Lifebuoy

- 30m
- Floating lifeline suitable for attaching to a standard lifebuoy



Code: HN7FL30

### Lifebuoy/Life Ring

- 30"
- 2.5kg
- Rugged construction traditional round lifebuoys
- Used by local authorities, river and water companies
- Orange (MED approved – with retro tape)



Code: HN7LB30

### Worker Premium ICE Tag

- Easily fitted to the exterior of each worker's hard hat
- Securely stores their critical and potentially lifesaving ID information essential in the event of a serious accident or medical emergency
- Features new 'Emergency Design' that utilises the internationally recognised 'Star of Life' medical symbol
- Waterproof ID card has also been improved to increase the amount of information stored to further strengthen the function of this Hard Hat ID in use
- Perfect solution to assist in the essential work of pro-active health and safety officers in all helmet wearing industries
- 70mm x 15mm (approx. 2.75" x 0.5")
- Weight: < 5g
- Reflective: features 3M Scotchlite reflective material
- 100% waterproof
- Helmet safe adhesives used
- One size



Code: TSTTAG5

You can order with us by phone, email or online:

T: 01293 744 444

E: [hello@onsite-support.co.uk](mailto:hello@onsite-support.co.uk)

W: [onsite-support.co.uk](http://onsite-support.co.uk)

**OnSite**  
support



## Site Welfare

From cleaning supplies to canteen equipment, site welfare products are essential for ensuring the health and wellbeing of site workers are appropriately managed on a project.

Whether you're looking for cleaning, washroom or canteen products, we offer a range of supplies to equip your construction site with everything you'll need to ensure facilities are suitably maintained and to keep your workforce happy.

- |   |                                     |
|---|-------------------------------------|
| <b>140</b> Cleaning fluids              | <b>165</b> Canteen equipment        |
| <b>146</b> Cloths & rags                | <b>167</b> Heaters                  |
| <b>148</b> Hand cleaners & skincare     | <b>168</b> Cutlery, crockery & mugs |
| <b>155</b> Paper towels & toilet roll   | <b>170</b> Tea, coffee & sugar      |
| <b>157</b> Bin liner sacks              | <b>173</b> Site office equipment    |
| <b>158</b> Brushes & cleaning equipment | <b>175</b> Other                    |
| <b>163</b> Mats & mops                  |                                     |

**Please note:** Items are subject to change. Please check our website for the most up to date list at [onsite-support.co.uk](https://onsite-support.co.uk)

# Cleaning fluids

## Furniture Polish

- 750ml
- Formulated to give a fast clean and shine in one operation
- Use on paintwork, enamel, laminates and sealed wooden surfaces



Code: **CJ2PW75**

## Multi-Surface Polish

- 330ml
- Keeps areas clean and freshly fragranced
- Aerosol can



Code: **CJ2MP3**

## Multi-Purpose, Anti-Bacterial Cleaner

- 750ml
- Effortlessly removes dirt and grime from all hard, washable surfaces leaving a fresh, fruity fragrance



Code: **CJ2MP7**

## Cream Cleaner

- 500ml
- A non-scratch cleaner with a pleasant fragrance
- Will remove ingrained dirt and stubborn stains from a variety of hard surfaces



Code: **CJ2C50**

## Constructor Disinfectant

- 5ltr
- Kills germs and bacteria



Code: **CJ2CF5**

## Washing Up Liquid

- 1ltr
- A quality and economic washing up liquid, not harsh to the environment
- Cuts through grease
- Kind to hands



Code: **CJ2WL1**

## Dishwasher Tablets

- Pack of 100
- Benzynes and oxygen bleach ensure a powerful cleaning formulation to remove stubborn stains
- Suitable for all water conditions



Code: **CJ2DWT2**

## Dishwasher Rinse Aid

- 400ml
- Clears grease
- Removes limescale
- Neutralises odour
- Helps maintain machine
- Brands may vary



Code: **CJ2RA1**

## Constructor Detergent

- 5ltr
- For general cleaning, and washing dishes and soiled cutlery
- Non-hazardous cleaner



Code: **CJ2CW5**

## Dishwasher Salt

- 2kg
- Softens water to boost the cleaning performance of detergent by preventing spots and watermarks
- Brand may vary



Code: **CJ2DWS1**

## Stainless Steel Cleaner

- 750ml
- Removes streaks and smears from stainless steel and glass surfaces



Code: **CJ2SS7**

# Cleaning fluids

## Thick Bleach

- 1ltr
- Concentrated bleach in viscose format to provide extra dwell time for better cleaning



Code: **CJ2TB10**

## Thick Bleach

- 5ltr
- Destroys in minutes substances like grease, rags, cooking fat, paper towels, organic matter, soap, hair scale and sanitary towels



Code: **CJ2TB50**

## Constructor Bleach

- 5ltr
- Suitable for general cleaning and disinfecting
- Clear, yellow-coloured liquid with strong chlorine odour



Code: **CJ2CB5**

## Spray & Wipe with Bleach



Code: **CJ2SWS1**

- 750ml
- Great for use in washrooms and toilets
- Kills germs and bacteria on contact
- Cleans and freshens
- Suitable for use on many surfaces

## One-Shot Strong Drain Cleaner

- 1ltr
- Destroys in minutes substances like grease, rags, cooking fat, paper towels, organic matter, soap, hair scale and sanitary towels



Code: **CJ2OSD1**

## Constructor Limescale Remover

- 750ml
- Advanced formula dissolves organics as well as limescale
- Excellent for toilets and urinals
- Regular use keeps drains clear
- Neutralises odour
- May be diluted with water for brush application



Code: **CJ2LR1**

## Toilet Cistern Blocks

- Germicidal in-cistern block automatically cleans, foams, freshens
- Colours blue with every flush



Size: Individual  
Pack of 6

Code: **CJ2TBB2**  
**CJ2TCBPK8**

## Toilet Rim Block

- Price per one
- Sanitiser toilet block with hook/cage



Code: **CJ2TRB1**

## Constructor Toilet Descaler

- 5ltr
- Powerful double acid descaler, disinfectant and freshener will rapidly remove dirt and limescale build up



Code: **CJ2CD5**

## Toilet Channel Block

- 3kg
- Non-PDCB channel blocks have a high perfume content and neutralise odours from urine
- Complete with storage bucket



Code: **CJ2TB5**

## Heavy Duty Toilet Cleaner

- 1ltr
- This blue-dyed toilet cleaner is ideal for everyday needs



Code: **CJ2TC7**

# Cleaning fluids

## Air Freshener (Aerosol) Cotton & Lily

- 330ml
- Creates long lasting, instant freshness and fragrance



Code: **CJ2AF4**

## Automatic Air Freshener Starter Pack with 3 Refills

- 270ml
- Digital dispenser allows genuine programmability to guarantee fragrance is released when odour control is needed



Code: **CJ3MSD1**

## Automatic Air Freshener Refills

- 243ml
- Maxispray replacement fragrance



Code: **CJ3MSRF**

## Biological Washroom Cleaner

- 750ml
- Removes organic staining and odour problems in order to maintain a clean odour-free washroom
- Part of the Constructor environmentally friendly, green cleaning range



Code: **CJ2WC71**

## Biological Washroom Deodoriser Cleaner

- 5ltrs
- Removes organic staining and odour problems in order to maintain a clean, odour-free washroom
- Part of the Constructor environmentally friendly, green cleaning range



Code: **CJ2WC75**

## Air Freshener (Trigger Spray)

- 750ml
- Fine atomised spray to maximise perfume performance and to reduce 'rain effect'



Code: **CJ2AF7**

## Gel Air Freshener

- 150g
- Solid gel – magnolia & vanilla



Code: **CJ2AFS5**

## Graffiti Remover

- 500ml
- A powerful unique formulation
- Quickly dissolves felt-tip, marker inks, acrylic and cellulose paints, ball point pen ink and aerosol-sprayed graffiti from tiles, windows, metals, ceramics, concrete and fabric surfaces



Code: **CJ2GR2**

## Greener Glass Cleaner

- 750ml
- Effectively cleans and shines glass surfaces such as windows, mirrors, stainless steel etc.
- Part of the Constructor environmentally friendly, green cleaning range



Code: **CJ2BGC7**

## Greener Multi-Purpose Cleaner & Degreaser

- A versatile cleaner for use with a wide range of janitorial cleaning as well as industrial applications
- Part of the Constructor environmentally friendly, green cleaning range



Code: **CJ2BFC5**

## Biological Toilet Blocks

- 1.1kg tub
- 50 blocks
- Ideal for use in waterless urinals
- Part of the Constructor environmentally friendly, green cleaning range



Code: **CJ2BTB5**

## Window/Mirror Cleaner

- 750ml
- A quick and effective spirit-based glass cleaner that provides a streak-free finish
- Suitable for glass, plastics and stainless steel



Code: **CJ2WM7**

## General Purpose Floor & Hard Surface Cleaner

- 5ltr
- General purpose floor cleaner to clean and remove soiling to hard surfaces



Code: **CJ2FC5**

## Constructor Brick Cleaner

- 5ltr
- Removes excess lime and mortar of newly laid bricks, tiles and masonry



Code: **CJ2BC5**

## Greener Toiler Cleaner

- 1ltr
- Ideal for use as a perfumed daily deodoriser for toilets and urinals
- Part of the Constructor environmentally friendly, green cleaning range



Code: **CJ2BTC71**

## Greener Toilet Cleaner

- 5ltr
- Ideal for use as a perfumed daily deodoriser for toilets and urinals
- Part of the Constructor environmentally friendly, green cleaning range



Code: **CJ2BTC75**

Be kinder to the environment by using our greener cleaning range

# Cloths & rags

## Caterer's Scourers

- Pack of 10
- Polyester fibre with acrylic resin, ground silica and pigment
- Approx. 15.87g per scourer
- 23cm(L) x 15cm(W) x 7mm(D)



Code: **CJ1CS1**

## Large Sponge Scourers

- Pack of 10
- Polyurethane foam laminated to polyester abrasive using a polyurethane adhesive
- 140mm(L) x 90mm(W) x 27mm(D)
- Apricot/green



Code: **CJ1SC1**

## Dish Cloths

- Pack of 10
- Cotton-based cloth suitable for multiple cleaning requirements
- Machine washable and can be boiled or bleached



Code: **CJ1DC0**

## Blue Microfibre Cloths

- Pack of 10
- Washable cleaning cloth ideal for all surfaces including work surfaces, stainless steel, glass, woodwork etc.
- 40cm x 40cm



Size: Code:  
 Blue **CJ1ROM1**  
 Green **CJ1ROM1-GRN**  
 Pink **CJ1ROM1-PNK**

## General Purpose Cloths (J Cloths)

- Multi-purpose cloths for use in many situations
- Packed in 50s for liberal application



Code: **CJ1JC1**

## Tea Towels (Individual Towel)



- Woven fabric, mixed fibres: 70% cotton minimum
- 680mm(L) x 430mm(W)
- Check pattern – normally white with blue, red and green

Code: **CJ1TT0**

## Stockinette Roll

- 800g
- Ideal for use on any surface for general wiping, without scratching
- Manufactured from cotton
- Easy-wipe
- White



Code: **CJ1S80**

## Hard Surface Disinfection Wipes

- 200 wipes
- Instantly eliminates dangerous bacteria on hard surfaces



Code: **CJ1DW2**

## Coloured Rags

- Standard quality coloured rags suitable for most industrial wipe applications
- Supplied in 10kg gross weight vacuum packs



Code: **CJ1R12C**

## White Rags

- Quality white cotton absorbent rags suitable for most industrial wipe applications
- Supplied in 10kg gross weight vacuum packs



Code: **CJ1R12W**

## Yellow Dusters

- Pack of 10
- Wipes surfaces gently to remove dust
- Soft and non-marking



Code: **CJ1YD1**


## Floor Cloths

- Heavyweight
- Warp-knitted with double weft insertion
- 90 ends per fabric width
- 12 picks per 5cm approx.
- Overlocked at 118 stitches per 5cm with 5mm bite
- 47cm x 50.8cm



Code: **CJ1FC0**

To support a fast and efficient delivery of products to your sites, you can order our products online at [onsite-support.co.uk](http://onsite-support.co.uk)



# Hand cleaners & skincare


When working on site, your workers' safety and comfort should be the highest priority. That's why we offer a large range of hand cleaners and skincare to ensure that your employees have the right facilities to take care of themselves when on site.

Our range includes anti-bacterial hand-washes and hand cleaning wet wipes to offer top quality cleanliness across your site, as well as protective hand cream for working in dry conditions.



Image courtesy of our suppliers at Deb

Around **70%** of site workers have clinically dry skin



\*Source: Deb Ltd



Almost **1 in 5** site workers have work related eczema or dermatitis

\*Source: Deb Ltd

### Handwash

- 500ml
- Neutralises odours
- Gentle to hands



Code: CJ3LSP5

### Alcohol Sanitiser With Moisturiser

- 500ml
- 70% alcohol
- Added moisturiser to protect skin
- Kills a range of bacteria and viruses
- Passes **EN1500**
- Passes **EN1276** and **EN13727** under clean conditions with 30 second contact time
- Virucidal – passes **EN14476** with one minute contact time; effective against enveloped viruses
- Quickly evaporates without residue



Code: CJ3LDP5

### Constructor Hand Cleaning Wet Wipes

- 150 wipes
- Quick acting
- Saves time and stops soiling becoming ingrained
- Suitable for oil, grease and grime
- Great when no running water

### Power Wipes Heavy Duty Hand Cleaning Wet Wipes

- 90 wipes
- Highly absorbant polypropylene aiding in deep cleansing and pulling soils into wipes



Code: CJ3PW2



Code: CJ3CW1

### Pump Dispenser

- All purpose pump for 4.5ltr, 5ltr and 15ltr containers
- Suits the CJ3R15 and CJ3R45 hand cleaner



Code: CJ3TD1



## ESSENTIAL OCCUPATIONAL SKIN CARE TAILORED TO YOUR WORKPLACE

The Deb Stoko® range addresses ALL skin care needs with the world's most comprehensive and innovative occupational skin care products.

### By implementing skin care best practice you can:

- Reduce the risk of occupational skin disease
- Stop the spread of germs
- Maintain healthy skin
- Reduce sickness



### STEP 1: PROTECT PRE-WORK CREAMS:

- Form a protective layer on the skin
- Help to prevent the penetration of contaminants
- Make skin easier to clean



### STEP 2: CLEANSE HAND CLEANSING:

- Removes harmful contaminants and irritants
- Helps prevent occupational dermatitis
- Keeps skin in a healthy condition



### STEP 3: RESTORE AFTER WORK CREAMS:

- Help maintain the skin in a healthy condition
- Keep skin soft and supple avoiding dryness
- Help prevent occupational dermatitis



**deb**  
SKIN CARE

## Hand cleaners & skincare

### Stokoderm Protect Pure Barrier Cream

- Formerly Deb Universal Protect Barrier Cream Cartridge
- 1ltr
- General purpose, pre-work skin cream for wet and dry work to suit dispenser
- Use with CJ3DDP1



Code: **CJ3DPP1**

### Deb Stoko Protect Dispenser

- Formerly Deb DISPENSER for Universal Protect
- Hygienic dispensing
- 1ltr dispenser for use with Deb Universal Protect 1ltr cartridges



Code: **CJ3DDP1**

### Kresto Citrus Cartridge

- Formerly Deb Citrus Power
- Natural orange oil extracts in combination with cornmeal hand scrub to provide a highly-effective cleaning performance
- Contains moisturiser



Size: Code:  
2ltr **CJ3NAT2**  
4ltr **CJ3NAT4**

### Deb InstantFOAM complete 1ltr Cartridge

- 1ltr
- Alcohol-based foam hand sanitiser
- Complete broad spectrum activity – highly-effective bactericidal (EN1500), virucidal (EN14476), yeasticidal (EN1650) and mycobactericidal (EN14348) activity
- Kills 99.999% of many common germs
- For use in any hygiene sensitive environment
- Instant foam action preventing dripping and splashing
- Clinically proven, skin-friendly formula – independently tested and proven to prevent dry skin even after frequent use
- Non-tainting and HACCP International Certified

### Deb Estesol Lotion Pure Cartridge

- Formerly Deb Pure Wash
- Perfume-free and dye-free lotion hand cleanser for regular use to remove general dirt and grime
- Caring to hands



Size: Code:  
2ltr **CJ3PUR2**  
4ltr **CJ3NAT4**

### Deb Solopol Lime Cartridge

- Formerly Deb Lime Wash
- Gentle but effective heavy-duty hand cleanser with Deb patented combination of natural cornmeal hand scrub and light lime extracts
- Moisturises hands



Size: Code:  
2ltr **CJ3LIM2**  
4ltr **CJ3LIM4**

### Cleanse Heavy Dispenser

- Sealed cartridge dispenser for Deb Naturally Hand Cleaners
- Hygienic dispensing
- Available in 2ltr or 4ltr cartridge size



Size: Code:  
2ltr **CJ3DD2**  
4ltr **CJ3DD4**

### Solopol GFX Gritty Foam

- Formerly Deb Gritty Foam Cartridge
- Utilises GrittyFOAM™ patented pump technology
- Transforms heavy-duty, hand-cleansing liquid into five times its volume, creating a rich-cream foam
- For use in industrial environments to remove medium to heavy soiling



Size: Code:  
3.25ltr cartridge **CJ3GPF3L**  
Dispenser **CJ3GPF4**

# Hand cleaners & skincare

## Deb Stoko Sanitise Dispenser 1ltr

- 1ltr
- Suitable for use with Deb InstantFOAM® Hand Sanitiser CJ3DFS1
- Wall-mounted
- Plastic material
- White



Code: **CJ3DDFS**

## Liquid Hand Soap Dispenser

- A clean, hygienic way to dispense liquid hand soap
- Level indicator window



Code: **CJ3DL5**

## Liquid Hand Soap

- 5ltr
- Formulated with pH neutral ingredients
- Gentle to hands



Code: **CJ3LS5**

## Deb Stoko Restore Dispenser 1ltr

- Deb Restore washroom dispensers are Biocote® protected and guaranteed for life
- Available to fit 1ltr
- Hygienic dispensing



Code: **CJ3DDR1**

## Deb Stokolan Light Pure 1ltr Cartridge

- Formerly Deb Pure Restore Conditioning Cream
- 1ltr
- Apply at the end of each work period to moisturise the skin whilst natural oils are being replenished
- Helps prevent skin dryness



Code: **CJ3DRP1**

## Swarfega Heavy Tub

- Powerful – rapidly removes oil, grease, diesel, carbon and most other workshop soilings
- For effective hand-cleaning



Size: 4.5ltr Code: **CJ3R45**  
500ml Code: **CJ3R50**

## 2ltr Plus 4ltr Skin Safety Centre

- Comprises 2 x 1ltr, 1 x 2ltr and 1 x 4ltr dispensers
- A robust, pre-assembled lightweight board containing Deb Naturally dispensers to provide a 3-Step Skin Safety Programme
- 800mm(W) x 570mm(H)



Code: **CJ3DSB4**

## Small 2ltr Skin Safety Board

- Skin safety centre board fitted with 2 x 1ltr and 1 x 2ltr dispensers
- Use with 1ltr Deb Protect, 2ltr Deb Lime Handwash and 1ltr Deb Restore
- Cartridges not included
- Robust – able to withstand high levels of wear and tear
- Dispensers are quick and easy to install, and are fixed to the board with secure screw fitting
- Bright colour-coding – clearly identifies the product type to help avoid any confusion
- Wipe-clean surfaces – easy to maintain and keep clean. Helps maintain good skin care facilities to encourage use
- Convenient – contains all the requirements for clean and healthy skin, which encourages greater compliance
- 590mm(W) x 510mm(H)



Code: **CJ3DMB3**

## Deb Skin Safety Cradle Dispenser & Starter Pack – Cradle Only

- Complete 3-step care system to protect, cleanse and sanitise skin
- Ideal for work cabins and other areas of limited space
- Comes with three mini dispensers (cartridges sold separately under CJ3DCC7, CJ3DCS7 and CJ3DCHC7)
- The unit is tough and made from styrene for high durability



Code: **CJ3DCD1**

## Deb Hand Sanitiser (to suit Cradle System)

- 750ml
- Unique gel formulation which instantly sanitises the skin
- Formulated for use without water
- Kills germs instantly



Code: **CJ3DCS7**

## Deb Protective Hand Cream (to suit Cradle System)

- 750ml
- Multi-purpose, anti-bacterial pre-work protective and reconditioning cream for outdoor workers
- Formulated for use without water
- Suitable for all skin conditions



Code: **CJ3DCC7**

## Deb Hand Cleaner (to suit Cradle System)

- 750ml
- Heavy-duty, solvent-free hand cleaner for use in dispenser
- Formulated for use without water
- Moisturises skin after use



Code: **CJ3DCHC7**

# Hand cleaners & skincare

## Stoko UV Sun Safety Centre Board



- Complete with 1 x 1ltr sun cream dispenser, current UV level indicator, guidance and mirror
- Help to protect your workforce from UV radiation: key facts and statistics on skin cancer and instructions of why, how and when outdoor workers need to protect themselves from the sun
- A mirror for easy application
- A holder and cards to display the local UV index level
- For use with Stokoderm Sun Protect 1ltr cartridges
- 58cm x 41cm
- Blue/orange

Code: **CJ3DSP1**

## Sun Protect Dispenser 1ltr

- Formerly Deb Dispenser Only – to suit Sun Protect
- 1ltr
- Biocote® protected and guaranteed for life



Code: **CJ3DDD1**

## Stokoderm Sun Protect 30 Pure

- Formerly Deb Sun Protect Suncream
- 1ltr
- SPF30 sunscreen to protect the skin against the sun's harmful UV-A (ageing) & UV-B (burning) rays
- Fits dispenser CJ3DDD1



Code: **CJ3DDC1**

## Swarfega Tough Sun Protect 100ml

- 100ml
- Personal issue tube
- SPF30 sunscreen to protect the skin against the sun's harmful UV-A (ageing) & UV-B (burning) rays
- Perfume free and non-greasy
- Swarfega is a trademark of Deb Ltd



Code: **CJ3DD15**



For advice on the best products, call our customer support team on **01293 744 444**

# Paper towels & toilet roll

## Standard Centrefeed Dispenser

- Wall mounting
- Fits standard 170mm x 105m centrefeed 2 ply roll
- White



Code: **DS9650**

## 2 Ply Standard Centrefeed Roll

- Pack of 6 toilet rolls
- Packed more compactly than competitor products
- Fits a standard centrefeed towel dispenser, thus reducing the number of product changes required when compared with competitor products of lesser length
- 192mm x 150m
- White



Code: **CF8472**

## 2 Ply Industrial Roll

- Pack of 2 paper towels
- 1000 sheets per roll
- Versatile 2 ply wipers for dealing with everyday wiping and cleaning
- 250mm x 400m
- Blue



Code: **DP0400**

## 3 Ply Hygiene Roll

- Case of 24 rolls
- Absorbent rolls for general purpose wiping
- Great strength and absorbancy
- 10"
- Blue



Code: **HR2211**

## 2 Ply Hygiene Roll

- Box of 24
- 2 ply, absorbent rolls
- 10"
- White



Code: **HR8202**

## Kitchen Roll

- 6 packs of 4
- 24 sheets per roll
- Use anywhere: greasy ovens, sinks, basins, windows, carpets
- 2 ply
- White



Code: **CJ1KR1**

## 'C' Fold Hand Towel Dispenser

- Space-saving and easy to restock
- Designed for areas that require fast access to paper towels
- Hard-wearing



Code: **DS0957**

## 1 Ply C-Fold Hand Towels

- Pack of 2520
- 1 ply economical value for money
- C-Fold hand towels ideal for use with dispenser DS0957
- Green



Code: **HT1101**

## 2 Ply Deluxe C-Fold Hand Towels

- Pack of 2400
- 2 ply soft, super-absorbent C-Fold hand towels ideal for use with dispenser DS0957
- White



Code: **HT8395**

## Paper towels & toilet roll

### Standard Toilet Roll Holder

- Forge aluminium, which is ideal for commercial applications
- Spring-loaded for easy toilet roll change
- 130mm x 78mm



Code: **DS9999**

### 2 Ply Standard Toilet Roll

- Pack of 36
- High-quality, soft toilet roll
- Suitable for domestic and professional use
- White



Size: Code:  
200 sheet **TR1W20**  
320 sheet **TR1W32**

### 2 Ply Supersoft Toilet Roll

- Pack of 40
- 2 ply quality, supersoft, luxury toilet tissue
- White



Code: **TR2Q28**

### 2 Ply Interleaved Toilet Tissue

- 250 sheets per sleeve
- Hygienically wrapped
- Supplied in a case of 36 sleeves
- White



Code: **TT1B250**

### 2 Ply Midi Jumbo Toilet Roll

- Pack of 6
- 2 1/4" core
- 2 ply, recycled
- Soft
- White



Code: **JT8120**

### 2 Ply Baby Jumbo Toilet Roll

- Longer rolls for less frequent filling saving on maintenance time
- Use with dispenser DS0949
- 2 ply soft toilet tissue
- 12 per case
- Core size 2 1/4"
- White



Code: **JT8002**

### Standard Jumbo Toilet Roll Dispenser

- 12" dispenser



Code: **DS9800**

### 2 Ply Standard Jumbo Toilet Roll

- 6 in pack
- 3" core
- 2 ply, recycled, soft, Standard Jumbo toilet rolls for economy in use
- Use with dispenser DS9800
- White



Code: **JT8191**

## Bin liner sacks

### Heavy Duty Refuse Sacks

- Pack of 200
- 18" x 29" x 38" (457mm x 724mm x 965mm)
- Black



Code: **PO2L10**

### Heavy Duty Clear Sacks/ Bin Liners

- Box of 200
- 90ltr heavy-duty, clear waste sacks for use in office and site environments
- 18" x 29" x 39"



Code: **PO2LC15**

### Wheelie Bin Sacks

- Pack of 100
- Ideal solution to eliminate cleaning of your wheelie bin
- 22.5 microns
- 760mm x 1170mm x 1370mm



Code: **PO2WS2**

### Swing Bin Liners (Light Duty)

- Pack of 1000
- Made from HDPE polythene
- 28 gauge (7 microns) thickness
- 13" x 23" x 30" (325mm x 575mm x 750mm)
- White



Code: **PO2SB5**

### Plastic Bin Liners on a Roll

- 1 roll of 20 sacks
- 18" x 29" x 34"
- Black



Code: **PO2LR20**



You can view our Wheelie Bins on page 230

# Brushes & cleaning equipment

## Contract Bass Broom Head

- 325mm (13")
- Contract quality Bassine broom head for use with 1½" broom handle
- Hard bristle for rough surfaces



Code: **BR1B13**

## Contract Coco Broom Head

- 300mm (12")
- For use with 1½" broom handle (HA2B05)
- Soft bristle for smooth surfaces



Code: **BR1C12**

## Contract Poly Broom Head

- 325mm (13")
- For use with 1½" broom handle
- Polypropylene heavy-duty sweeping head



Code: **BR1P13**

## Quality Poly Broom Head

- Medium platform broom, wood back, filled red PVC
- PVC is durable and springy
- Good for general rubble, agricultural and industrial use, and on building sites, in wet or dry conditions



Size: Code:  
457mm **BR2RP18**  
600mm (24") **BR2RP24**

## Quality Two-Hole Poly Broom Head

- 325mm (13")
- Quality two-hole bassine head
- Suitable for use with BR6LC6 Large Broom Clamp and 1½" diameter broom handle
- Polypropylene heavy-duty sweeping head
- Blue



Code: **BR3B13**

## Large Broom Clamp

- Large 2-part broom clamps for use with 1½" broom handles
- Supplied with connecting bolt and wingnut



Code: **BR6LC6**

## Broom/Mop Handle

- Soft wood, round handles for use with broom heads, metal squeegees and other hand tools



Size: Code:  
4' x 1½" **HA2B10**  
5' x 1½" **HA2B15**

## Contract Broom Stay

- Broom stay part for connecting the broom handle to the head (with fixings)



Code: **BR6CS1**

## Broom Socket

- No.1 Broom Socket comes with fittings for use with 1½" broom handles



Code: **BR6BS3**

## Constructor Bass Broom Complete



- Comes with softwood handle
- Hard bristle for rough surfaces

Size:	Code:
300mm (12")	<b>BR4B13C</b>
450mm (18")	<b>BR4B18</b>
600mm (24")	<b>BR4B24</b>
900mm (36")	<b>BR4B36</b>

## Constructor Coco Platform Broom Complete

- Soft bristles for smooth surfaces



Size:	Code:
300mm (12")	<b>BR4C12C</b>
450mm (18")	<b>BR4C18</b>
600mm (24")	<b>BR4C24</b>
900mm (36")	<b>BR4C36</b>

## Bass Bannister Brush

- 180mm (7")
- Hard bristle hand brush with hardwood handle for general purpose clearing up
- See dustpan on page 160



Code: **BR5BB7**

## Coco Bannister Brush

- 180mm (7")
- Wooden handle with flagged fibre
- See dustpan on page 160



Code: **BR5CB7**

## Short Handled Tar Brush

- 2" head
- Ideal for applying liquid tar and bitumen to flat roofs or finishing road repair patches
- Heavy-duty round horse-haired bristle



Code: **BR5SH0**

## Long Handled Tar Brush

- 1200mm
- Round head on angled, wooden handle
- Heavy-duty round horse-haired bristle



Code: **BR5LH0**

## Quality Churn Brush

- Hard bristle
- Wooden handle
- Bassine fill
- Brown



Code: **BR5CB10**

## Scrubbing Brush

- 200mm (8")
- Double tufted



Code: **BR5S08**

# Brushes & cleaning equipment

## Nail Brush – Plastic Handle

- Hand and nail hygiene is important to the health of site employees
- White



Code: **BR5NB5**

## Plastic Dustpan & Brush Set

- Supersoft bristles to sweep up fine dust and debris in addition to larger dirt
- Blue



Code: **DP1G15**

## Long Handle Dustpan & Brush Set

- For easy dirt removal
- Long handle minimises bending



Code: **DP1LH20**

## Metal Dustpan

- Heavy-duty
- No brush included
- Black



Code: **DP2M20**

## Toilet Brush Set

- Toilet brush clips in to the holder for easy storage



Code: **CJ2TB1**

## Blakes Boot Wash

- Manufactured from heavy gauge steel
- Powder coated for long life
- Fitted with three nylon brush heads
- Optional steel lid available



Code: **BR6BW1**

## Window Squeegee

- 300mm (12")
- Complete with rubber for those streak-free windows



Code: **CJ2WS12**

## Straight Metal Squeegee (requires Handle)

- 450mm (18")
- Heavy-duty metal squeegee with robust rubber, ideal for clearing water off large areas of roof or ground
- Requires HA2B10 or HA2B15 handle



Code: **SQ1M18**

## Squeegee comes with Handle & Stay

- 600mm (24")
- Wooden squeegee complete with 54" x 1 1/8" wooden handle with galvanised support stay



Code: **SQ1W24**

## Plastic Washing-Up Bowl

- 14" (350mm)
- White
- Plastic



Code: **CJ2WB1**

## Washing-Up Brush

- Pack of one
- Standard washing-up brush



Code: **CJ2WBR2**

## Vacuum Cleaner

- Numatic Henry vacuum cleaner comes with standard accessory pack
- Use with bag MO5HC8
- Red/black



Size: 110V Code: **MO5HV11-110V**  
240V Code: **MO5HV24-240V**

## Numatic Industrial Wet/Dry Vacuum

- Suction: 2400mm H<sub>2</sub>O with airflow of 49ltr/sec
- Capacity wet: 32ltr
- Capacity dry: 40ltr
- Cleaning range: 26.8m
- 1060W Twinflo bypass
- 25.2kg
- Full Structofoam construction sets it apart from all the others
- Unique multi-purpose tipper system for emptying
- Can be used anywhere by anybody and emptied quickly and easily, be it in floor drain or WC
- Size: 490mm x 800mm x 880mm



Size: 110V Code: **MO5WDV11**  
230V Code: **MO5WDV24**

## Vacuum Cleaner Bags

- Pack of 10
- Dust bags for Henry HVR 200 and Numatic contractors vacuum cleaners



Code: **MO5HC8**

## Brushes & cleaning equipment

### H-Class Industrial Vacuum Cleaner/Extractor



- H-Class extractor with HEPA Filtration
- Outperforms its M-Class predecessors, raising the bar to 99.995% filtration
- 110V or 240V available
- 60ltr/sec airflow (215m<sup>3</sup>/hr)
- Equipped with an extraction velocity monitor
- Lightweight at just 10kg and quiet at just 60dB
- Well equipped with an anti-static 3m hose, extraction port, 32mm steel tubes and crevice/brush/upholstery tools

Size:	Code:
110V	<b>MO6HV2-110</b>
240V	<b>MO6HV2-240</b>

### H-Class Vacuum Cleaner Bags

- Pack of 10
- To suit MO6HV2 and MO6HV3



Code: **MO6MB3**

### V-Tuf Mammoth Industrial Wet/Dry High Capacity Vacuum Cleaner/Extractor

- 3000W Triple turbine (110V) and 2000W twin-turbine (240V) solutions
- Airflow rate of 106ltr/sec (over 6000ltr/hr) and a tank size of 90ltrs allows large areas to be covered in one go
- Automatic float level prevents overflowing.
- Large wheels prevent snags and bumpers prevent marking
- Stainless steel float basket does not corrode and a cable length of 8m, hose length of 2.5m allows most rooms to be cleaned without having to unplug the unit
- Includes hose, wet head, dry head, tube extensions/angle, crevice and brush tools
- 25kg
- 90cm x 60cm x 50cm



Size:	Code:
110V	<b>MO6WV1-110</b>
240V	<b>MO6WV1-240</b>

### M-Class Vacuum Cleaner/Extractor & Accessories

- With dustless sweeper and power tool take-off point
- 99.99% filtration efficiency (L-class is only 99%)
- Integrated filter shaker system and washable filters to prevent blockages saving you time
- Dry extraction only
- Can be connected to a power tool for extraction
- 5m cable length
- 15ltr tank
- 6kg
- 8ltr bags
- Yellow and black



Size:	Code:
110V	<b>MO6MV1-110</b>
240V	<b>MO6MV1-240</b>

### Numatic Wet/ Dry Vacuum Bags

- To suit WV900-2
- Hepa
- Pack of 10



Code: **MO5GC9**

### M-Class Vacuum Cleaner Bags

- Pack of 5
- To suit MO6MV1



Code: **MO6MB1**

## Mats & mops

### Boot Scraper with Brushes

- Brushes at both ends to help the cleaning process
- Keep the mud outside!



Code: **BR5SB1**

### Heavy Duty Door Mat

- Tough, long-lasting mat with raised 'waffle' design that removes dirt and moisture
- Can hold up to 6ltrs/m<sup>2</sup>
- Charcoal colour



Size:	Code:
600mm x 900mm	<b>CE1AM69</b>
900mm x 1500mm	<b>CE1AM915</b>

### Contract Door Mat with Polyprop Fibres

- Standard door mat
- Charcoal



Size:	Code:
600mm x 900mm	<b>CE1DM69</b>
900mm x 1500mm	<b>CE1DM915</b>

### Broom/Mop Handle

- Soft wood round handles for use with broom heads, metal squeegees and other hand tools
- 4' x 1 1/4"



Code: **HA2B05**

### Socketed Mop Head

- Thick absorbent twine and PY mop heads for everyday floor cleaning
- Purchase with HA2B05 4' wooden handle



Type:	Code:
Tar, 16oz, PY	<b>MO1T16</b>
Water, 14oz, PY	<b>MO1W14</b>
Tar, 10oz, Twine	<b>MO1T10</b>

### Plastic Mop Bucket

- Contract mop bucket with strainer



Code: **BU8PM1**

### Colour-Coded Mop Head – No.12 Twine Socket Mop

- 182g
- A thinner yarn suitable for more heavy tread, rougher floor surfaces such as safety flooring
- Does not lint as much as PY yarn



Colour:	Code:
Blue	<b>MO3PS1-B</b>
Green	<b>MO3PS1-G</b>
Red	<b>MO3PS1-R</b>
Yellow	<b>MO3PS1-Y</b>

### Colour-Coded Plastic Mop Handle

- 125cm (48")
- To suit MO3PS1
- Screw fitting to accept socket mops, hygiene brushware and squeegees
- Lightweight aluminium mop handle with colour-coded grip



Colour:	Code:
Blue	<b>HA3B06-B</b>
Green	<b>HA3B06-G</b>
Red	<b>HA3B06-R</b>
Yellow	<b>HA3B06-Y</b>

### Colour-Coded Plastic Mop Bucket

- 12ltr
- Contract mop bucket and wringer
- Slide lip for easy pouring



Colour:	Code:
Blue	<b>BU9PM2-B</b>
Green	<b>BU9PM2-G</b>
Red	<b>BU9PM2-R</b>
Yellow	<b>BU9PM2-Y</b>

## Mats & mops

### Kentucky Mop Head

- Thick absorbent PY yarn for everyday use
- Requires MO2KMH5 handle



Code: **MO2KM16**

### Kentucky Mop Handle & Bracket

- 53" plain wood handle
- Classic professional mop holder, ideal for most Kentucky mops
- Solid wood handle with zinc plated steel Kentucky mop holder and spring
- 1400mm(L) x 25mm(dia.)



Code: **MO2KMH5**

### Kentucky Combo Mop Bucket & Wringer on Castors

- Rugged system designed to cope with professional cleaning processes
- Wide opening for easy mop rinsing
- Stable base with castors
- Blue



Code: **MO2KMB2**

### Galvanised Mop Bucket

- 3gal capacity
- Integrated wringer
- Carry handle



Code: **BU7GM1**

### V-Scissor Mop

- 1000mm V Sweeper
- Manufactured with a strong zinc-plated steel frame



Code: **MO4V18**

### V-Scissor Mop Replacement Head

- Pair of replacement V-Sweeper heads
- Set of two 1000mm sweepers



Code: **MO4RV18**

### Sponge Mop comes with Head

- 125cm
- Highly-absorbent, cellulose sponge mop
- Replacement head available: MO3SMH2



Code: **MO3SM2**

### Sponge Mop Replacement Head

- 20cm (8")
- Replacement for Sponge Mop with Head: MO3SM2



Code: **MO3SMH2**

### Microfibre Flat Mop with Extending Handle

- Easy to remove cleaning pad, which is also machine washable for repeated use
- Double-sided, 2-in-1 mop head specifically designed for both wet cleaning and dry polishing on all hard floor surfaces
- Extendable handle ensures ease of use 360° swivel bracket so the mop head easily cleans around difficult and hard to reach areas
- Picks up eight times more dust than a standard cloth
- Protects against 99.9% of bacteria growth
- Adjustable size



Code: **MO3MFM3**

## Canteen equipment

### Constructor Premium Folding Chair

- 83cm(H) x 44cm(W) x 39cm(D)
- Premium folding, blow-moulded chair
- White



Code: **CE2C35**

### Plastic Stacking Chair

- Overall: 490mm(W) x 470mm(D) x 725mm(H)
- Seat: 450mm(W) x 350mm(D) x 430mm(H)
- Black



Code: **CE2C20**

### Constructor Premium Canteen Table

- 1800mm(L) x 740mm(W) x 750mm(H)
- Durable folding-legged, blow-moulded canteen table with easy-wipe, hygienic surface



Code: **CE1CT6**

### Igenix Quality Cordless Jug Kettle

- A max capacity of 1.7ltr
- Illuminated water level window
- Black



Code: **CE5KE2**

### Plastic Jug Kettle (240V)

- 1.7ltr
- With boil dry protection and dual water gauge
- Auto switch off on boil and on/off switch with indicator light
- Safety locking lid
- Removable washable filter and cord storage
- Immersed element
- 2.2kW
- White



Code: **CE5K53**

### Tea Urn (240V)

- 30ltr
- Electric catering urn with concealed element
- Water gauge
- Locking lid
- Non-drip tap
- Stainless steel



Size:	Code:
30ltr	<b>CE4T30</b>
20ltr	<b>CE4T15</b>

## Canteen equipment

### Two Slice Toaster

- Two slot automatic toaster with electronic control and sensor
- Variable browning control
- 240V



Code: **CE7T20**

### Russell Hobbs Quality Four Slice Toaster Black

- Perfect for any site canteen or kitchen
- Wide slots – ideal for toasting thicker items such as crumpets, tea cakes and thick slices of bread
- Removable crumb tray
- Variable browning control
- Premium black, textured plastic toaster with chrome accents and a combination of high gloss and stylish matt finishes



Code: **CE7T50**

### Four Slice Toaster

- Four slot automatic toaster with electronic control and sensor
- Variable browning control
- 240V



Code: **CE7T40**

### Microwave

- 700W
- 0.7 cu.ft
- Dial control microwave oven
- White



Code: **CE7M10**

### Table Top Cooker comes with Hotplates & Oven

- 494mm(W) x 494mm(D) x 839mm(H)
- 26ltr electric mini oven with double hotplates
- Oven and a single hotplate can be used simultaneously
- Electric compact oven suitable for traditional roasting, baking and grilling
- 1600W thermostatically-controlled double hotplate and 1500W oven
- Oven thermostatic control 100°C to 250°C
- Double-insulated glass door
- Includes enamelled baking tray with handle and wire shelf
- Power on indicator light
- Non-stick coated aluminium chamber
- White



Code: **CE7MK5**

### 60cm Freestanding Dishwasher

- A+ energy rating
- 845mm(H) x 598mm(W) x 600mm(D)
- Freestanding dishwasher with 12 place settings, 5 wash programs, program indicator, water softness adjustment, and cold water fill
- Annual water consumption: 11ltr
- Energy consumption (kWh/cycle): 0.93
- Wash performance: A
- Dry performance: A



Code: **CE7DW5**

### 240V Table Top Fridge

- 44cm x 52cm
- With door shelf, adjustable fridge shelf, adjustable thermostat and adjustable feet
- Electronic control and sensor



Code: **CE7TF1**

### Undercounter Fridge

- 820mm(H) x 470mm(W) x 440mm(D)
- Two door balcony shelves, two glass shelves, and crystal salad crisper with glass cover
- Internal light and adjustable thermostat
- Fridge net capacity: 92ltr (3.24 cu.ft.) CFC/HFC free
- Refrigerant R600a
- Climate class: ST
- White



Code: **CE7F15**

## Heaters

### Convactor Heater

- 240V
- 2kW free-standing convactor heater with three heat settings, overheat safety cut out and adjustable thermostat control



Code: **CE8CH25**

### Fan Heater

- 2kW
- Fan heater with adjustable cool, warm, hot and overheat thermal safety cut-off



Code: **CE8FH30**

### Oil Filled Radiator

- 67cm x 48cm x 16cm
- 2kW free-standing, oil-filled radiator with adjustable thermostat and overheat cut out
- Three heat power settings



Code: **CE8OFH2**

### Rhino Infra Red Heater

- 2.8kW
- Twin 1400W infra-red elements
- Replacement tubes available: LG6RHT



Size:  
110V  
240V

Code:  
**LG6RH11**  
**LG6RH24**

### Rhino Replacement Tubes

- For the Rhino Infra Red Heater: LG6RH
- 350mm end to end
- Available in both 110V and 240V for use in the relevant heater



Size:  
110V  
240V

Code:  
**LG6RH1T**  
**LG6RH2T**

To support a fast and efficient delivery of products to your sites, you can order our products online at [onsite-support.co.uk](http://onsite-support.co.uk)



# Cultery, crockery & mugs

## Disposable Cutlery

- Pack of 100
- White



Product:	Code:
Knives	<b>CE3DCK2</b>
Forks	<b>CE3DCF1</b>
Dessert spoons	<b>CE3DS3</b>
Teaspoons	<b>CE3DCT4</b>

## Stainless Steel Cutlery

- Pack of 12
- Dishwasher safe



Product:	Code:
Knives	<b>CE3KN3</b>
Forks	<b>CE3F03</b>
Spoons	<b>CE3DS4</b>
Teaspoons	<b>CE3TS2</b>

## Disposable Paper Plates

- Pack of 100
- 23cm
- Mess free and no cleaning required after use on site



Code: **CE3PP2**

## Dinner Plates

- 228mm (9")
- Porcelain wide-rim plates, which are tough, functional and practical
- Ideal for site office use
- Oven, microwave and dishwasher safe, super-vitrified durable glaze and chip-resistant rolled edges
- White



Code: **CE3DP1**

## Pudding Bowl

- Great value 6" porcelain bowls from Athena Hotelware, which is tough, functional and practical
- Ideal for use in site and office environments
- Oven, microwave and dishwasher proof, and super-vitrified durable glaze
- White



Code: **CE3PB3**

## Mug

- 284ml
- White



Code: **CE3M30**

## 7oz Clear Plastic Cups

- Box of 1000
- Disposable and recyclable



Code: **CE3CPC1**

## Plastic Pint Cups

- Box of 1000
- Disposable and recyclable
- 568ml



Code: **CE3PPC1**

## Polystyrene Cups

- Box of 1000
- Good heat retention



Size:	Code:
10oz	<b>CE3PC10</b>
12oz	<b>CE3PC12</b>

## Biodegradable & Compostable Single Walled Paper Cups

- Box of 1000
- Made from quality paper which is sustainably sourced and provides superior levels of insulation
- Internal bioplastic lining derived from a natural and renewable resource
- 100% biodegradable and compostable; in just 6-8 weeks our paper cups can be turned into plant fertiliser
- Please enquire about lids



Size:	Code:
8oz	<b>CE3SBC8</b>
12oz	<b>CE3SBC12</b>

## 12oz Triple Walled Cup

- Box of 500
- Premium and stylish ripple cup is triple walled for added insulation and protection against heat transfer
- No need for clutch sleeves
- Made from sustainable paper
- Please enquire about lids



Size:	Code:
12oz	<b>CE3TWC12</b>

## Tea, Coffee & Sugar Storage Cannisters – Set of 3

- 150mm(H) x 150mm(W) x 300mm(D)
- Store your condiments safely and correctly with this three-piece set
- White



Code: **SC1W3**

## Tin/Can Opener

- Useful in any kitchen or site canteen



Code: **CE9CA1**



We also sell tea and coffee on the next pages

# Tea, coffee & sugar

## Tetley Tea Bags

- 1100 bags
- Leading brand



Code: **CE3TB11**

## Tetley Decaf Tea Bags

- 160 bags
- Decaffeinated to 0.2%
- Catering or retail size packs of quality tea bags



Code: **CE3TB5**

## Caterers Tea Bags

- 440 bags
- Various brands



Code: **CE3TB4**

## Caterers Instant Coffee

- Rich Blend Instant Coffee Granules (Kenco)
- Medium roast coffee with a full rich flavour
- 750g tin
- Various brands



Code: **CE3C75**

## Douwe Egberts Espresso Coffee Beans

- 1kg
- Provides a blend which is rich and smooth and will deliver a first-class cappuccino



Code: **CE3CB1**

## Coffeemate Coffee Whitener

- 1kg
- Dissolves instantly in hot water or can be made up and served as a liquid
- Ideal for all catering situations



Code: **CE3CM1**

## Nescafe Original Coffee

- 750g
- Creates a wonderful coffee-shop aroma
- Deep, smooth, creamy taste



Code: **CE3CN75**

## Nescafe Coffee Sticks

- Pack of 200
- Rich-tasting Nescafe granules in a handy one cup stick
- Ideal portion for site and office



Code: **CE3CP2**

## Nescafe Partners' Blend Fairtrade Coffee

- 500g
- Nescafé Partners' Blend is not just exceptionally good instant coffee, it's good for farmers, their families and communities too
- 100% Arabica coffee and Fairtrade Certified
- Sourced from countries where partnerships with organised farmers' groups have been established to bring social, economic and environmental sustainability to their communities
- 500g makes approx. 277 mugs of coffee



Code: **CE3CPB5**

## Nescafe Gold Blend Coffee

- 750g
- The signature smooth, rich instant coffee
- Coffee connoisseurs will appreciate the well-rounded taste and rich aroma in every cup



Code: **CE3CGB75**

## Gold Blend Decaf Coffee

- 500g
- Only the finest world-class Arabica and Robusta coffee beans are selected and golden roasted to create the rich, satisfying taste and alluring aroma of this sophisticated decaffeinated coffee



Code: **CE3DGB50**

## Nescafe Original Decaf Coffee

- 500g
- Enjoy its great full-flavoured taste



Code: **CE3CDC5**

## Tea, coffee & sugar

### Airpot Flask with Pump Action

- 3ltr
- No glass to break
- Stainless steel body and inner
- Vacuum insulated
- Compact and light
- Hygienic
- Easy to clean



Code: **CE3APF1**

### White Sugar Sachets

- Pack of 1000
- Standard satchet size
- Quality white sugar sachets from Tate & Lyle



Code: **CE3WSS2**

### Brown Sugar Sachets

- 1000 per box
- Standard satchet size
- Quality brown sugar sachets from Tate & Lyle



Code: **CE3BSS1**

### Granulated Sugar

- 1kg
- Pure cane sugar, granulated



Code: **CE3SC1**

### Sweetener Tablets

- Pack of 700



Code: **CE3SC4**

### UHT Milk Pots

- Pack of 120
- Semi-skimmed milk
- Handy one-hit portions to add to your hot beverage



Code: **CE3MS1**

### Bottled Water

- 24 x 500ml
- Perfect for on site hydration and keeping the team cool



Code: **CE3BW5**

### Water Cooler comes with Cup Holder

- Easy hydration on site
- Various sizes as below



Size:	Code:
110V New	<b>CE7WC-110NEW</b>
110V Reconditioned	<b>CE7WC-110RC</b>
240V New	<b>CE7WC-240NEW</b>
240V Reconditioned	<b>CE7WC-240RC</b>

### Squash

- 1ltr
- Great-tasting fruit squash range has no artificial colours or flavours, making it the perfect choice



Flavour:	Code:
Apple & blackcurrant	<b>CE3SQ1</b>
Orange	<b>CE3SQ2</b>

## Site office equipment

### Plan Hanger

- Aluminium profile with high-quality silver anodising provides a durable finish
- Rapid action spring clip saves time
- File and retrieve drawings in seconds



Size:	Code:
A0	<b>ATX2500</b>
A1	<b>ATX2501</b>

### Plan Hanger Wall Rack

- Holds up to 10 hangers
- Heavy-duty wall rack to make plan hanging a pleasure and keep the desks clear



Size:	Code:
A0	<b>ATX2520</b>
A1	<b>ATX2521</b>

### Mobile Plan Hanger Trolley

- Easy-to-use mobile trolley
- Holds up to 20 hangers (ATX2500 and ATX2501 sold separately)
- Supplied flat-packed (with instructions) for ease of transport



Size:	Code:
A0	<b>ATX2530</b>
A1	<b>ATX2531</b>

### Conference Chair With Soft Fabric Upholstered Back And Seat

- Standard conference chair
- Blue



Code: **CE2CC2**

### Swivel Office Chair (Without Arms)

- High back, 2-lever operator chair with ergonomic posture curved back and seat pad with lumbar support
- Back rest height and tilt adjustment infinitely lockable in any position
- Strong nylon 5-star base with twin-wheel hooded castors
- 110kg weight capacity
- Fire retardant to **BS5852**
- **EN1335** certified
- Black



Code: **CE2OC1**

### Desk Fan

- 300mm (12")
- With non-tilt base and three speed settings



Code: **CE8DF12**

### Pedestal Fan

- 16"
- Easy to assemble with three polypropylene blades and has a safety mesh which covers the blades when the fan is being used
- Comes with a 600mm cross base for support
- 40W
- 230V
- 1.8m cord length
- CE marked
- White



Code: **CE8PF16**

### Portable Air Conditioning Unit

- Environmentally-friendly refrigerant R410A
- Noise level 50dB(A) with 12hr timer, remote control and 2 fan speeds
- 1yr guarantee
- Air flow: 300m<sup>3</sup>/h
- Temperature range: 18–35°C
- Up to 24hrs programmable timer
- Self-diagnose capability and water-full safety
- Easy to move around with rolling casters
- Extendable exhaust hose (up to 1.5m)
- White



Size:	Code:
2900W, 10,000 BTU	<b>CE8AC10</b>
1100W, 9000 BTU	<b>CE8AC9</b>

## Site office equipment

### Single Hat & Coat Hook

- 129mm x 19mm x 54mm
- Made from aluminium, ideal for commercial and cloakrooms applications or where cost is a consideration
- Supplied with all fixings



Code: **CE5CH1**

### Cork Notice Board

- 1200mm x 900mm
- Classic natural compressed cork pinning surface
- Pre-drilled corners to ensure immediate installation is possible, either vertically or horizontally
- Professional aluminium frame
- Wall fixing kit and instructions for mounting are included
- Brown



Code: **CNB1200**

### Single Tier Mesh Locker

- 310mm(W) x 457mm(D)
- Offers secure, visible storage
- Wire mesh offers increased ventilation, which helps damp clothes to dry, avoiding a build-up of nasty smells
- 3-point locking system



Code: **CE5LM1**

### Laminating Pouches 150 Micron Gloss



- Pack of 1000
- Designed to help enhance and protect signs, menus, posters, badges and photos
- Make your items hard-wearing, long-lasting and weatherproof, protecting them from any damage
- 150 micron thickness, equates to each side of the pouch being 75 microns thick

Size: A3 Code: **OE1LPA3**  
A4 Code: **OE1LPA4**

### White Board

- Plastic/aluminium
- Non-magnetic
- Can be mounted horizontally or vertically



Size: 1200mm x 900mm Code: **DWB1200**  
900mm x 600mm Code: **DWB900**

### White Board Markers

- Standard white board markers
- Pack of 4
- Assorted colours



Code: **WBM100**

### Non-Magnetic White Board Eraser/Rubber

- 50mm x 120mm
- Recommend using with multi-purpose cleaner



Code: **WBR100**

## Other

### Wooden Office Desk

- Nova Contract Rectangular H Leg Single Pedestal Desk
- Comes with three drawers (three parts)
- 1200mm x 745mm



Code: **CE10D1**

### Fly & Wasp Killer

- 300ml
- Aerosol spray to keep insects at bay
- Keep areas hygienic



Code: **CJ2FW3**

### Shoe & Helmet Sanitiser

- 500ml
- A high-quality, solvent-based aerosol combining disinfecting and air freshening properties
- Bactericide destroys odour-producing bacteria, effectively eliminating malodours at source
- Rapid evaporation for quick drying



Code: **CJ3SH1**

### Plastic Whistle & Lanyard

- Black
- A safety warning signal on site
- Lightweight



Code: **CE3PW1**

### Cigarette Bin – Wallmounted

- 260mm x 80mm x 320mm
- Two-piece design for easy installation, emptying and cleaning
- Metal construction with Zintec® liner
- Fitted with high-quality lock and supplied with two keys
- Includes fittings for wall mounting
- Suitable for use in building entrances and smoking areas
- Dark grey



Code: **CE9CB1**

### Plastic Toilet Seat & Lid

- White



Code: **TS4L01**

### Battery Powered Smoke Detector

- Comes complete with 9V battery
- Compact design
- Easy to install
- Test and hush button to check battery and alarm
- Quickly silence nuisance alarms
- Uses an ionisation sensor to detect fast-flaming fires
- Supplied with a 3yr warranty
- Battery-powered unit is ideal for use anywhere and provides effective protection when used alongside other smoke alarms
- CE Marked test to: **EN14604**



Code: **CE5SA1**

### A4 Copier Paper

- Box of 2500 sheets
- Sold by the ream
- Ideal for all office printers and copiers
- White



Code: **TSTCP4**



# Site Equipment

The smooth running of any construction project relies upon having the correct site equipment for the task in hand. Whether you need to light, secure or protect your site, we have a range of products to help keep your project on track. If you're decorating, working from height or moving materials, we've got what you need to complete the tasks you'll encounter throughout the different phases of a construction project.

From start to finish, our goal is to provide you with all the essentials you'll need to complete your project efficiently and effectively, whilst making sure your site, your workforce and the public are kept safe.

<b>178</b> Emergency points	<b>228</b> Sacks
<b>180</b> Fire extinguishers	<b>229</b> Buckets, trays & containers
<b>182</b> Flame protection materials	<b>230</b> Bins
<b>183</b> Barriers, pins & cones	<b>231</b> Security
<b>188</b> Road signage	<b>238</b> Fuel & liquid storage
<b>198</b> Site traffic management	<b>240</b> Work benches
<b>200</b> Spill control	<b>241</b> Site electrical
<b>207</b> Straps, slings & shackles	<b>244</b> Lighting & torches
<b>208</b> Rope, stringline etc	<b>249</b> Cable management
<b>209</b> Markers & marking products	<b>250</b> Access
<b>211</b> Liquid chemicals	<b>255</b> Painting & decorating products
<b>213</b> Nails & screws	<b>258</b> Wheelbarrows & trolleys
<b>214</b> Plastic plugs & packers	<b>260</b> Water hose & fittings
<b>215</b> Signage	<b>261</b> Site communication
<b>222</b> Protection materials & tapes	<b>262</b> Salt & snow products
<b>227</b> Sheeting & tarpaulins	

**Please note:** Items are subject to change. Please check our website for the most up to date list at [onsite-support.co.uk](https://onsite-support.co.uk)

# Emergency points

Speak to us  
about bespoke  
branding options on  
01293 744 444

## Constructor Fire Extinguisher Responder Station

- Double Point Fire Extinguisher trolley site pack including signage, Howler site alarm, water and powder fire extinguisher
- All in one emergency stations complete with bespoke branded sign board
- Station dimensions: 1500mm(H) x 500mm(W) x 350mm(D including cabinet)

### Double Contractor Stand

- Strong powder coated steel
- Easily manoeuvrable
- 1500mm(H) x 680mm(W) x 370mm(D)
- Weight: 11.6kg
- Capacity: 2 x 9kg/9ltr extinguishers
- Material: Powder coated steel frame

### Stocked units

We can provide the units stocked and ready to go with the following items:

- 9kg dry powder Fire Extinguisher
- 9ltr foam Fire Extinguisher



Code: **RS2FE2**

### Dual Rotationally Molded Cabinet

- Constructed from injection moulded polypropylene
- Body and lid with reinforced structure
- Inspection windows with EPDM seal
- Reinforced fixing points
- Double nylon ergonomic handle
- External Dimensions: 616mm x 735mm x 720mm
- Internal Dimensions: 520mm x 675mm x 238mm
- Weight: 7.2kg
- Materials: Polypropylene, Nylon, Polycarbonate

## Constructor First Aid Responder Station

- Double Point First Aid trolley site pack including signage
- All in one emergency stations complete with bespoke branded sign board
- Station dimensions: 1500mm(H) x 500mm(W) x 350mm(D including cabinet)

### Double Contractor Stand

- Strong powder coated steel
- Easily manoeuvrable
- 1500mm(H) x 680mm(W) x 370mm(D)
- Weight: 11.6kg
- Capacity: 2 x 9kg/9ltr extinguishers
- Material: Powder coated steel frame

### Stocked units

We can provide the units stocked and ready to go with the following items:

- Eye wash pod station (320mm x 250mm) complete with 10 pods
- Two x 16 eye pads and mirror
- Compact First Aid burns kit
- BS8599 First Aid kit (Medium)



Code: **RS3FA3**

## Constructor Spill Control Responder Station

- Double Point Spill Control trolley site pack including signage
- All in one emergency stations complete with bespoke branded sign board
- Station dimensions: 1500mm(H) x 500mm(W) x 350mm(D including cabinet)

### Double Contractor Stand

- Strong powder coated steel
- Easily manoeuvrable
- 1500mm(H) x 680mm(W) x 370mm(D)
- Weight: 11.6kg
- Capacity: 2 x 9kg/9ltr extinguishers
- Material: Powder coated steel frame

### Stocked units

We can provide the units stocked and ready to go with the following items:

- 50ltr Constructor Oil/Fuel Spill Kit
- Savesorb Spill Loose Product (1.82kg)



Code: **RS1SC1**

## Armorgard Instructahut/Emergency Station, Compliance Display Board & Meeting Point System



- A meeting point, an emergency station for your first-aid, fire and H&S items, a notice board for your regulatory documentation and more
- Features include two ample shelves and a double-sided wooden backboard to mount mandatory information or equipment such as a first-aid box or fire blanket
- Weatherproof, self-supporting and built to last for years on construction sites
- Painted in a highly-visible red, so everyone will know where to find it
- Perfect for displaying key H&S and insurance documentation as well as suitable for housing fire, H&S and First Aid equipment
- Security cabinet sold separately but not required for the Instructahut to be used on site
- Self-supporting and built to last with an optional extra security cabinet to position in the base

Size:  
947mm(W) x 445mm(D) x 602mm(H)  
1235mm(W) x 500mm(D) x 1850mm(H)

Code:  
**TB8ESC**  
**TB8ES1**

# Fire extinguishers

## Metal Fire Bucket

- 10ltr
- Heavy-duty
- Hand hold underneath for accurate pouring
- Suitable for fire sand



Code: **FE7FB1**

## Rotary Hand Fire Bell

- 1.9kg
- Heavy-duty, manually-operated Rotary Hand Fire Bell
- Tried and tested robust design
- Bell sounds 60dB alarm at up to 35m
- Red-coated, die-cast aluminium dome and die-cast aluminium base plate
- Pre-drilled flange for simple installation



Code: **FE9RB1**

## Fire Blanket

- Treated glass fibre material to **BS EN1869**, in slim plastic case for easy wall mounting
- Comes with two quick-release pull tapes
- Hinged lid for easy extraction
- Moulded keyhole for added strength
- Kitemark certified



Size: Code:  
1.2m x 1.2m **FB1A22**  
1.8m x 1.8m **FB1A88**

## ABC Dry Powder Fire Extinguisher

- Highly versatile fire-fighting medium for most fire risks
- Also effective on vehicle fires
- Supplied with wall bracket
- Universal fire type usage



Size: Code:  
1kg **FE3P01**  
2kg **FE3P02**  
6kg **FE3P06**  
9kg **FE3P09**

## Double Fire Extinguisher Trolley comes with Rotary Fire Bell

- Ideal for moving fire fighting equipment close to the source of the fire
- Chassis fabricated from mild steel tube
- Epoxy polyester powder paint finish red
- Nylon wheels with rubber tread for ease of movement
- Fire extinguishers not included



Code: **FE6ETB2**

## Gas Air Horn (Complete)

- 0.15kg
- Ideal for providing temporary cover during alarm installations and for construction site applications
- Complete with Gas Propellant Canister
- Environmentally-friendly gas – complies with **EU517/2014**
- Loud, long sound duration (110dB) output
- Acoustic range of approximately 1500m
- Re-designed horn uses less gas, meaning more use out of each can
- Single, non-flammable gas propellant



Code: **FE9GH1**

## Site Fire Alarm with Break Glass Call Point Operation

- dB output: 110dB
- Weight: 1kg
- Dimensions: 280mm x 165mm x 76mm
- Battery operated
- Easily mountable stand-alone alarm
- Comes with 9V battery
- Spare battery code: LA3L9V



Code: **FE9HCP1**

## Water Fire Extinguisher

- 9ltr
- The most useful of all available fire extinguishants
- Effective for burning materials such as paper, cloth and wood
- Use on Class A fires only



Code: **FE5W09**

## Foam Fire Extinguisher

- 9ltr
- Particularly effective for rope, wood, textiles and flammable liquids type fires
- Not for electrical fires
- Class A and B fires only



Code: **FE4F09**

## CO<sub>2</sub> Fire Extinguisher

- Suitable for situations involving flammable liquids and electrical hazards. CO<sub>2</sub> is harmless to delicate equipment and materials
- Class B, C and electrical fires



Size: Code:  
2kg **FE2C02**  
5kg **FE2C05**

## Double Point Fire Extinguisher Stand

- Double point extinguisher stand in moulded plastic provides a quickly recognisable extinguisher location in the event of an emergency
- Lightweight plastic stand
- Red



Code: **FE6SD2**

## Single Point Fire Extinguisher Stand

- Moulded plastic to provide a quickly recognisable extinguisher location in the event of an emergency
- Lightweight plastic fire stand



Code: **FE6SD1**

We offer a Fire Hazard Audit & Extinguisher Location/Type/Quantity Recommendation. See page 15 for more information.

**OnSite**  
support

## Flame protection materials

### XTL Weld Firemax 1100 Fire Blanket

- 2m x 2m
- With eyelets
- Specially-coated glass fibre welding drapes for protecting materials such as glass, flooring, cables, etc. from welding and grinding sparks and spatter
- Resists molten metal up to 1100°C



Code: **SWD1100F**

### Welding Curtain




- 6' x 6' (1.83m x 1.83m)
- For instant protection of passers-by and other workers from welding sparks, UV and IV light
- HD PVC – opaque dark green
- Conforms to **EN1598**

Code: **SWCG-66**

### Welding Curtain Frame, Collapsible

- 6' x 6'
- Quick to assemble and lightweight for use in the workshop or on site
- Galvanised, collapsible frame
- Use 12 curtain rings to attach curtain to frame
- Conforms to **EN1598**



Code: **SWCF-66**

### Welding Curtain Rings

- Price per one
- Use with Welding Curtain SWCG-66 and Frame SWCF-66
- Welding curtain rings suitable for all eyeleted curtains



Code: **SWC-RING**

### XTL Weld Firemax 1100 Fire Blanket Roll

- 25m x 1m
- Specially-coated glass fibre welding drapes for protecting materials such as glass, flooring, cables, etc. from welding and grinding sparks and spatter
- Resists molten metal up to 1100°C



Code: **SWD1100251**

## Barriers, pins & cones

### Constructor Blow Moulded Pedestrian Barrier with Standard Feet

- Constructor one-piece stacking, heavy-duty Chapter 8 barrier with swivel feet
- Blue



Size: 1m x 2m Code: **RE4CBB2**

### Titan Pedestrian Barrier

- One-piece stacking, heavy-duty barrier with factory-fitted swivel feet
- Titan is the recognised and well-established stacking barrier
- Easy to use, assemble and store
- The Titan has undergone extensive testing: sub-zero impact testing; accelerated UV age testing
- Height including feet: approx. 1.2m
- Dual colour-coded systems for contractors' corporate ID
- Flexible toggles allow courtesy boards to be attached to barrier
- Roll-up flexible signs can also be used
- Metal-free
- Fully recyclable
- Coloured base and hot foil embossing on rear of panel is also available
- Red

### Constructor Blow Moulded Pedestrian Barrier with Anti-Trip Feet

- Constructor one-piece stacking, heavy-duty Chapter 8 barrier with anti-trip feet
- Incredible strength and durability
- Free standing with 360° swivel feet
- Free from screws and rivets
- Stacks in 50mm (2") (40 per pallet)
- A moulded lamp connector
- Barrier to barrier connection is quick and easy to use on uneven ground
- Manufactured in high-density polyethylene
- Red
- Conforms to requirements of **BSEN8442**
- Conforms to reflectivity requirements of **BSEN12899-1**

Personalise with your company logo (min. quantity 120)



Size: 1m x 2m Code: **RE4CB20**


### Constructor Demarcation Boss Barrier

- Barrier to barrier connection is quick and easy for use on uneven ground
- Free standing with 360° swivel feet
- Information sign can be attached
- 100% recyclable
- Manufactured from virgin HDPE
- Grey



Size: 2m x 1.1m Code: **RE4CCB4**

Size: 2m Code: **RE4TB2**



For advice on the best products, call our customer support team on **01293 744 444**

# Barriers, pins & cones

## Expanding Barrier

- Easy to transport and durable
- Flexible width, ideal for fencing off a variety of areas
- Fully compatible, easily integrated into a Titan barrier system
- Allows easy direction of traffic
- Can be used alone or as part of a larger system
- Bespoke, dual colour-coded systems also available
- Overall weight of 10.5kg means it is light enough to handle with relative ease but stable enough to hold itself upright
- Red/white



Size: 3.1m Code: **RE4XBR**

## Buddha Barrier, Added Security Double Top System

- 1000mm(H) x 1115mm(W)
- Uniquely designed barrier topper designed for addition to Buddha barrier
- Brings barrier height to 1.8m, adding security
- Uses metal locating tubes to ensure secure affixation to Buddha barrier
- Difficult to climb, and difficult to remove once interlocked
- Available in red or white



Colour: Red Code: **RE4BB2T-RED**  
White Code: **RE4BB2T-WHT**

## 3-Gate Workgate Manhole Barrier System

- Mini barrier system designed for both internal and external applications
- Easily deploys and folds
- Length single gate: 750mm
- 2.25m(L) x 1m(H)
- Weight: 6kg
- Red



Size: 2.25m Code: **RE4WG3R**

## Crowd Control Barrier

- Galvanised
- Metal construction barrier that can be linked together
- Very robust and durable
- Pedestrian barriers ideal for outdoor events and on construction sites where the safe direction of pedestrian traffic is required
- Specially designed for the events and construction industry
- Heavy-gauge tubular feet, which are permanently welded to the frame in an offset position



Size: 2.3m Code: **RE4TCCB1**

## Crowd Control Walkway Barrier


- One-piece, galvanised unit, which has fixed legs and allows the movement of crowds from one section to another
- Heavy-gauge tubular feet are welded to the frame in an offset position, making them ideal for stacking
- Easy to install and provide ideal site protection
- 2.14m(H) x 2.25m(L)
- Weight: 13.8kg
- Material: galvanised steel
- Red



Size: 2.25m Code: **RE4TCCBW6**

## Crowd Control Walkway Barrier with Gate

- Walkthrough crowd barriers clearly mark access points and allow for safe pedestrian control
- Hook and eye system for easily connecting Walkthrough barriers directly to standard fixed-and loose-leg crowd control barriers
- 1.2mm thick / 38.1mm dia. galvanised tube makes up the frame of the barrier
- Split offset-leg system adds stability and makes the barriers easy to stack together
- Top tube punched, 15 infill bars spaced at 130mm intervals slotted in and welded to the bottom of the frame
- 2m(H) x 2.3m(W) with 990mm gap for pedestrian crossing point
- Weight: 22kg
- Finish: powder-coated red
- Tube infills: 12.7mm dia. circular hollow section



Size: 2.3m Code: **RE4TCCBWG7**

## Temporary Fence Panel

- High-quality and cost-effective fencing product
- Both weather-resistant and anti-climb
- Weight: 11.7kg
- Material: galvanised steel



Size: 3.5m x 2m Code: **RE41TFP2**

## Rubber Block to suit Temporary Fence Panel

- 122mm(H) x 195mm(W) x 770mm(L)
- Heavy foot is designed to help fencing remain upright and in place
- Stabilising design, with backstay stabilising strut
- When weighted with blocks, the tray anchors the backstay in place
- Easy to install and weatherproof
- Acts as an anchor
- Weight: 18kg



Code: **RE41TFF2**

## Temporary Fence Panel Coupler

- Made from carbon steel (galvanised)
- Only weighs 280g
- Weatherproof, and can secure your site all year round



Code: **RE41TFC2**

## Temporary Fence Panel comes with 1 Block & 2 Couplers

- Complete set – also available without feet and couplers
- Temporary Fence Panel (RE41TFP2) with 1 Rubber Block (RE41TFF2) and 1 pair of couplers (RE41TFC2)



Code: **RE41TF35**

# Barriers, pins & cones

## Barrier Fencing

- Extremely flexible to use, it may be secured to existing supports such as trees, or fencing pins
- Easy, lightweight and economical
- Supplied in 1m x 50m rolls and is ideal for establishing cordons and barriers
- Easy to work with and, courtesy of the design, allows wind to pass through with minimal impedance



Colour:	Code:
Blue	RE9B50
Green	RE9G50
Orange	RE9O50
Yellow	RE9Y50

## Non-Conductive Fencing Pins

- 1300mm/17.5mm dia.
- Will protect you and your staff from the danger of being electrocuted
- Non-conductive and suitable for sites with electric cable hazards
- Made from durable plastic
- Replaceable metal top connector
- Safer than steel pins
- White



Code: RE5NCF2

## Magnetic Flashing Beacon

- 12V
- Amber
- A rotating beacon with magnetic base suitable for use at speeds of up to 70mph
- Easy-use, flashing lamp



Code: RE2M15

## Magnetic Pulsing Beacon

- Approved for airport use
- 12V
- A rotating beacon with magnetic base suitable for use at speeds of up to 70mph
- Easy-use, pulsating lamp



Code: RE2PM20

## 20" Road Cone

- 450mm
- Self-weighted, durable and cost-effective
- Ideal for small works and around public
- Complete with reflective sleeve
- Robust and popular one-piece design
- Distinctive raised ribs with square base for easy alignment



Code: RE4C18

## Road Fencing Pins

- Pack of 10
- 1370mm (4'6")
- For demarcation and marking out on site with the hook for ease of tying off
- Standard 12mm diameter bar



Code: RE5F46

## Heavy-Duty Road Fencing Pins

- Pack of 10
- 1350mm long with a shepherd's crook top and a pointed end
- Made from nominal 14mm diameter bar
- 14kg



Code: RE5F14

## Non-Penetrating Fencing Pin

- 12mm x 1350mm



Code: RE5NPF12

## FNPC Single Battery Flashing Road Lamp

- Single battery lamp with 360° lens for all-round light visibility
- Requires 6V 996 battery
- FNPC – Flashing non photocell
- Battery not included
- Yellow



Code: RE1F05

## FPC Single Battery Flashing Road Lamp

- Single battery lamp with 360° lens for all-round light visibility
- Requires 6V 996 battery x 2
- FPC – Flashing photocell
- Battery not included
- Yellow



Code: RE1FP5

## Maxilite LED Flashing or Static Photocell Road Lamp

- Twin battery lamp with 360° lens for all-round light visibility
- Requires 6V 996 battery x 2
- LED – long product and battery light
- Flashing or Static modes
- Photocell equipped – auto-on when dark and auto-off when light
- Can be cone mounted or suspended
- Red lens



Code: RE1ML1-RED

## No Waiting Cone

- 450mm
- Single-piece cone moulded in tough, high-grade polyethylene, permanently pigmented in strong bright yellow



Code: RE4NW18

## One Piece Road Cone (Unslotted)

- 750mm
- Demarcation cone is self-weighted, durable and cost-effective
- Ideal for small works and around the public



Code: RE4U30

## Two Part Heavy Duty Motorway Cone

- 1m x 1m
- Heavy-duty, two-part moulded cone with UV stabilised LDPE blow-moulded top and heavy-duty, 100% recycled composite base
- With UV stabilised LDPE blow-moulded top and heavy-duty 100% recycled composite base
- All cones come complete with Sealbrite class R1B sleeve



Code: RE4C100

## Two Part Heavy Duty Road Cone

- 760mm (30")
- 3.6kg
- Heavy-duty, two-part moulded cone with UV stabilised LDPE blow-moulded top and heavy-duty 100% recycled composite base
- All cones come complete with Sealbrite class R1B sleeve



Code: RE4C35

## Retractable Barrier System – to fit Road Cone

- 9m tape
- For easy cordoning off areas
- Can connect multiple units
- Orange with red/white tape



Code: RE7SK09

## Red/White Plastic Chain

- 25m x 6mm
- For many applications such as barrier systems, public queuing (crowd segregation), car parks, garage forecourts, shops, fêtes and events, as well as hanging signs and banners
- Red/white



Code: RE8PC1

# Road signage

<p><b>Slow Sign</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 450mm</li> <li>• Temporary traffic monitoring sign with text 'slow', on Zintec</li> </ul>  <p>Code: <b>OSS5662</b></p>	<p><b>Slow Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 450mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSS5662-CWF</b></p>	<p><b>5mph Speed Restriction Sign</b></p> <ul style="list-style-type: none"> <li>• 750mm square reflective Zintec plate for use with temporary sign frame OS7SF2</li> </ul>  <p>Code: <b>OS7005</b></p>	<p><b>Traffic Signals Ahead Metal Sign with '200yd' Supplementary Plate in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> </ul>  <p>Code: <b>OS7543-200YD-CWF</b></p>	<p><b>Traffic Signals Ahead Metal Sign with '300yd' Supplementary Plate in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> </ul>  <p>Code: <b>OS7543-300YD-CWF</b></p>	<p><b>Traffic Signals Ahead Metal Sign with '400yd' Supplementary Plate in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> </ul>  <p>Code: <b>OS7543-400YD-CWF</b></p>
<p><b>5mph Speed Restriction Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• Red/white/black</li> </ul>  <p>Code: <b>OS7005-CWF</b></p>	<p><b>10mph Speed Restriction Sign</b></p> <ul style="list-style-type: none"> <li>• 750mm square reflective Zintec plate for use with temporary sign frame OS7SF2</li> </ul>  <p>Code: <b>OS7010</b></p>	<p><b>10mph Speed Restriction Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• Red/white/black</li> </ul>  <p>Code: <b>OS7010-CWF</b></p>	<p><b>Traffic Signals Ahead Metal Sign with 'End' Supplementary Plate in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> </ul>  <p>Code: <b>OS7543-END-CWF</b></p>	<p><b>Stop/Go Sign Board</b></p> <ul style="list-style-type: none"> <li>• For manually controlling traffic, comprising of a 600mm head mounted onto a green powder-coated steel pole, with a weight of 3kg</li> <li>• 2020mm(H)</li> <li>• Fits securely into a standard cone</li> <li>• Detachable head</li> <li>• A 32mm powder coating makes it 100% rustproof</li> <li>• The sign faces are printed on Mlite class 1 or class 2 Reflective Material to meet <b>EN12899:2007</b></li> <li>• Balanced weight for easy use</li> </ul>  <p>Code: <b>OSSSGB1</b></p>	<p><b>Stop Works Lollipop Sign Board</b></p> <ul style="list-style-type: none"> <li>• For manually controlling traffic</li> <li>• Comprises a 600mm head mounted onto a green powder-coated steel pole with a weight of 3kg</li> <li>• 2020mm(H)</li> <li>• Also fits securely into a standard cone</li> <li>• Detachable head</li> <li>• Powder coating makes it 100% rustproof</li> <li>• The sign faces are printed on class 1 or class 2 Reflective Material to meet <b>EN12899:2007</b></li> <li>• Balanced weight for easy use</li> <li>• Yellow</li> </ul>  <p>Code: <b>OSSSWB1</b></p>
<p><b>Caution Traffic Signals Ahead Metal Sign</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• Triangle Zintec warning plates fig. 543 for use with OS7TF2</li> </ul>  <p>Code: <b>OS7543</b></p>	<p><b>Traffic Signals Ahead Metal Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• Multiple colours</li> </ul>  <p>Code: <b>OS7543-CWF</b></p>	<p><b>Traffic Signals Ahead Metal Sign with '100yd' Supplementary Plate in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> </ul>  <p>Code: <b>OS7543-100YD-CWF</b></p>	<p><b>Traffic Under Signal Control Sign</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Used to notify that the traffic will be controlled by signals</li> <li>• Extremely strong and robust design</li> <li>• Long life and durable</li> <li>• Stackable storage and easy to transport</li> <li>• Non flammable</li> </ul>  <p>Code: <b>OSSTUSC1</b></p>	<p><b>Traffic Under Signal Control Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSSTUSC1-CWF</b></p>	<p><b>Road Ahead Closed Metal Sign</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSS5652</b></p>

# Road signage

<p><b>Road Ahead Closed Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSS5652-CWF</b></p>	<p><b>Access Only Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSSAO1-CWF</b></p>	<p><b>Road Closed Access Only Sign – Plate Only</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSSRCAO</b></p>	<p><b>Pedestrian (Reversible Arrow) Metal Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 600mm x 450mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSSPRA-CWF</b></p>	<p><b>Pedestrians Please Use Other Footpath Metal Sign – Plate Only</b></p> <ul style="list-style-type: none"> <li>• 600mm x 450mm</li> <li>• 3mm Zintec</li> </ul>  <p>Code: <b>OSS5671</b></p>	<p><b>Pedestrians Please Use Other Footpath Metal Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 600mm x 450mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSS5671-CWF</b></p>
<p><b>Road Closed Access Only Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSSRCAO-CWF</b></p>	<p><b>Road Closed Sign – Plate Only</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSS5651</b></p>	<p><b>Road Closed Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSS5651-CWF</b></p>	<p><b>Caution Two-Way Traffic Sign</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• Triangle Zintec warning plates fig. 521 for use with OS7TF2</li> </ul>  <p>Code: <b>OS7521</b></p>	<p><b>Caution Two-Way Traffic Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• Red/white/black</li> </ul>  <p>Code: <b>OS7521-CWF</b></p>	<p><b>Diversion (Reversible Arrow) Sign – Plate Only</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Complete with arrow</li> <li>• Arrow can be fitted left or right end of the bar</li> </ul>  <p>Code: <b>OSS7542</b></p>
<p><b>Footpath Closed Metal Sign</b></p> <ul style="list-style-type: none"> <li>• 600mm x 450mm</li> <li>• Rigid plastic</li> <li>• Lightweight, gloss white PVC with high impact strength</li> <li>• Suitable for both internal and external safety signs</li> <li>• Easily drilled for wall fixing</li> </ul>  <p>Code: <b>OSS5672</b></p>	<p><b>Footpath Closed Metal Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 600mm x 450mm</li> <li>• Red/white</li> </ul>  <p>Code: <b>OSS5672-CWF</b></p>	<p><b>Pedestrian (Reversible Arrow) Metal Sign – Plate Only</b></p> <ul style="list-style-type: none"> <li>• 600mm x 450mm</li> <li>• 3mm Zintec</li> </ul>  <p>Code: <b>OSSPRA</b></p>	<p><b>Diversion (Reversible Arrow) Sign in Frame with Clips</b></p> <ul style="list-style-type: none"> <li>• 1050mm x 750mm</li> <li>• Yellow/black</li> </ul>  <p>Code: <b>OSS7542-CWF</b></p>	<p><b>Give Way to Oncoming Vehicles Priority to Oncoming Traffic Sign (Diag 615)</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• Triangle Zintec warning plates fig. 615 for use with OS7TF2</li> </ul>  <p>Code: <b>OS7615</b></p>	<p><b>Priority over Oncoming Traffic comes with Text Supplied Plate Zintec Sign plus Frame and Clips</b></p> <ul style="list-style-type: none"> <li>• 750mm</li> <li>• With supplementary plate bars for use during roadworks to demonstrate priority to traffic from a particular direction</li> </ul>  <p>Code: <b>OS7811</b></p>

# Road signage

## Directional Left/Right Arrow Metal Square Sign in Frame with Clips

- 750mm
- Blue/white



Direction: Code:  
 Left OS7610L-CWF  
 Right OS7610R-CWF

## Directional Left/Right Arrow Metal Square Sign – Plate Only

- 750mm
- Directional reversible arrow square Zintec warning plates fig. 610 for use with OS7SF2



Code: OS7610

## Road Narrows Both Sides Sign – Plate Only

- 750mm
- Triangle Zintec warning plates fig. 516 for use with OS7TF2
- Red/white/black



Code: OS7516

## Road Narrows Nearside Metal Triangle Sign – Plate Only

- 750mm
- Triangle Zintec warning plates fig. 517 for use with OS7TF2
- Red/white/black



Code: OS7517L

## Road Narrows Nearside Metal Triangle Sign with '100yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517L-100YD-CWF

## Road Narrows Both Sides Sign in Frame with Clips

- 750mm
- Red/white/black



Code: OS7516-CWF

## Road Narrows Both Sides Sign with '100yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7516-100YD-CWF

## Road Narrows Both Sides Sign with '200yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7516-200YD-CWF

## Road Narrows Nearside Metal Triangle Sign in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517L-CWF

## Road Narrows Both Sides Sign with '300yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7516-300YD-CWF

## Road Narrows Both Sides Sign with '400yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7516-400YD-CWF

## Road Narrows Both Sides Sign with 'End' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7516-END-CWF

## Road Narrows Nearside Metal Triangle Sign with '200yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517L-200YD-CWF

## Road Narrows Nearside Metal Triangle Sign with '300yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517L-300YD-CWF

## Road Narrows Nearside Metal Triangle Sign with '400yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517L-400YD-CWF

# Road signage

## Road Narrows Nearside Metal Triangle Sign with 'End' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517L-END-CWF

## Road Narrows Offside Triangle Sign – Plate Only

- 750mm
- Triangle Zintec warning plates fig. 517 for use with OS7TF2
- Red/white/black



Code: OS7517R

## Road Narrows Offside Triangle Sign in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517R-CWF

## Road Narrows Offside Metal Triangle Sign with '100yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517R-100YD-CWF

## Road Narrows Offside Metal Triangle Sign with '200yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517R-200YD-CWF

## Road Narrows Offside Metal Triangle Sign with '300yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517R-300YD-CWF

## Road Narrows Offside Metal Triangle Sign with '400yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517R-400YD-CWF

## Road Narrows Offside Metal Triangle Sign with 'End' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7517R-END-CWF

## Men At Work Metal Sign – Plate Only

- 750mm
- Triangle Zintec warning plates fig. 564 for use with OS7TF2
- Red/white/black



Code: OS7564

## Men At Work Metal Sign in Frame with Clips

- 750mm
- Red/white/black



Code: OS7564-CWF

## Men At Work Metal Sign with '100yd' Supplementary Plate in Frame with Clips

- 750mm



Code: OS7564-100YD-CWF

## Men At Work Metal Sign with '200yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7564-200YD-CWF

## Men At Work Metal Sign with '300yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7564-300YD-CWF

## Men At Work Metal Sign with '400yd' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7564-400YD-CWF

## Men At Work Metal Sign with 'End' Supplementary Plate in Frame with Clips

- 750mm
- Red/white/black



Code: OS7564-END-CWF

## Temporary Road Surface Sign

- 1050mm x 750mm
- Complete in frame
- An imperative part of any roadworks signage kit
- Red/white/black



Product:  
Sign in frame  
Sign in frame with clips

Code:  
OSSTRS  
OSSTRS-CWF

## Ramp Ahead Sign in Frame with Clips

- 1050mm x 750mm
- Red/white



Code: OSS5655-CWF

## Road Sign Frame

- 1050mm x 750mm
- Painted steel temporary frame for use with various sign plates that can be held in with frame clips (supplied separately)



Size:	Code:
1050mm x 750mm	OS10SF1
1050mm x 450mm	OS10SF2
600mm x 450mm	OS64SF3

## Triangle Sign Frame

- 750mm
- Painted steel temporary frame for use with various sign plates that can be held in with frame clips (supplied separately OSSFC1)



Code: OS7TF2

## Triangle Sign Frame with Supplementary Bars

- 750mm
- Painted steel temporary frame for use with various Sign Plates that can be held in with frame clips (supplied separately OSSFC1)
- Comes with supplementary sign bars on frame



Code: OS7TFS2

## Square Sign Frame

- 750mm
- Painted steel temporary frame for use with various sign plates that can be held in with frame clips (supplied separately OSSFC1)



Code: OS7SF2

## End Supplementary Sign for Triangular Frames with Supplementary Bars

- For 750mm triangular frame
- A range of supplement plates fitting the OS7TFS2 Triangular sign frame
- 830mm(W) x 360mm(H)
- These signs will not fit square sign frames with supplementary bars
- Black/white



Code: OS7END

## Sign Frame Clips

- Fits most signs and frames
- Quick zinc-plated fitting clips to suit signs and frames
- Standard road frame clips are made from stainless steel and are suitable for 25mm L angle road sign frames



Code: OSSFC1

## Footway Closed Cone Sign

- 600mm x 450mm
- A lightweight and easily deployable sign that fits most 75cm and 1m high cones
- Class 1 reflective facing



Code: RE6CFC

## Keep Left/Right (Rotational) Cone Sign

- 750mm
- A lightweight and easily deployable sign that fits most 75cm and 1m high cones
- Class 1 reflective facing



Code: RE6CKR

## Road Works Cone Sign

- 750mm
- Lightweight and easily deployable sign that fits most 75cm and 1m high cones
- Class 1 reflective facing
- Red/white/black



Code: RE6CRW

## Pedestrian (Arrow Right) Cone Sign

- 600mm x 450mm
- A lightweight and easily deployable sign that fits most 75cm and 1m high cones
- Class 1 reflective facing



Code: RE6CPR

## Road Narrows Left Cone Sign

- 750mm
- A lightweight and easily deployable sign that fits most 75cm and 1m high cones
- Class 1 reflective facing



Code: RE6CRNL

## Road Cone Lamp Bracket

- Yellow bracket
- Allows the micro light to be attached to any traffic cone



Code: RE1LB1

## Pedestrian (Arrow Left) Cone Sign

- 600mm x 450mm
- A lightweight and easily deployable sign that fits most 75cm and 1m high cones
- Class 1 reflective facing



Code: RE6CPL

## Road Narrows Right Cone Sign

- 750mm
- A lightweight and easily deployable sign that fits most 75cm and 1m high cones
- Class 1 reflective facing



Code: RE6CRNR

We offer a Site Signage Compliance and Recommendation Audit. See page 17 for more information

**OnSite**  
support

# Site traffic management

## Buddha Barrier, Anti-Trip, Chapter 8 Compliant Separator

- 800mm(H) x 1040mm(W) x 280mm(D)
- Taller than most road barriers in this range
- Chapter 8 compliant reflective strips on both sides
- 5kg when empty but over 27kg when filled with water
- Concave areas can be used for storage of spoil
- Easily stacked, easily lifted (forkliftable), easy to fill and easy to empty
- RE4BB2T double top may be added (sold separately), which brings height to 1.8m, for more security



Uniquely designed, completely anti-trip, water-filled separator

Colour:	Code:
Red	RE4BB2-RED
White	RE4BB2-WHT

## HSE GS6 Telescopic Height Barrier

- Two telescopic poles, two bases and bunting
- Telescopic crossbar



Code: THBCB25

## 10mph Rubber Speed Ramp (Pair)

- 500mm(L) x 50mm(H)
- Comes with reflectors
- Manufactured from recycled PVC with embossed top surface
- Fitted with cats eyes
- One pack of centre modules covers 1m across the road
- Centre modules supplied in packs of 2 (1 x yellow and 1 x black)
- End modules supplied in packs of 2 (black only)
- Suitable for speeds up to 10mph
- Each pack requires eight fixing bolts
- Yellow/black



Code: SR2TM10J

## 10mph Rubber Speed Ramp Ends

- 2 x 18.5cm (1 pair)
- Fitted with cats eyes
- End modules supplied in packs of two
- Measuring 5cm high and suitable for speeds up to 10mph
- Yellow



Code: SR2TM10JE

## Asphalt Fixing Bolts (Pair)

- Asphalt fixing bolts measure M12 x 100mm long and require a 24mm diameter hole
- Suits SR2TM10JE



Code: SR2AFB1

## Concrete Fixing Bolts for Speed Ramps

- Concrete fixing bolts measure M12 x 105mm long and require a 20mm diameter hole (suitable for fixing ramps to concrete)



Code: SR2CFB1

## Trench Cover

- 1200mm x 800mm x 40mm
- Capability: 400kg
- Highly-versatile and safe trench cover, designed to cover apertures, bores or trenches during construction or repair works
- Fully compliant with UK and EU legislation
- Yellow



Code: RE4TC101

## Zebra Crossing Mat (Clearpath)

- 1200mm(W) x 600mm(L)



Colour:	Code:
White	RE4ZC1
Black	RE4ZC2

## Wheelchair/Kerb Ramp

- 1200mm x 985mm
- Ramp designed for use with pushchairs and wheelchairs
- Works on a variety of kerb heights
- Manufactured in high-density polyethylene
- Four fixing holes
- Can be bolted to the ground
- Efficient anti-slip pattern
- High-rise sides to prevent falls
- Able to withstand over 250kg
- Handles for easy lifting
- Low edges for anti-trip
- Yellow



Code: RE4TWR2

# Spill control

If you're working on a site with fuel or oil supplies, having the necessary spill control equipment is fundamental in preventing and containing incidents to limit danger to people, the environment and property.

From chemical spill kits, drain guards, and spill catchers, we can help you to keep your site safe and clean. Working with our partners at FENTEX, we have put together some useful considerations when managing your spill control.

## Health and Safety

HSE Health and safety regulation state: "Besides carrying out a risk assessment, employers also need to:

- ✓ Make arrangements for implementing the health and safety measures identified by the risk assessment
- ✓ Appoint competent people to help them to implement the arrangements
- ✓ Set up emergency procedures
- ✓ Provide clear information and training to employees
- ✓ Work together with other employers sharing the same workplace"

## The Oil Storage Regulations

Oil containers must be stored in a bunded area or on a drip tray (sump pallet). This is mandatory, and it is an offence not to comply. Drums should be stored on a drip tray with a sump capacity of 25% and if more than one drum 25% of the total. Tanks require 110% capacity and if more than one 110% of the aggregate total.



## Environmental checklist

- ✓ Have any surface water drains been identified and sealed off?
- ✓ Has a material storage area been identified?
- ✓ Will drip trays, or similar, be provided for static plant/equipment?
- ✓ Are spill kits available and do employees know how to use them?
- ✓ Have employees been trained in emergency spill response?

 We offer a Spill Control and Hazard Audit and a Spill Control Level One Training Course and Qualification. See page 16 for more information.

FENTEX Spill Kits are classed as equipment for use in emergency procedures. The correct type of kit should be specified to deal with issues highlighted in a risk assessment site survey. They can contain absorbent items such as pads, socks and rolls; other types of spill absorbent can also be specified to neutralise acids and alkalis. FENTEX can assist with spill control site surveys, recommendation of specific measures, provision of suitable products and equipment and spill training.

In partnership with OnSite Support suppliers 

### Constructor Oil/Fuel Spill Kit

- 15ltr
- Contains: clip top bag, 15 pads, 1 sock, 2 disposable bags, 2 ties
- Ideal for small spillages



Code: ES3OS15

### Oil/Fuel Spill Kit comes with Drip Tray

- 20ltr



Code: ES3OSKT20

### 40ltr Oil/Fuel Spill Kit in Break-Bag



Code: ES3OS40

- Ideal for larger vehicles or ones which may enter environments with risk of oil/fuel spills
- Contents within break-bag: four absorbent socks (8cm x 120cm), 24 double weight pads (40cm x 50cm), one disposal bag and tie, one instruction leaflet
- Compact packaging ensures ease of stowage in vehicles where space is at a premium

### Constructor Premium Oil/Fuel Spill Kit comes with Vinyl Satchel

- 50ltr
- 30 pads, size 50cm x 40cm
- Pads in this spill kit are oil-only, sonic-bonded, meltblown polypropylene
- Excellent wicking properties with the sonic bond points preventing stray fibres from becoming detached
- Two pillows, size 23cm x 38cm
- Oil-only pillows made from a spun-bond outer casing that is both stitched and heat sealed to enclose a recycled polypropylene core
- Surface is fast-wicking so promotes faster absorption
- Three socks, size 8cm x 1.2m
- Spun-bond, oil-only socks are made with a strong, spun-bond outer sleeve and a recycled meltblown polypropylene core, producing a strong no-lint product
- Three waste bags and ties
- Made from a tough grade of polythene and coloured dark blue
- Cable tie supplied so that the waste can be secured safely



Code: ES3OS50P

### 50ltr Oil/Fuel Spill Kit

- Comes with drain cover
- Shoulder bag
- Contains pads, socks, bags and drain cover
- Absorbs up to 50ltr



Code: ES3OS45

### Vinyl Satchel for Spill Kit

- 50ltr



Code: ES3VS1

### 90ltr Oil/Fuel Spill Kit

- Oil/fuel spill kit in plastic drum
- Contains pads, socks, bags and ties
- Absorbs up to 90ltr
- Can be used with solvents, oils and fuels



Product: Spill kit  
Code: ES3OS90  
Refill: ES3OS90R

## 255ltr Oil/Fuel Spill Kit

- Oil/fuel spill kit in wheeled bin
- Contains pads, socks, bags and drain covers
- Absorbs up to 255ltr
- Can be used with solvents, oils and fuels



Product:	Code:
Spill kit	<b>ES3OS25</b>
Refill	<b>ES3OS25R</b>

## SaveSorb Vehicle Spill Kit

- Absorbs up to 25ltr

### Contents:

- Loose product: 1.82kg
- Two spillows: 250mm x 400mm
- One sock: 2400mm x 100mm
- Six absorbent wipes: 405mm x 380mm
- Carry bag, PPE and disposal also included in kit



Code: **ES8VSK1**

## SaveSorb Marine Spill Kit

- Absorbs up to 15ltr

### Contents:

- Loose Product: 9kg
- Four marine mats: 900mm x 900mm
- Two containment socks: 2400mm x 180mm
- Six absorbent wipes: 405mm x 380mm
- Wheelie bin, PPE and disposal



Code: **ES8MSK1**

## SaveSorb Land Spill Kit – Large

- Absorbs up to 200ltr
- True absorbant of oils, chemicals, fuel and paint
- Does not absorb water
- Natural plant based product, fully sustainable

### Contents:

- Loose product: 25kg
- Pillow: 250mm x 400mm, two included in kit
- Sock: 2400mm x 100mm, four included in kit
- Six absorbent wipes: 405mm x 380mm
- PPE, disposal and wheelie bin (240ltr)



Code: **ES8LSK2**

## SaveSorb Land Spill Kit – Small

- Absorbs up to 45ltr

### Contents:

- Loose product: 4.55kg
- Spillow: 250mm x 400mm, two included in kit
- Sock: 2400mm x 100mm, two included in kit
- Absorbent wipes: 405mm x 380mm, six included in kit
- Carry bag, PPE and disposal also included in kit



Code: **ES8LSK1**

## Chemical Spill Kit

- 20ltr
- Chemical spill kit contains 1 clip close carry bag, 2 absorbent socks (8cm x 1.2m), 12 absorbent pads (40cm x 50cm), 1 disposable bag and tie
- Can also absorb water-based spillages



Code: **ES3CS20**

## Chemical Spill Kit

- 50ltr
- Chemical spill kit in shoulder bag with drain cover, absorbents and disposal bags etc



Code: **ES3CS50**

## Absorbent Socks

- 80mm x 1200mm
- Pack of 20
- High-absorbancy socks with superior strength and construction
- Capacity: 90ltr
- Dispenser box for easy use



Code: **ES4AS20**

## SpillTector; Oil, Fuel and Adblu Trapper

- Complete with liner and flexible tray
- Cost-effective alternative to premium spill catching solutions in the market
- Whilst permitting water to drain through it and out of the provided drain holes, the technical construction of the mat absorbs hydrocarbons at volumes as much as 50% ahead of competitor solutions
- Available in three sizes to absorb from 4ltr through to 32ltr and suit all plant sizes
- The hard wearing and flexible tray is resistant to puncture, fracture and deformation
- Can be used over and over again, simply requiring a new liner to be placed inside it



Size:	Capacity:	Code:
55cm x 70cm	4ltr	<b>ES2ST1</b>
70cm x 105cm	9ltr	<b>ES2ST2</b>
137cm x 200cm	32ltr	<b>ES2ST4</b>

## Replacement Absorbent Liner for SpillTector

- Absorbs and traps all hydrocarbons including oil, fuel and AdBlu
- Don't throw away your entire SpillTector after the pad has absorbed oils. Simply fit a new pad. Unlike most of its competitors, the SpillTector doesn't absorb any oil on its sides so it can be reused without concern
- Absorbs all hydrocarbons, from diesel and petrol through to Adblue, hydraulic oils and any other hydrocarbon-based lubricant



Size:	Code:
For 55cm x 70cm tray	<b>ES2STL1</b>
For 70cm x 105cm tray	<b>ES2STL2</b>
For 137cm x 200cm tray	<b>ES2STL4</b>

## SaveSorb Containment Sock

- Round, absorbent socks that are fast and easy to deploy
- Spills are contained and absorbed quickly and efficiently
- Containment socks can be linked together to form a barrier of any size
- Used to contain and absorb spills on land and water
- Easy to deploy and remove



Size:	Code:
Large 1800mm x 75mm	<b>ES8CS2</b>
Medium 400mm x 75mm	<b>ES8CS1</b>

## Double Weight Oil Absorbent Pads

- 40cm x 50cm
- Box of 100
- 850ml absorbency
- Double-weight, high-absorbency, bonded perforated oil/fuel pads
- Capacity: 120ltr
- Dispenser box for easy use



Code: **ES4OP10**

## Dispenser Pack of Oil Pads

- Double-weight, high-absorbency, bonded perforated oil/fuel pads
- Box of 25
- 400mm x 500mm
- Capacity: 30ltr
- Dispenser box for easy use



Code: **ES4OP25**

## SaveSorb Absorbent Wipes



- Pack of 100
- Truly absorbent, SaveSorb stays dry to the touch after use
- Up to 20 times less SaveSorb is needed to clear up spills compared to other products, such as clay
- Non-leaching, SaveSorb creates a haven for naturally occurring microbes that breakdown and recycle the contaminant, leaving a waste product for safe, easy, clean disposal

Code: **ES8AW100**

## Constructor Flexi Trays

- Shallow flexible tray suitable for use as a work mat, storage tray, drip tray or dispensing/mixing tray
- Made from rubberised plastic the tray is lightweight and tough, the sidewalls reform after being trodden on or crushed
- Low-profile design is ideal for sliding under plant and machinery or any situations where leaks and drips occur
- Flexi-Tray can be lined with absorbent material to retain liquids so facilitating the emptying and cleaning



Size:  
520mm x 520mm x 50mm  
1020mm x 520mm x 50mm  
1020mm x 1020mm x 20mm

Code:  
**ES2FTEM1**  
**ES2FTEM2**  
**ES2FTEM4**

## Spill/Mixing Tray

- 40ltr (900mm x 900mm)
- Heavy duty polythene lipped tray for spill containment. Large area, shallow-sided spill tray



Code: **ES1ST40**

## Spill Container

- 1000mm x 550mm x 150mm
- 60ltr container tray, designed to store up to six 25ltr containers
- Main tray has a detachable base grid that elevates the containers 2cm off the bottom of the tray
- Co-polymer polypropylene, this is high impact, class A material



Code: **ES1ST65**

## Constructor Spill Pallet

- Industrial two and four drum bunded spill pallet, with heavy-duty plastic grate to allow spills into the bund below



Size:  
1300mm x 750mm x 400mm (2 drum)  
1380mm x 1290mm x 280mm (4 drum)

Code:  
**ES2DSP2R**  
**ES2DSP4**

## SaveSorb Spill Loose Product

- SaveSorb clears up all spills, oils, hydrocarbons, chemicals, fuel and paint
- Use 20x less compared to products like clay
- Weighs 3x less when used so costs less to dispose of
- Stays dry to the touch, so cleaner to dispose of
- True protection for the environment



Size:  
1.82kg  
4.55kg

Code:  
**ES8LP1**  
**ES8LP3**

## Spill Absorbent Granules

- 16kg
- 20ltr
- Non-marking premium clay granules, suitable for use on strong chemicals
- Recycled gypsum



Code: **ES4CG16**

## Wood Fibre Absorbent Material

- Fire-retardant wood fibre absorbent material
- Easy to clean up, leaves no residue
- 30ltr bag (20kg)
- 3-5 times more absorbent than clay



Code: **ES4WF30**

## Sediment Dewatering Filter

- 150 micron
- 150cm x 35cm
- 20kg sediment capacity



Code: **ES4SS11**

## Oil & Sediment Dringuard

- 1220mm x 915mm x 458mm
- Filters waste from the rain/storm water and improves sustainability
- Eliminates harmful waste from the environment
- Removes hydrocarbons, dirt, sand and other contaminant
- As a Dringuard filter, it removes contaminants like litter, sand, and oil from stormwater flow
- Geotextile fabric and easy installation makes it ideal for industrial facilities, construction sites, and parking areas where stormwater runoff is likely to carry oil, eroded soil, debris, and fuel contaminants from cars
- Can be trimmed for smaller drains and leave an excess of 3" fabric around the drain



Code: **ES4DG1**

# Spill control

## SaveSorb Spill Catcher complete with Liner



- Side walls and inserts contain SaveSorb – the most effective absorbent of hydrocarbons and chemicals available
- Hydrophobic – lets rain filter through side walls while capturing all contaminants
- Rugged manufacture to withstand the harshest weather conditions
- Available in a range of sizes to fit all your plant protection needs

Size:	Code:
Large	<b>ES8SCL</b>
Medium	<b>ES8SCM</b>
Small	<b>ES8SCS</b>

## SaveSorb Spill Run Off Boom




- 2.4m x 0.18m
- The ridges created by the seams help oil or grease flow better, particularly with water spills or where more height is needed
- Can be linked together to contain spills

Code: **ES8RB1**

## SaveSorb Spill Catcher Mat

- After use, inserts stay dry and can be replaced without mess
- All contaminants are absorbed, only water passes through
- No wringing out, just roll up and place in hazardous waste



Size:	Code:
Large	<b>ES8SCML</b>
Medium	<b>ES8SCMM</b>
Small	<b>ES8SCMS</b>

## SaveSorb Spillow Mat



- Pack of two
- Place in risk areas to protect against pollution through leaks and spills
- Made from robust geotextile and let water pass through while absorbing spills rapidly
- Used to prevent contamination and protect the environment and drainage systems against pollution
- Suitable for use on land and water
- Yellow

Size:	Code:
Small 600mm x 600mm	<b>ES8SWM1</b>
Medium 900mm x 900mm	<b>ES8SWM2</b>

## SaveSorb Spillow

- 250mm x 400mm
- A Spillow has seams along its length and lays flat for better absorbency
- The ridges created by the seams help oil or grease flow better particularly with water spills



Code: **ES8SW1**

## Plant Nappy

- Specialist industrial spill mat, complete with integral absorbent sock surround over absorbent mat
- To go under site equipment
- Refill spill mat liner: ES2NLO



Size & absorbency:	Code:
500mm x 685mm, 2ltr	<b>ES2PN01</b>
1000mm x 685mm, 4ltr	<b>ES2PN02</b>
2000mm x 1370mm, 16ltr	<b>ES2PN03</b>

## Plant Nappy Refill

- Specialist industrial absorbent spill mat liner, for the Plant Nappy
- Three different sizes available
- Absorbent spill control matting refill



Size:	Code:
500mm x 685mm	<b>ES2NLO1</b>
1000mm x 685mm	<b>ES2NLO2</b>
2000mm x 1370mm	<b>ES2NLO3</b>

# Straps, slings & shackles

## Alloy Lifting Shackle

- Tested and certified with safety factor 6:1
- Various sizes



Size:	Code:
22mm, 4750kg	<b>LS5ABS4</b>
32mm, 8500kg	<b>LS5ABS8</b>

## Cargo Bag



- 1T
- Manufactured from woven polypropylene material, these bags are ideal for single use lifting of builders materials and rubbish
- White

Code: **LS5CB10**

## Lightweight Ratchet Strap

- 25mm x 4m
- 1T
- Lightweight load strap with ratchet tensioner
- 4m strap length
- Comes with claw hook attachments



Code: **LS2R14**

## Heavy-Duty Ratchet Strap

- 50mm wide webbing straps
- Comes with claw hook attachments
- Heavy-duty 2000kg load



Size:	Code:
50mm x 4m, 5T	<b>LS3L40</b>
50mm x 6m, 5T	<b>LS3L06</b>
50mm x 10m, 5T	<b>LS3L10</b>

## Lightweight Cam Action Load Strap

- 25mm x 2m
- Comes with S-hook attachments
- Quick action cam buckle



Code: **LS1C06**

## Webbing Lifting Sling



- Certification attached to product
- Heavy-duty, double thickness, high-tenacity polyester lifting sling with reinforced loops either end
- Individual certificate of conformity supplied with each sling
- Manufactured to the European Standard **EN1492-2:2000** with a 7:1 safety factor

Size:	Colour:	Code:
1T x 2m	Violet	<b>LS4S21</b>
2T x 3m	Green	<b>LS4S32</b>
3T x 3m	Yellow	<b>LS4S33</b>
2T x 4m	Green	<b>LS4S42</b>
3T x 4m	Yellow	<b>LS4S43</b>
3T x 5m	Yellow	<b>LS4S53</b>
3T x 6m	Yellow	<b>LS4S63</b>

## › Rope, stringline etc

### Draw Rope On Drum

- 6mm x 500m
- Ideal for use as draw cord



Code: **RO1D06**

### Chalk Line (Metal Case)

- 30m
- Heavy-duty metal case



Code: **LI4C10**

### Chalk Refill

- 250g bottle
- Choice of colours



Colour:	Code:
Blue	<b>LI4C25-BLU</b>
Red	<b>LI4C25-RED</b>

### Fluorescent Hi-Vis Nylon Brick Line/String Line

- 100m
- 8 strand branded nylon
- High-Vis



Code: **LI2HV10**

### Nylon Brick Line

- Box of 12 skanes joined
- 12m x 18m, 216m(L) total
- White nylon brick line boxed in



Code: **LI2N18**

### Polypropylene Rope

- Ideal for securing loads



Size:	Code:
6mm x 30m	<b>RO1C06</b>
8mm x 30m	<b>RO1C08</b>
10mm x 30m	<b>RO1C10</b>
12mm x 30m	<b>RO1C12</b>

### Polypropylene Rope in 220m Coils

- Ideal for securing loads



Size:	Code:
6mm x 220m	<b>RO2P06</b>
8mm x 220m	<b>RO2P08</b>
10mm x 220m	<b>RO2P10</b>
12mm x 220m	<b>RO2P12</b>
16mm x 220m	<b>RO2P16</b>



All stock held in our warehouse

For the latest pricing visit [onsite-support.co.uk](http://onsite-support.co.uk)

## › Markers & marking products

### 4 Wheeled Line Marking Applicator


- Suitable for 600ml and 750ml cans
- Stability of unit ensures long straight lines are produced with ease
- Excels in external environments where surfaces are particularly uneven or rough
- Quick and easy-to-apply spray marked lines where a crisp or clear line is not a key requirement



Code: **RE8PA4**

### Yellow Road Marking Crayons

- Box of 12
- Rectangular and unpointed yellow block
- Recommended for exterior use on asphalt, concrete, stone pavements and road surfaces at low temperatures or when surfaces are particularly wet or smooth



Code: **RE8SR1**

### French Chalk (Soapstone)

- Box of 144 (thins)
- 12mm x 5mm x 125mm
- General-purpose chalk soapstone for precise marking on steel
- Popular with engineers



Code: **HFC144**

### Constructor Line Marking Paint

- 750ml
- These paints produce a hard-wearing, fast-drying line
- For site marking and setting out
- Survey spray is a highly-visible, semi-durable marking paint, suitable for application to a wide variety of substrates including concrete, tarmac, wood and composites
- Case of 12 cans



Colour:	Code:
Black	<b>RE8MPO-BLK</b>
Blue	<b>RE8MPO-BLU</b>
Green	<b>RE8MPO-GRN</b>
Orange	<b>RE8MPO-ORG</b>
Red	<b>RE8MPO-RED</b>
White	<b>RE8MPO-WHT</b>
Yellow	<b>RE8MPO-YLW</b>

### Assorted Carpenters Pencils

- Pack of 12
- Pencils of oblong section that can be sharpened to a chisel-shaped edge
- Eliminates the tendency of a pointed pencil to follow the grain
- Ideal for marking hardwoods and brickwork



Code: **RE8CP1**

### Permanent Bullet Point Marker Pens

- Pack of 12
- Permanent, waterproof ink for almost any surface
- Robust fibre-tip pen with an aluminium barrel
- Great for marking, labelling and identifying
- Black



Code: **TSTMPEN**

For the latest pricing visit [onsite-support.co.uk](http://onsite-support.co.uk)

## Markers & marking products

### Pendant Barrier Marker

- These barriers consist of 32 red and white plastic markers suspended on a 26m plastic cord



Code: **RE8M85**

### Setting Out Pegs

- For driving into ground to set out site levels etc.
- Pack of 16
- Case of 480



Size:	Code:
600mm (24")	<b>RE5SP06</b>
1200mm (48")	<b>RE5SP12</b>

### Profile Boards

- 900mm (36")
- For easy location marking of the site setting out process
- Pack of 16



Code: **RE5PB09**

### Zebra Barrier Tape

- Non-adhesive 500m rolls x 70mm wide
- Striped for hazard warning visibility
- In handy dispenser box
- 10 rolls per box



Size:	Code:
Red/white	<b>RE7ZR5</b>
Black/yellow	<b>RE7ZY5</b>

### Danger Warning Tape

- 75mm x 250m
- Hazard Asbestos printed yellow polythene tape for cordoning off areas of danger



Code: **RE7DW75**

### Adhesive Warning Tape

- 50mm x 33m
- Self-adhesive PVC striped tape for identifying protected areas
- With strong adhesive for use on clean hard surfaces
- Identification of hazards and safety areas is recommended as follows: yellow/black – hazard warning; red/white – fire risk
- Box of 24



Colour:	Code:
Red/white	<b>TA3HR1</b>
Black/yellow	<b>TA3HY2</b>

### Underground Warning Tape 'Caution Gas Pipe Below'

- 150mm x 365m
- Designed to enable gas pipes to be located without damage



Code: **RE9UWG**

### Underground Warning Tape 'Caution Water Pipe Below'

- 150mm x 365m
- Designed to enable water services to be located without damage
- Blue



Code: **RE9UWW**

### Underground Warning Tape 'Caution Electric Cable Below'

- 150mm x 365m
- Designed to enable electric cable/pipes to be located without damage



Code: **RE9UWE**

## Liquid chemicals

### Decorator Caulk

- 300ml
- Permanent and flexible gap and crack filler, which is paintable when dry
- Coverage approx. 12m using 6mm bead
- White
- Box of 24



Code: **DE1DC3**

### Intumescent Silicone

- 310ml
- White
- Box of 15
- Conforms to **BS476 Part 20** with 4hr fire rating



Code: **FRDE1SS**

### Silicone Sealant

- 295ml
- Multi-purpose silicone sealant designed for sealing around baths and sinks
- Externally sealing joints and glazing and waterproofing of curtain walling
- Mould-resistant
- Box of 24



Colour:	Code:
White	<b>DE1SSW1</b>
Clear	<b>DE1SSC1</b>

### T-Rex High Strength Grab Adhesive

- Fibre reinforced, high-strength construction adhesive with extremely high initial grab and high bond strength
- Solvent based
- Excellent adhesion on a wide range of construction materials both in interior and exterior applications
- Sticks to common building materials including wood, plywood, plasterboard, insulation boards, breeze block, ceramics, brick, stone, tile, aluminium, metal, (galvanised) steel, concrete, screed, plaster, MDF, OSB, chipboard, PVCu and most plastics
- Initial grab: 125kg/m<sup>2</sup>
- 310ml cartridge



Code:

### Skeleton/Mastic Gun

- A metal frame mastic or skeleton gun that will accept both C20 and C30 size adhesive and sealant tubes
- Rounded shaped trigger mechanism ensures user comfort reducing the fatigue from repetitive use
- Handy nozzle cleaning pin is provided on the handle



Code: **ST5S91**

### Standard Expanding Foam

- 750ml
- Quick-setting polyurethane foam
- High-expansion foam for filling irregular gaps around door frames, ducts etc.
- Expands to 30 times its original volume
- Box of 12



Code: **FX4EF1**

### Fire Resistant Hand Held Expanding Foam B2 Grade

- 750ml
- Quick-setting polyurethane foam with fire-resistant properties
- High degree of fire rating
- Use with gun FX4EF4 (see page 212)
- Box of 12



Code: **DE1FREF1**

### Fire Resistant Gunnable Expanding Foam B1 Grade

- 750ml
- Quick-setting polyurethane foam with fire-resistant properties
- High degree of fire rating
- For use with gun dispenser FX4EF4 (see page 212)
- Box of 12



Code: **FX4EF2**

## Liquid chemicals

### Gun Cleaner

- 500ml
- Gun cleaner for filler foam gun
- Box of 12



Code: FX4EF3

### Gun Dispenser

- All-metal gun for gun grade expanding foam



Code: FX4EF4

### 2 Stroke Oil

- Suitable for use in two-stroke engines with leaded or unleaded petrol
- Handy 100ml shot bottle
- Box of 25



Code: FC5TS100

### Grease Cartridge to suit Grease Gun

- Lithium grease cartridge
- 400g
- Box of 36



Code: GG2G50

### Chemical Resin Applicator Gun

- For application of Chemfix resin



Code: FX4PR3

## Nails & screws

### Multi-Purpose Csk Pozidrive Zinc Plated Woodscrew

- Box of 200
- Quality hardened steel, zinc plated for durability
- Sharp point, deep thread and lubricated for fast drive, instant bite and superior grip



Size:	Code:
3.5mm x 12mm	FX1WS1
3.5mm x 16mm	FX1WS2
3.5mm x 20mm	FX1WS3
3.5mm x 25mm	FX1WS4
3.5mm x 30mm	FX1WS5
3.5mm x 40mm	FX1WS6
4mm x 16mm	FX1WS7
4mm x 20mm	FX1WS8
4mm x 25mm	FX1WS9
4mm x 30mm	FX1WS10
4mm x 40mm	FX1WS11
4mm x 50mm	FX1WS12
4mm x 60mm	FX1WS13
4mm x 70mm	FX1WS14
5mm x 25mm	FX1WS16
5mm x 30mm	FX1WS17
5mm x 40mm	FX1WS18
5mm x 50mm	FX1WS19
5mm x 60mm	FX1WS20
5mm x 80mm	FX1WS21
5mm x 100mm	FX1WS15

### Bright Round Wire Nails

- 25kg pack
- Very popular nail for use in all aspects of construction



Size:	Code:
50mm	FX1NA1
65mm	FX1NA2
75mm	FX1NA3
100mm	FX1NA4
150mm	FX1NA5

### Cordless Brad Nailer

- Innovative movement sensor means no battery discharge when not in use
- Up to 25% more shots per charge than other brad nailer tools
- Applications: interior fittings, furniture industry, window production, corner bonds, cabinets, small crates etc.
- For brads type SK 400 from 25mm – 64mm



Code: FX8CBN1

### Cordless D-Head Framing Nailer

- Innovative movement sensor means no battery discharge when not in use
- Up to 25% more shots per charge than other framing tools
- Applications: roofing, framing, truss building, sheathing, fencing, crate assembling, crate and pallet assembly
- Anti-slip nose
- Depth adjustment
- Rafter hanger
- 50mm – 90mm



Code: FX8CFN1

### Galvanised Nailfire Brad/Fuel Packs for IM250/IM65



- Box of 2000
- Two fuel cells
- Compatible with all leading brands of 34° D-Head gas-powered nail tools
- Fuel cell with fully-synthetic lubricant
- Sharp-pointed nail for easy penetration into all wood types
- Laminated, water resistant and extremely tough

Size:	Code:
25mm	FX2BNA1
32mm	FX2BNA2
38mm	FX2BNA3
45mm	FX2BNA4
51mm	FX2BNA5
64mm	FX2BNA6

### Galvanised Nailfire D-Head Ring Nail/Fuel Pack



- Compatible with all leading brands of 34° D-Head gas-powered nail tools
- Fuel cell with fully-synthetic lubricant
- Sharp pointed nail for easy penetration into all wood types
- Laminated, water resistant and extremely tough

Size:	Quantity:	Code:
90mm	2000 nails, 2 fuel cells	FX2RNA10
50mm	3000 nails, 3 fuel cells	FX2RNA7
65mm	3000 nails, 3 fuel cells	FX2RNA8
76mm	2000 nails, 2 fuel cells	FX2RNA9


To support a fast and efficient delivery of products to your sites, you can order our products online at [onsite-support.co.uk](http://onsite-support.co.uk)



# Plastic plugs & packers

## Plastic Batten Packers

- Pack of 200
- Gripper guides to prevent packer slipping off screw
- Colour-coded for easy selection
- Will not rot
- Cavities for easy mastic fixing
- Gripper guides to prevent packer slipping off screw
- Use for aligning battens and frames, also for spacing of flooring from walls
- All have a loading rating of 25kN
- Can be used for multiple applications



Size:	Code (short 55m):	Code (long 101mm):
Assorted colours	<b>FX3BP1</b>	<b>FX3BP9</b>
Blue	<b>FX3BP2</b>	<b>FX3BP10</b>
Black	<b>FX3BP3</b>	<b>FX3BP11</b>
Brown	<b>FX3BP4</b>	<b>FX3BP12</b>
Green	<b>FX3BP5</b>	<b>FX3BP13</b>
Grey	<b>FX3BP6</b>	<b>FX3BP14</b>
Red	<b>FX3BP7</b>	<b>FX3BP15</b>
Yellow	<b>FX3BP8</b>	<b>FX3BP16</b>

## Plastic Fixing Plugs

- Box of 1000
- Manufactured in the UK from premium-grade polymer
- Moulded with protruding side fins to restrict rotation and prevent fall out when fixing overhead
- Suitable for application into many building substrates



Size:	Colour:	Code:
5.5mm	Red	<b>FX3PP1</b>
7mm	Brown	<b>FX3PP2</b>

## Rebar Protection Cap

- High-visibility rebar protection caps designed for use throughout the construction industry, mainly for push fitting on the ends of protruding reinforcement bar to reduce the risk of serious injury
- Bag of 250



Size:	Code:
6mm – 18mm	<b>FX3RC1</b>
16mm – 32mm	<b>FX3RC2</b>



For advice on the best products, call our customer support team on 01293 744 444

# Signage



For our full range of signs please request a copy of our Signs Catalogue.

Call 01293 744 444 or Email [hello@onsite-support.co.uk](mailto:hello@onsite-support.co.uk)

**OnSite**  
support

## Site Entrance Sign

- 600mm x 450mm
- Construction signage – rigid plastic



Code: **OSC8024**

## Caution Site Entrance Sign

- 600mm x 450mm
- Construction signage – rigid plastic



Code: **OSC8004**

## Caution Heavy Plant Crossing Sign

- 600mm x 450mm
- Construction signage – rigid plastic



Code: **OSC8025**

## Caution Lorries Turning Sign

- 600mm x 450mm
- Construction signage – rigid plastic



Code: **OSC8022**

## Caution Site Traffic Sign

- 600mm x 450mm
- Construction signage – rigid plastic



Code: **OSC8008**

## All Drivers & Visitors Must Report To Site Office Sign

- 600mm x 450mm
- Construction signage – rigid plastic



Code: **OSC8015**

## Construction Site Keep Out Sign

- 600 x 200mm
- Construction signage – rigid plastic



Code: OSC8002

## Construction Site Keep Out Sign

- 600 x 400mm
- Construction signage – rigid plastic



Code: OSC8003

## Caution Fork Lift Trucks Operating Sign

- 600mm x 200mm
- Warning signs – rigid plastic



Code: OSW4009

## Think Safety Site Board with Personalised Company Logo

- 900mm x 1000mm
- Construction site signage – rigid plastic
- Multi-message safety sign enables multiple safety messages to be displayed on one sign
- Lightweight, gloss white PVC with high impact strength
- Suitable for both internal and external safety signs
- Easily drilled for wall fixing



Code: OSC8017P

## Danger Asbestos Sign

- 600mm x 200mm
- Warning signs – rigid plastic



Code: OSW4008

## Danger Deep Excavation Sign

- 400mm x 600mm
- Warning signs – rigid plastic



Code: OSW4005

## Site Safety Starts Here Sign

- 600mm x 450mm
- Construction signage – rigid plastic



Code: OSC8014

## Safety Site Board

- 1200mm x 900mm
- Construction signage – rigid plastic



Code: OSC8019

## Safety Site Board

- 600mm x 900mm
- Signs include: Hi-Vis jackets, protective footwear, hard hat area, danger, beware of trucks
- Construction signage – rigid plastic



Code: OSC8018

## Danger Demolition Work In Progress Sign

- 400mm x 600mm
- Construction signage – rigid plastic



Code: OSC8000

## Danger High Voltage Sign

- 600mm x 200mm
- Warning signs – rigid plastic



Code: OSW4002

## Danger Highly Flammable Sign

- 600mm x 450mm
- Warning signs – rigid plastic



Code: OSW4011

## Site Safety Sign

- 900mm x 600mm
- Construction signage – rigid plastic



Code: OSC8016

## Think Safety Site Board



- 900mm x 1000mm
- Construction site signage – rigid plastic
- Multi-message safety sign enables multiple safety messages to be displayed on one sign
- Lightweight, gloss white PVC with high impact strength
- Suitable for both internal and external safety signs
- Easily drilled for wall fixing

Code: OSC8017

## Danger Keep Out Sign

- 600mm x 200mm
- Mandatory signage – rigid plastic



Code: OSM5009

## Danger Men Working Overhead Sign

- 400mm x 600mm
- Warning signs – rigid plastic



Code: OSW4004

## Safety Helmets and Safety Footwear Must Be Worn Sign

- 600mm x 400mm
- Mandatory signage – rigid plastic



Code: OSM5005

# Signage

## Use Ear Protectors Sign


- 600mm x 200mm
- Mandatory signage – rigid plastic
- Lightweight, gloss white PVC with high impact strength
- Suitable for both internal and external safety signs
- Easily drilled for wall fixing



Code: OSM5002

## Eye Protection Must Be Worn Sign

- 600mm x 200mm
- Mandatory signage – rigid plastic



Code: OSM5001

## Wear Safety Harness Sign

- 600mm x 200mm
- Mandatory signage – rigid plastic



Code: OSM5007

## No Entry Sign

- 400mm x 600mm
- Prohibition sign – rigid plastic



Code: OSW3005

## No Unauthorised Persons Allowed Beyond This Point Sign

- 600mm x 200mm
- Prohibition sign – rigid plastic



Code: OSP3002

## Scaffolding Incomplete Do Not Use Sign

- 400mm x 600mm
- Construction signage – rigid plastic



Code: OSC8001

## No Smoking Sign – Small

- 300mm x 100mm
- Prohibition sign – rigid plastic



Code: OSP3000

## No Smoking Sign

- 600mm x 200mm
- Prohibition sign – rigid plastic



Code: OSP3001

## No Parking Sign

- 600mm x 200mm
- Prohibition sign – rigid plastic



Code: OSP3004

## Caution Men At Work Free Standing Sign

- 300mm x 575mm
- General free standing folding signs – plastic



Code: OSG7005

## Caution Men Working Overhead Free Standing Sign

- 300mm x 575mm
- General free standing folding signs – plastic



Code: OSG7004

## Caution Slippery Surface Free Standing Sign

- 300mm x 575mm
- General free standing folding signs – plastic



Code: OSG7003

## Caution Cleaning In Progress/ Wet Floor Free Standing Sign

- 300mm x 575mm
- General free standing folding signs – plastic



Code: OSG7002

## Health & Safety Law Poster

- 420mm x 594mm
- PVC
- Legal requirement from 5th April 2014



Code: OSHSC30

## Canteen Sign

- 300mm x 100mm
- Construction signage – rigid plastic



Code: OSC8029

## Site Office Sign

- 300mm x 100mm
- Construction signage – rigid plastic



Code: OSC8010

## Toilet Sign

- 300mm x 100mm
- Construction signage – rigid plastic



Code: OSC8030

## Water Fire Extinguisher Sign

- 75mm x 200mm
- Fire equipment signs – rigid plastic
- Lightweight, gloss white PVC with high impact strength
- Suitable for both internal and external safety signs
- Easily drilled for wall fixing
- The signs should be positioned and designed in accordance with **BS EN ISO7010:2012** to ensure maximum levels of comprehension



Code: **OSF1003**

## CO<sub>2</sub> Fire Extinguisher Sign

- 75mm x 200mm
- Fire equipment signs – rigid plastic



Code: **OSF1006**

## Dry Powder Fire Extinguisher Sign

- 75mm x 200mm
- Fire equipment signs – rigid plastic



Code: **OSF1005**

## Foam Fire Extinguisher Sign

- 75mm x 200mm
- Fire equipment signs – rigid plastic



Code: **OSF1004**

## Fire Extinguisher Sign

- 300mm x 400mm
- Fire equipment signs – rigid plastic



Code: **OSF1000**

## Fire Point Sign

- 300mm x 400mm
- Fire equipment signs – rigid plastic



Code: **OSF1001**

## Fire Action Sign

- 250mm x 300mm
- Fire equipment signs – rigid plastic



Code: **OSF1002**

## Fire Exit (Arrow Down/Left) Sign

- 450mm x 150mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2004**

## Fire Exit (Arrow Down) Sign

- 450mm x 150mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2007**

## Fire Exit (Arrow Left) Sign

- 450mm x 150mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2002**

## Fire Exit (Arrow Right) Sign

- 450mm x 150mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2003**

## Fire Exit (Arrow Up) Sign

- 450mm x 150mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2006**

## Fire Exit (Man Running Left) Sign

- 300mm x 150mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2009**

## Fire Exit (Man Running Right) Sign

- 300mm x 150mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2008**

## Fire Assembly Point Sign

- 250mm x 300mm
- Fire exit signs to **BS5499** – rigid plastic



Code: **OSFE2010**

## First Aid Sign

- 250mm x 300mm
- First aid sign – rigid plastic



Code: **OSFA6000**

## Your First Aiders Are... Sign

- 250mm x 300mm
- Under the health and safety (first aid) regulations 1981 (as amended 1997) employers have a legal obligation to assess and introduce first aid provisions; any such provisions should be easy to locate
- Lightweight, gloss white PVC with high impact strength
- Suitable for both internal and external safety signs
- Easily drilled for wall fixing



Code: **OSFA6001**

# Protection materials & tapes

## Jute Tarpaulin

- Brass eyelets and ropes
- General-purpose asphalt covering
- Waxed waterproof



Size:	Code:
3.5m x 2.75m	<b>TA2J12</b>
5.5m x 3.5m	<b>TA2J18</b>

## Hessian Roll

- 46m x 1.37m
- Hessian used in protection of brickwork and fresh concrete in colder weathers while curing takes place



Code: **PO7H12**

## FR Carpet Protection

- 600mm x 100m
- Flame-retardant properties to protect your clients carpets during refurbishment works
- Self-adhesive carpet protection



Code: **TT2FRC60**

## Damp Proof Membrane DPM Polythene

- 4m x 25m
- Heavy-duty blue and black damp-proof membrane polythene plastic sheet
- High tear resistance
- Great tensile strength
- BBA approved
- This blue polythene sheeting is suitable as a water-resistant membrane for use in concrete flooring and complies with local building regulations
- Blue: 300 micron, 1200 gauge
- Black: 250 micron, 1000 gauge



Gauge:	Colour:	Code:
1200	Blue	<b>PO4D25</b>
1000	Black	<b>POA235</b>

## Heavy-Duty Temporary Protection Polythene

- 4m x 25m
- Heavy-duty, general-purpose, temporary use polythene sheeting
- 500 gauge



Code: **PO3P25**

## Antinox Protection Sheeting



- 2.4m x 1.2m x 2mm
- Durable, impact-resistant, fluted protection board manufactured from thermally-extruded, double-skinned polypropylene sheets
- Ideal for general flooring and site protection
- Similar to Corex sheet or Correx board
- Flame retardant or non flame retardant available
- POA235 is 2mm flame retardant to LPS1207 specification

Colour:	Code:
Black	<b>POA230</b>
White flame retardant	<b>POA235</b>

## Buffalo Board

- 1m x 50m
- Durable, heavy-duty, 100% recycled cardboard
- Ideal for flooring and other site protection
- Thickness: 500 microns



Code: **PO3B35**

## Medium-Duty Temporary Protection Polythene

- 4m x 50m
- 250 gauge



Code: **PO3P50**

## Pallet Wrap

- Strong pallet wrap for the securing of equipment and parts efficiently



Size:	Code:
17 microns, 100mm x 150m mini hand rolls	<b>PO8HR10</b>
17 microns, 400mm x 300m	<b>PO8W30</b>

## Constructor Self Adhesive Carpet Protector

- 60 microns
- 600mm x 100m
- This heavy-duty, self-adhesive, clear film will protect carpets during refurbishment and maintenance contracts
- For full protection against dust, mud and paint
- Extremely high puncture and tear resistance
- Can withstand high foot traffic
- Best removed within one month for residue-free carpet
- Supplied in 100m x 60cm rolls



Code: **TT2C600**

## Heavy Duty Floor Protection

- 2m x 50m
- Heavy-duty, coated, woven polypropylene, tearproof and waterproof floor protection



Code: **PO5PP90**

## Self Adhesive Window Film Protection

- 600mm x 100m
- Transparent green
- Low-tack, self-adhesive film
- For use on smooth surfaces such as windows and worktops
- Simply roll out and press into position to provide instant protection against dust, spillages etc.



Code: **TT2WF600**

## Layflat Tubing

- 7" (175mm) x 167m
- Layflat tubing made from polythene for use as a temporary downpipe
- 7" wide for use with 4" (100mm) plastic downpipe



Code: **LT1P07**

## Antimar Flame Retardant Polythene Protection

- 2m x 50m
- 75 microns
- 300 gauge
- For a wide range of flooring and site protection applications
- A30 is embossed anti-slip medium duty
- Yellow
- Protection to LPS1207



Code: **PO5A30**

# Protection materials & tapes

## Constructor Screen Prop

- 2.1m – 3.95m
- Telescopic pole with ratchet mechanism
- Quick and easy to use to support dustscreens and temporary partitions during works



Code: **PO9SP40**

## Scaffold/Handrail Protector


- 2m
- Foam protection lengths used for reducing impact damage to finished handrails and protecting personnel



Code: **PO6HS02**

## Scaffold Fender Plus

- Pack of 4
- 250mm x 100mm
- A pre-formed foam fender to prevent mobile towers from damaging surrounding walls
- Re-usable and easy to slot into place
- Black/yellow



Code: **TT5SF3**

## Plastic Tack Mats

- Case of 4 mats (30 sheets per mat)
- 457mm x 1145mm
- Tacky dust-removing mat
- Effective dust removal



Code: **TM1P45**

## Textile Tack Mats in Rubber Surround

- 1040mm x 910mm
- Tacky dust removing mat
- Effective dust removal, heavy-duty rubber frame, saves on clean up time



Size:	Code:
1040mm x 910mm	<b>TM2T19</b>
600mm x 900mm	<b>TM2T69</b>

## Temporary Door Guard System

- Provides an instant dust barrier for temporary use
- Effective and saves time in clean up
- Quick and easy to install
- Orange



Code: **PO9DGK2**

## Door Jamb Protection, Flame Retardant



- 114mm x 2m
- Bofoam door jamb protector is a quick and easy way of protecting vulnerable door casings from traffic damage
- High-density, 13mm thick foam
- Universal size fits 99% of door casings
- 11 per box
- Fire retardant to **LPS1207**

Code: **PO6DJ2**

## Small Bubble Wrap

- 1200mm x 100m
- Small sealed bubbles for effective cushioning performance
- Ideal for packaging and protection



Code: **PO5S12**

## Large Bubble Wrap

- 1200mm x 50m
- Large sealed bubbles for cushioning



Code: **PO6L12**

## Anti-Slip Tape

- 50mm x 18m
- Non-slip tape may be used indoors or outside and can be applied to most surfaces including concrete, metal, wood and tiles
- Ideal for stairways, steps and ramps



Colour:	Code:
Black	<b>TA8AS50</b>
Black/yellow	<b>TA8ASYB</b>

## Low Tack Tape

- Ideal for use on finished surfaces, little residue is left once removed
- Tape should be stored at between 16–20°C for 24hrs prior to use



Size:	Colour:	Code:
50mm x 100m	Black	<b>TA7L50</b>
50mm x 33m	White	<b>TA7LW50</b>

## Double-Sided Polyprop Tape

- 50mm x 50m
- High-tack tape for multiple use from temporary sign erection to carpet repairs
- Great on clean, smooth surfaces



Code: **TA7D50**

## Gaffa Tape

- Use for splicing, sealing, weatherproofing carton and joining polythene, with many applications in the construction industry
- Polythene-coated fabric with a white, pressure sensitive, aggressively high-tack adhesive
- Features easy 'tear and unwind'



Size:	Colour:	Code:
48mm x 50m	Black	<b>TA2GB5</b>
72mm x 50m	Black	<b>TA2GB7</b>
48mm x 50m	Silver	<b>TA2GS5</b>
72mm x 50m	Silver	<b>TA2GS7</b>
48mm x 50m	White	<b>TA2GW5</b>

## Protection materials & tapes

### Hand Tape Dispenser

- 50mm
- Pistol grip tape dispenser for fast, efficient carton sealing
- Adjustable brake and comfort handle



Code: **TA6PD71**

### Packaging Tape – Buff Vinyl

- 50mm x 66m
- Standard-grade polypropylene packing tape
- Multi-use tape for general packaging



Code: **TA6P50**

### Insulation Tape

- 19mm x 20m
- PVC self-adhesive electrical insulation tape
- For safe marking of electrical cables
- Professional tape designed for the insulation of electrical wires
- Comes in a full range of British Standard colours
- Flame retardant (self extinguishing) with good conformability
- Conforms to **BS EN60454**



Colour:	Code:
Black	<b>TA4I19-BLK</b>
Green	<b>TA4I19-GRN</b>
Red	<b>TA4I19-RED</b>
Blue	<b>TA4I19-BLU</b>
Brown	<b>TA4I19-BRN</b>
White	<b>TA4I19-WHT</b>
Yellow	<b>TA4I19-YLW</b>
Yellow/green	<b>TA4I19-YLWGRN</b>

### Masking Tape

- 48mm x 50m
- Masking tape designed for brush and spray painting
- Can be used on most surfaces



Code: **TA5M50**

### DENSO Tape

- For the sealing of water pipes



Size:	Code:
50mm x 10m	<b>TA8DT50</b>
75mm x 10m	<b>TA8DT75</b>

## Sheeting & tarpaulins

### Constructor Heavy Duty Tarpaulin

- The unique Webbing construction provides reinforced eyelets to give flexible and numerous fixing options
- Rot proof and waterproof



Size:	Code:
5m x 4m	<b>TA0G54</b>
8m x 4m	<b>TA0G84</b>

### Constructor Woven Polyethylene Tarpaulin

- Ideal for most temporary cover work where cost is an important consideration
- Lightweight, multi-use coverings
- Fitted with eyelets allowing for easier tie-down and better protection



Size:	Code:
3.5m x 2.75m	<b>TA1B12</b>
5.5m x 3.5m	<b>TA1B18</b>
7m x 5.5m	<b>TA1B24</b>
9m x 7m	<b>TA1B32</b>
14m x 9m	<b>TA1B46</b>

### Stratec Woven Geotextile

- 4.5m x 100m
- Woven geotextiles are used in the construction of car parks, roads and below foundations as a filter to allow passage of water only
- Woven filter membrane for ground stability



Code: **GT1W241**

### Debris/Safety Netting

- Fine mesh netting mainly used on scaffolding to contain or check falling debris
- Forms barrier on scaffolding or temporary fencing
- Can be used in the workplace for the same application but it is not specifically designed to protect your workforce from the wind and rain on external applications
- Supplied in 50m rolls



Size:	Colour:	Code:
3m	Green	<b>SN2G350</b>
2m	Blue	<b>SN2B250</b>

### Fine Mesh Net/Skip Net/Truck Net

- Suitable for covering standard 8yd, 12yd, 14yd and 16yd skips
- Comes with tie down ropes
- 15' x 9'
- Green polyethylene 180gsm mesh
- PVC border for extra tear resistance
- Patched eyelets along the border
- Complete with polypropylene rope ties
- Skip not included



Code: **SN4FMN1**

### Elasticated Tying Toggles

- Single-piece
- Alternative to anchors and straps
- For easy tying of scaffold sheeting



Code: **TA0ET1**

To support a fast and efficient delivery of products to your sites, you can order our products online at [onsite-support.co.uk](http://onsite-support.co.uk)



## Sheeting & tarpaulins / Sacks

### Flame Retardant Debris Netting

- 2m x 50m
- Flame retardant, fine mesh netting mainly used on scaffolding to contain or check falling debris
- 70gsm
- Product conforms to **BS8093:1991** and **BS7955:199**
- White



Code: **SN3W250**

### Flame Retardant Scaffold Sheeting (LPS1215 rated)

- Manufactured from tough, clear polyethylene allowing the transmission of natural light
- FR properties: **CSFS2045W; LPS1215 cert no. 965B/04; BS7955**
- White



Size:	Code:
3m x 45m	<b>SS3S345</b>
2m x 45m	<b>SS2S245</b>

### Asbestos Removal Sacks

- Pack of 100
- 24" x 36"
- 340g
- Printed heavy-duty sack for the safe removal and clear ID for correct waste disposal
- Printed 'asbestos' liner sack



Colour:	Code:
Clear	<b>PO2ASC2</b>
Red	<b>PO2AS1</b>

### Constructor Heavy Duty Rubble Sacks

- Pack of 100
- 550mm x 830mm
- 92.5 microns
- Heavy-duty gauge rubble sacks for use in the strip out and removal of building waste including rubble



Code: **PA1RS1**

### Constructor Medium Duty Rubble Sacks

- Pack of 100
- 521mm x 838mm
- 75 microns



Code: **PA1RS5**

### Hessian Sandbags

- 800mm x 330mm
- Sandbags come with inbuilt ties



Code: **PO6H55**

### Polypropylene Sandbag

- 800mm x 330mm
- Polypropylene sandbag ideal for weighting signs and equipment, not including sand
- Comes with inbuilt ties
- White



Code: **PO6PSB1**

## Buckets, trays & containers

### Constructor Flexi Tub

- Ideal for multi-purpose, heavy-duty use
- Tough and flexible builder's tub with moulded handles
- Colour may vary



Size:	Code:
26ltr	<b>BU9GT26</b>
42ltr	<b>BU9GT42</b>
75ltr	<b>BU9GT75</b>

### Fork Lift Mortar Tub

- 250ltr
- For easy transportation of building materials around site or from site to site



Code: **PT3FM2**

### Galvanised Bucket

- Galvanised to prevent rust
- Ideal for use around building sites
- 12" bucket with metal handle



Code: **BU5G12**

### Galvanised V-Lipped Tar Bucket

- 3gal
- Specially designed for pouring hot tar with a large pouring spout
- Galvanised anti-corrosion finish and metal handle



Code: **BU6VT0**

### Industrial Bucket

- Everyday bucket with a 3gal capacity and metal handle
- For general purpose use
- Black



Code: **BU1B03**

### Industrial Lipped Bucket

- Heavy-duty robust bucket, with a pouring spout on the lip
- 3gal capacity with metal handle
- Yellow



Code: **BU2X03Y**

### Rubber Type Bucket

- Made of a hard-wearing rubber material with more flexibility for hard site conditions
- 3gal capacity with metal handle
- Black



Code: **BU4R03**

# Bins

## 4 Wheeled Waste Bin with Lid

- 1100ltr
- Manufactured from injection-moulded, self-coloured high-density polyethylene, stabilised against the combined effects of UV rays and water
- Produced using environmentally-friendly, recyclable materials
- No heavy metals in the pigments used for manufacture



Code: **DBOW110**

## Wheeled Dustbin with Lid

- 240ltr
- 1063mm(H) x 720 mm(W)
- Available in choice of colours



Colour:	Code:
Blue	<b>DBOW24-BLU</b>
Grey	<b>DBOW24-GRY</b>
Green	<b>DBOW24-GRN</b>
Red	<b>DBOW24-RED</b>
Yellow	<b>DBOW24-YLW</b>

## 4 Wheeled Waste Bin (without Lid)

- 660ltr
- 1160mm(H) x 1370mm(W)
- Weight: 43kg
- Wheel diameter: 200mm



Colour:	Code:
Anthracite grey	<b>DBOW660-GRY</b>
Green	<b>DBOW660-GRN</b>

## Galvanised Dustbin with Lid

- 80ltr
- Strong metal galvanised corrosion resistant dustbin, available with either a galvanised or rubber lid
- Tapered for easy stacking



Code: **DB2G15**

## Litter Picker

- 860mm (33")
- Trigger-action handle operates specially-shaped plastic jaw for easy pick-up of all types of litter
- Lightweight aluminium shaft



Code: **CJ2LP1R**

## Plastic Dustbin with Lid

- Heavy-duty polypropylene injection-moulded dustbin
- Supplied with a plastic lid
- Available in two sizes
- Height: 630mm – 715mm including lid/handle
- Bin is suitable for use with standard PO2L10 sacks – see page 157



Size:	Code:
80ltr	<b>DB1P80</b>
110ltr	<b>DB1P11</b>

## Plastic Dustbin – Coloured

- Heavy-duty polypropylene injection-moulded dustbin
- Supplied with a plastic lid



Colour:	Code:
Blue	<b>DB1P11C-BLU</b>
Green	<b>DB1P11C-GRN</b>
Yellow	<b>DB1P11C-YLW</b>

## Plastic Waste Bin

- 15ltr
- Manufactured from low-density polypropylene
- Ideal for fast disposal of waste debris
- Takes PO2SB5 bin liners – see page 157



Code: **DB2WP1**

## Swingtop Waste Bin

- 50ltr
- Handy swing top bins manufactured from low density polypropylene
- Ideal for fast disposal of waste debris



Code: **DB2WS5**

# Security

## Gas Cage

- 1200mm x 1200mm x 1800mm
- Weight: 87kg
- Quickly dismantled when not in use and stored as individual panels
- Tough galvanised build quality
- Padlock point to secure unit from theft
- Facility to fix to ground, for added security and stability



Code: **TB2TC2**

## Battery Charging Bank with 6 Doors

- 1800mm x 450mm x 300mm
- Weight: 27kg
- The secure powered locker for safe, segregated battery charging
- Power tools and mobile devices are especially vulnerable to theft when being charged on site
- Allows you to charge your equipment unattended
- Specially-designed for charging power tools, mobile phones and devices and other electrical devices; the Powerstation™ is ideal for use in the site office
- Each locker features six separate Powerstation™ compartments, each containing a double socket
- Individual locks are serial numbered for easy ordering of replacement keys
- Grey/red



Code: **TB6BB6**

## Contract Box

- Heavy-duty, with superb security
- Every strongbox is ID'd for fast key replacement
- Market-leading brand of tool vaults, offering the best combination of superb quality and excellent value for money
- Built to a very high standard, boasting many anti-jemmy features which are unique to this range
- Features the unique Internal Anti-jemmy System™
- Heavy-duty construction
- Gas struts as standard on all sizes
- Robust 5 lever deadlocks with anti-drill plates
- 6mm reinforcement around the locks to prevent drilling
- Durable Chubb style keys supplied
- Serial numbered for a rapid key replacement service
- Fully welded piano hinge
- Heavy-duty castors available
- Colour: charcoal grey



4 x 2 x 2



4 x 3 x 2

Product:	Size:	Weight	Code:
4 x 2 x 2	1275mm x 665mm x 660mm	86kg	<b>TB2BC4</b>
4 x 3 x 2	1270mm x 675mm x 975mm	106kg	<b>TB2BC43</b>

## Contract Chest

- Heavy-duty, with superb security and value for money
- Every StrongChest is ID'd for fast key replacement



Product:	Size:	Weight	Code:
4 x 4 x 2	1275mm x 675mm x 1270mm	159kg	<b>TB2CC44</b>
5 x 4 x 2	1585mm x 675mm x 1275mm	166kg	<b>TB2CC54</b>

## Flambox 4 x 2 x 2

- High and low level ventilation to release fumes
- Built to the same specification as Contractbox but with extra features for the safe storage of chemicals and flammables
- 1275mm x 665mm x 660mm
- Weight: 82kg



Code: **FB4FS4**

## Flambox 4 x 4 x 2

- Built to the same specification as Contractbox but with extra features for the safe storage of chemicals and flammables
- High and low level ventilation to release fumes
- 1275mm x 675mm x 1270mm
- Weight: 153kg



Code: **FB4FC44**

## OxBox Site Box

- 1200mm x 665mm x 630mm
- Medium-duty Strongbox, contractor specification to meet today's intense security needs on site
- Fully welded with high specification parts
- Every Strongbox is ID'd for fast key replacement
- Weight: 58kg



Code: **TB6OB42**

## Fitting of Castors to Security Boxes

- Price for application
- Will workshop fit heavy-duty castors to your sitebox



Code: **TB4CFIT**

## Fittings Store

- 800mm x 555mm x 1450mm
- Weight: 89kg
- Developed to safely secure components and tools in one location
- Adjustable shelves, removable bins and casters
- Three reinforced adjustable shelves



Code: **TB3CFC2**

## Hazardous Storage Cabinet – Medium Duty

- 900mm x 465mm x 900mm
- Weight: 28kg
- COSHH cabinets supplied with adjustable shelves and robust 5-lever deadlocks, ensuring that the contents can be kept safe and secure
- Medium-duty, suitable for chemicals or flammables



Code: **FB4HSC1**

## Vansafe Pro

- 980mm x 540mm x 475mm
- Weight: 45kg
- With anti-jemmy strip, gas struts and many great features
- 2mm steel box, 3mm steel lid



Code: **TB3VS2**

## OxBox Site Chest

- 1210mm x 640mm x 1175mm
- Weight: 104kg
- Medium-duty Strongbox, contractor specification to meet today's intense security needs on site
- Fully welded with high specification parts

Every Strongbox is ID'd for fast key replacement



Code: **TB6OB44**

## Keys Cut to suit Constructor Boxes

- Cut to suit
- We ID number every box and in the event of lost or stolen keys, we quickly provide a replacement



Code: **TB4KCUT**

## Pair of Strongbox Locks come with Spare Keys

- Tough deadbolt replacements are needed from time to time
- Quick and easy to fit



Code: **TBLCS1P**

## Brass Padlock

- Contractor brass padlocks for everyday basic use where an economy padlock is required
- Solid brass body and multi-pin tumbler mechanism
- Chrome-plated, hardened steel shackle
- Includes three brass keys



Size:	Code:
30mm	<b>PL1E30</b>
40mm	<b>PL1E40</b>
50mm	<b>PL1E50</b>

## Quality Brass Padlock

- Nickel-plated hardened shackle
- Brass anti-pick lockplate
- Solid brass body, solid brass pin tumbler cylinder



Size:	Code:
30mm	<b>PL2C30</b>
40mm	<b>PL2C40</b>
50mm	<b>PL2C50</b>
60mm	<b>PL2C60</b>
70mm	<b>PL2C70</b>

## Quality Brass Padlock – Keyed Alike

- Nickel-plated hardened shackle
- Brass anti-pick lockplate
- Solid brass body, solid brass pin tumbler cylinder



Size:	Code:
30mm	<b>PL2C30A</b>
40mm	<b>PL2C40A</b>
50mm	<b>PL2C50A</b>
70mm	<b>PL2C70A</b>

## Long Shackle Quality Brass Padlock

- Nickel-plated hardened shackle
- Brass anti-pick lockplate
- Solid brass body, solid brass pin tumbler cylinder



Size:	Code:
30mm	<b>PL3C30</b>
40mm	<b>PL3C40</b>

## Squire Combination Padlock

- 10,000 possible combinations
- Hardened steel 8mm diameter shackle
- Tough die cast alloy lock body
- Highly resistant to corrosion
- Recodable
- Dual compound body cover for comfortable handling
- Four combination wheels spaced comfortably apart
- Body width: 26mm
- Length: 50mm – 60mm
- Shackle height: 26mm
- Shackle length: 22.6mm
- Shackle width: 8mm



Size:	Code:
50mm	<b>PL9SCP1</b>
60mm	<b>PL9SCP6</b>

## Squire Stronghold High Security 4-Wheel Combination Padlock

- 65mm
- High-security padlock made from solid brass with black plastic cover
- Can be coded alike
- Hardened internal parts
- Easy to use large, brass number wheels
- Excellent cutting resistance
- Special 'pull' button (patented mechanism)



Code: **PL9SC65**

## Long Shackle Quality Brass Padlock – Keyed Alike

- Nickel-plated hardened shackle
- Brass anti-pick lockplate
- Solid brass body, solid brass pin tumbler cylinder



Code: **PL3C50A**

## Constructor Medium Security Chrome Plated Padlock

- Quality brass body with chrome weather-resistant coating to ensure security in adverse weather



Size:	Code:
40mm	<b>PL7S40</b>
50mm	<b>PL7S50</b>
60mm	<b>PL7S60</b>

## Constructor Medium Security Chrome Plated Padlock – Keyed Alike

- Quality brass body with chrome weather-resistant coating to ensure security in adverse weather



Code: **PL7S50A**

## Constructor Armoured Shutterlock

- Extra-armoured security lock
- Hardened steel armour, with a patented rotating drill-resistant plate
- Ideal for use with chain
- 80mm



Code: **PL7A80**

## Constructor Armoured Shutterlock – Keyed Alike

- Extra-armoured security lock
- Hardened steel armour, with a patented rotating drill-resistant plate
- Ideal for use with chain
- 80mm



Code: **PL7A80A**

## Digital Lock comes with Holdback SCP

- 60mm
- Security manual digital lock for ease of entry and security on your site



Code: **PL9DL1**

## Abloy Maximum Security BS EN Grade 6 Close Shackle Padlock

- 72mm
- Comes with chrome-plated brass body and case-hardened boron steel shackle
- Top quality to **BS EN12320**



Code: **PL36272**

## 6 Lever Insurance Approved Close Shackle Padlock

- 74mm
- The big 6-lever traditional style padlock, housed in a laminated steel case
- With over 1000 combinations
- Master key options



Code: **PL7ER6**

## Contractor Laminated Padlock

- Laminated steel padlock with hardened 50mm steel shackle
- Contractor type padlock



Code: **PL6E45**

## Anti-Tamper Fencing Spanner Double-Ended to suit Actavo Coupler

- 3 sq. pronged socket / 7/16" W
- Made from carbon steel with a chrome finish
- Lightweight so easy to carry in tool belts
- Fits in standard holders



Code: **HFS01**

## Light Duty Hasp & Staple

- 150mm
- Light-duty hasp and staple for basic security protection
- All-steel construction and enamel finish



Code: **PB1S6H**

## Medium Duty Hasp & Staple

- Hardened hasp with anti-corrosion finish and concealed fixings
- 150mm overall size
- All-steel construction and enamel finish



Code: **PB1SHH1**

## Key Cabinet

- Heavy-duty steel cabinet with lock for hanging keys
- Supplied with labels, wall fixings and two keys
- Display carton



Size:	Dimensions:	Code:
Small, 20 key	200mm x 160mm x 80mm	<b>KC1C20</b>
Medium, 48 key	250mm x 180mm x 80mm	<b>KC1C48</b>
Large, 93 key	300mm x 240mm x 80mm	<b>KC1C84</b>

## Plastic Key Tags

- Pack of 10
- Essential for use when wide range of keys in operation
- Removable insert
- Range of colours



Code: **KC2KT1-ASS**

## BZP Commercial Quality Chain

- Sold per metre
- Low-security, commercial-quality chain
- Bright zinc-plated chain
- 48mm x 28mm x 6mm
- 310kg SWL



Code: **CH1G06**

## BZP Case Hardened Medium Security Chain

- Sold per metre
- Bright zinc-plated chain,
- 53mm x 32mm x 8mm



Code: **CH2S08**

## Plastic Sleeved, Square Link, High Security Chain

- Thermic-treated, zinc-plated, square section, high-security chain
- Ideal for use with shutterlocks and chrome-plated padlocks
- Sleeved with translucent plastic to prevent any scrapes or damage to painted surfaces
- Can be trimmed where required, and used in any application from prevention of access, chaining plant and possessions to anchor points



Size:	Code:
8mm x 1m	<b>CH4S08</b>
10mm x 1m	<b>CH4S101</b>
10mm x 2m	<b>CH4S102</b>

## Light Duty Plastic Sleeved Chain & Padlock

- 900mm
- Low-security, plastic-sleeved chain
- Comes with 45mm laminated padlock
- Chain: tough, rounded, hardened steel links; weather-resistant PVC sheath; internal link size (16mm x 38mm); for use with larger padlock shackles
- Padlock: solid brass mechanism; rubber grommets on shackle and protective base for weather resistance; key cover plate
- Includes three steel keys



Code: **CH5G36**

## Heavy Duty Security Chain comes with Wear Sleeve & Padlock

- 900mm
- High-security 10mm square link, zinc-plated, hardened-steel chain with nylon sleeve
- Comes with heavy-duty, close shackle padlock



Code: **CH5V900**

## Square Link High Security Chain (per metre)

- Square section, high-security chain
- Zinc-plated and thermic-treated for security and anti-corrosion
- 57mm x 37mm x 10mm



Code: **CH4U10**

## Convex Security Mirror

- For both external and internal use
- Manufactured from a special synthetic material
- Includes fitting kit for fixing to flat surfaces
- Wide convex field of vision



Size:	Code:
400mm	<b>SM1S400</b>
600mm	<b>SM2S600</b>



For advice on the best products, call our customer support team on **01293 744 444**

# Fuel & liquid storage

## Steel Fuel/Jerry Can

- 20ltr
- UN and NATO certified
- Metal can comes with long plastic vented spout and approved for the carriage of dangerous substances
- TUV approved item
- Spout comes separately: FC3C00



Code: **FC2S20**

## Clip-on Flexible Spout to suit Jerry Can

- Fits 20ltr Jerry Can: FC2S20



Code: **FC3C00**

## Plastic Fuel Can

- 5ltr
- Plastic fuel can made from HDPE, complying with **SI 1982/630** in different colours
- T.U.V-approved item
- Available in different colours



Colour:	Code:
Green	<b>FC1P5G</b>
Red	<b>FC1P5R</b>

## Round Plastic Funnel

- 6"
- HDPE round funnel for easy filling of containers or fuel tanks
- Comes with a sturdy integral side handle for control in use



Code: **FC4PF1**

## Anti Explosive Fuel Can

- Explo-safe fuel can contains a flame suppressant material
- All supplied with flexible spout
- Available in 5ltr and 10ltr capacities
- Testing carried out by T.U.V. product safety group to DIN 7242
- 5/10lt Standard/Explosafe spec UN group 3 packing code 2 REF/A1/Y1.2/200/13/GB/6227
- Paint finish in petrol-resisting epoxy/polyester
- Body embossed with petroleum spirit
- Yellow



Code: **FC2NE10YE**

## Tractor Funnel comes with Filter

- Sturdy rectangular plastic 'tractor' funnel
- Comes with an integral filter to stop particles from entering container



Code: **FC4TF0**

## Backpack Sprayer

- 20ltr
- Designed for a wide variety of uses
- Pressurised by side handle
- Suitable for all agricultural chemicals
- Easy-carry unit for contract and domestic use



Code: **WC3BPS15**

## Rotary Action Pump

- Cast-steel body with machined bore and rotor
- Suitable for oils, antifreeze, degreasants and other non-corrosive fluids
- Suitable for use on 205ltr tubs
- Delivers approximately 0.2ltr/revolution



Code: **PU2R10**

## Water Container (Without Tap)

- 25ltr
- Great for storage of water on site



Code: **WC2T25**

## Water Butt Stand

- For water butt complete with lid and tap – WB1P50 sold separately
- Black



Code: **WB1S15**

## Water Butt comes with Lid & Tap



- 920mm(H) x 6620mm(W) x 640mm(D)
- 225ltr (50gal)
- Supplied complete with lid and tap
- Suitable for use commercially or in the garden
- Divert and store rainwater for many site uses

Product:	Code:
Water butt	<b>WB1P50</b>
Water butt connections	<b>WB1PC1</b>

## Contractors Water Butt

- 225ltr (50gal)
- Ideal heavy-duty container for the bulk storage of water
- Great for site use



Code: **WB2P45**

## Water Butt Diverter Kit

- Direct rain water from downpipe, collecting even more rain water than with water butt alone
- Fits any water butt
- Comes complete with easy-to-follow installation instructions and a 0.5m hose
- For use with standard 65mm square and 68mm round plastic downpipes
- Not suitable for cast iron downpipes



Code: **WB1DK1**



All stock held in our warehouse

## Work benches

### Armorgard Cutting Station

- Neat, mobile workstation that eliminates the need for a separate cutting room
- Essential for safely cutting lengths, such as conduit, timber, cable tray and pipe
- Sound-deadening, fire-rated foam minimises noise pollution
- PVC curtains to contain sparks and rubber mat to reduce vibration
- Heavy-duty, all-swivel wheels for easy moving
- New lighting, chamfered corners to further reduce noise and a new expandable working area
- Cutaway sides cater for easier handling of longer lengths, and improved support arms are now quicker and easier to change between four different configurations
- Extraction and air filtration units can easily be fitted and a roomy, lockable cupboard provides secure storage vibration
- Recessed 110V inlet power supply, and two 110V internal sockets
- Swarf collector with dust extractor connection and optional extra dust extraction or air filtration system
- Extendable back panel provides extra workspace for mitre saws and new and improved lighting position for increased productivity



All complemented by a secure cabinet section to keep your tools safe

Code: **TB8CS1**

### Constructor Heavy Duty Folding Workbench



- 1080mm x 750mm x 820mm
- Weight: 28kg
- Versatile and easy-to-use mobile work platform
- Designed for contractors on the move, and is perfect for use on construction sites
- Quick and easy assembly system with no detachable parts
- Durable and built to last, the surface is manufactured from sustainable pressed timber, and is ideal for use with attachments such as power tools, vices and pipe threaders
- No detachable parts – stays together as one unit
- Durable timber work surface and powder-coated frame for long-lasting dependability
- Folding legs secured with a chain when shut
- Metal edge flush with wooden work surface
- Includes a handle and wheels as standard
- 6" engineers vice
- 4" chain vice

Code: **TB8WB1**

## Site electrical

### 240V 13A Extension Lead comes with 4 x 13A Sockets

- Four gang-trailing extension lead with 2m of cable
- Impact-resistant block and plug
- 230V
- 13A rated
- Maximum power 3120W
- Neon indicator



Code: **SR4E424**

### 110V 32A Extension Lead

- 14m x 4mm
- Arctic-grade extension cables, complete with 32A 110V plug and coupler
- Hard-wearing cable for safe distribution
- 110V trailing lead comes in three heavy-duty versions, 14m(L) in 1.5mm and 2.5mm cable
- All trailing leads are fitted with a hardened plastic plug and socket, this gives added durability and protection from being dropped and dragged around the ground etc.



Code: **SR5E321**

### Extension Lead 1.5mm – 16A



- 14m
- Arctic-grade extension cables, complete with 16A 110V plug and coupler
- Hard-wearing cable for safe distribution
- 110V trailing lead comes in three heavy duty versions, 14m(L) in 1.5mm and 2.5mm cable
- All trailing leads are fitted with a hardened plastic plug and socket, this gives added durability and protection from being dropped and dragged around the ground etc.

Size:	Colour:	Code:
110V, 16A	Yellow	<b>SR4E11</b>
240V, 13A	Blue	<b>SR4E24</b>

### 240V 13A Cassette Cable Reel comes with 2 x 13A Sockets

- 10m
- Enclosed cassette-style reel with carry handle and two 13A sockets



Code: **SR6R10**

### Extension Lead 2.5mm – 16A

- Arctic-grade extension cables, complete with 16A 110V plug and coupler
- Hard-wearing cable for safe distribution
- 110V trailing lead comes in three heavy duty versions, 14m(L) in 1.5mm and 2.5mm cable
- All trailing leads are fitted with a hardened plastic plug and socket, this gives added durability and protection from being dropped and dragged around the ground etc.



Code: **SR5E11**

### 4-Way 16A Splitter Box

- Four 16A outlets
- Enables easy distribution of power
- Comes with 5m x 1.5mm cable and plug



Code: **LG1S105**

## 240V 13A Cable Reel comes with 2 x 13A Sockets



- Cable reels feature a sturdy steel frame construction with carry handle for easy movement
- For safe distribution of power
- Comes with two outlet sockets to run one or more power tools etc.
- Sockets protected with spring-loaded protection flaps to keep unwanted debris out when not in use
- Winding knob for easy and tangle-free reel-in

Size:	Code:
25m	<b>SR6R25</b>
50m	<b>SR6R50</b>

## Powertool Transformer

- Designed for use on the worksite to provide power to industrial powertools
- Heavy-duty GPR waterproof case with two 110V 16A outlets
- Rated to IP44, making it fully weatherproof and therefore suitable for use in most types of outdoor and worksite conditions



Size:	Code:
3.3kVA	<b>SR3T33</b>
5kVA	<b>SR3T50</b>

## Spider Ball

- Four recessed 16A 110V outlets
- Four visible power indicators
- Weighted to keep upright
- Cable tidy with securing strap
- Tough, no-tangle, polycarbonate design



Code: **LG1SB5**

## Water Proof Pocket Anemometer

- 14mm backlit LCD display
- Measures air speed and temperature
- Supplied with robust waterproof case



Code: **AN1KA2**

## 110V 16A Cable Reel comes with 2 x 16A Sockets

- Cable reels feature a sturdy steel frame construction with carry handle for easy movement
- For safe distribution of power
- Comes with two outlet sockets to run one or more power tools etc.
- Sockets protected with spring-loaded protection flaps to keep unwanted debris out when not in use
- Winding knob for easy and tangle-free reel-in



Size:	Code:
25m	<b>SR5R25</b>
50m	<b>SR5R50</b>

## Site Transformer

- Safe distribution of power
- 10KVA (continuously rated) delivers 10,000 volt amps at 110V



Code: **SR4TC10**

## 110V LED Festoon Kit

- 10 bulbs
- LED (Light Emitting Diode) festoon with high-quality LED fittings that deliver energy-saving, increased light output and user safety
- 110V
- 22m
- Yellow



Code: **LG6LFK2**

## Socket 110V

- For use with trailing leads
- Yellow



Size:	Code:
16A	<b>PS1S116</b>
32A	<b>PS1S132</b>

## Plug 110V

- For use with trailing leads and power tools
- Yellow



Size:	Code:
16A	<b>PS1P116</b>
32A	<b>PS1P132</b>

## Spider Pod 3 Way Distribution Unit

- 16A
- No-tangle power distribution splitter unit
- Innovative, portable distribution unit for site and industrial use
- Packed with useful features that give clear advantages over traditional steel splitters



Code: **SR4SP4**

We offer a Cabling Audit.  
See [page 17](#) for more information.

**OnSite**  
support

# Lighting & torches

## ES Light Bulbs

- 110V, 60W
- Standard GLS bulbs
- ES Fitting
- Conventional design in variety of ratings



Code: **LG2160E**

## ES 10W LED Light Bulb

- 10W
- Energy efficient option
- 860 – 900 lumen
- 6500k colour temperature



Code: **LG2LED1**

## BC 10W LED Light Bulb

- 10W
- Energy efficient option
- 860 – 900 lumen



Code: **LG2LED2**

## Fluorescent Tubes

- Replacement fluorescent tubes for site lighting
- 110V
- Available in various lengths



Size:	Code:
18W 2'	<b>LG2FT2</b>
58W 5'	<b>LG2FT5</b>

## 2D Fluorescent Task Light

- 38W
- 110V
- Versatile light that can be used when working inside or in a confined space
- 2D low energy 38W bulb
- Low-energy, floor-standing task light



Code: **LG4L40**

## Uplight V3 complete with 4 x 16A Outlets (2 Parts)

- 110V 18W fluorescent uplight stick complete with base with power take off points
- Plugs already fitted
- Ideal for the site environment
- Increased light output
- Fitted with 0.6m of H05 RNF 2 core 1mm<sup>2</sup> rubber cable.
- IPX4 rated, 110V IPX4, 240V IPX4 if connected to a suitable IPX4 rated socket outlet
- Fitted with a high output Philips tube with a protective coating. If the lamp breaks this ensures quick and clean lamp replacement
- Anti-slip rubber base
- Moulded scaffold fixing points
- Base includes 4-way 110V splitter for increased versatility
- Power: 54W
- Frequency: 50Hz
- Cable: 0.4m H05 RNF 1.5mm 2C (exposed)
- Weight: 8.9kg
- Lumen output: 4500 lumen



Code: **LG4U43**

## 10W Rechargeable LED Cob Light with USB Outlets

- 172mm x 127mm x 46mm
- 1000 lumen
- IP65 rated
- 4,400mAh Li-ion battery pack
- Running time 4 hrs; Charge time 8 hrs
- Fully CE certified and RoHS compliant
- 3 lighting modes: 100%, 50% and SOS flash



Code: **LG5RL2**

## Uplight V2 Stick Only

- 1600 lumen
- 6500K
- With daisychain socket
- Base requires ballast filling
- 110V 18W fluorescent uplight stick that can be used in conjunction with separate 'Wobble' Base unit
- Shoulder strap supplied



Code: **LG4U42L**

## 20W SMD LED Task Light

- IP54 rated
- 110V, 20W
- 2000 lumen



Code: **LG5L40-110**

## LED Task Light 110V

- Versatile, low-energy LED light
- Can be used when working inside or in a confined space



Code: **LG4LEDT2**

## Constructor 60W Twin LED Wired Work Light

- One of the brightest and most resilient LED lights on the market
- On-board multiple voltage capability 100V – 240V
- Folds together to protect LEDs when not in use
- Easy-to-carry handle
- 6000K, 4800 lumen LED creating better light
- IP65 rated
- Optional tripod
- 3m lead length
- Locking clip to prevent damage in transport



Product:  
Wired work light  
Quick release adaptor

Code:  
**LG5BL6**  
**LG5BL2A**

## 20W COB LED Single Head Tripod Floodlight (1800 Lumen)

- 195cm(H) x 20cm(W) x 11cm(D)
- 110V, 20W
- RoHS compliance and level IP44
- 3 metre cable
- 50,000 hours lifespan



Code: **LG5L30S-110**

## 40W (2 x 20W) COB LED Twin Head Tripod Floodlight (3600 Lumen)

- 195cm(H) x 54cm(W) x 11cm(D)
- 110V, 40W
- RoHS compliance and level IP44
- 3 metre cable
- 50,000 hours lifespan



Code: **LG5L30T-110**

# Lighting & torches

## 60W (2 x 30W) COB LED Twin Head Tripod Floodlight

- 660mm minimum tripod height – 1800mm maximum height
- Two 30W COB LED Floodlights
- 60W (twin 30W) design using COB LEDs
- IP65 rated
- Two height-locking legs on tripod minimises trip hazard
- 4800 lumen
- High-visibility yellow



Code: **LG5L60T**

## Tripod to suit Constructor LED Rechargeable Work Light

- Tripod to suit LG5BL1
- Comes with connector



Code: **LG5BL1T**

## Constructor Twin LED Rechargeable Work Light

- Comes with mains and car charger
- Tripod sold separately – LG5BL1T
- Rechargeable 240V plug
- LED life time 25,000hrs
- Two 30W lights giving 3600 lumen
- IP65 rated
- LED bulb creating better light
- 12V vehicle and mains chargers
- Recharge time is 5.5hrs
- 2.5hrs on 100% power
- 5hrs on 50% power
- 7hrs on 30% power
- Easy-to-carry handle
- Dimmer switch function

### Benefits:

- No need for a 3kva transformer
- No issue in regards to disposing of fluorescent tubes
- Easy to set up and take down
- Easy to transport and store
- Locking case to prevent damage in transport
- No more leads

### Uses:

- When working in a large area, it can be hung in several ways
- Fit-out projects when lights have been removed
- Back-up in case of power failure
- When out surveying a project
- Snagging
- Working in loft locations
- Ceiling voids
- Workshop



Product:	Code:
Work light	<b>LG5BL1</b>
Spare battery	<b>LG5BL1B</b>
Spare charger set	<b>LG5BL1C</b>
Quick release adaptor	<b>LG5BL1A</b>

## Rechargeable Powerful COB LED Torch and Inspection Work Light

- High-quality rechargeable torch with 2000mAh Li-ion battery and USB charging lead
- Run time: up to 5hrs
- Charging time from fully discharged: 3hrs
- Supplied with 1m USB charging cable
- 170 lumen, 3W CREE white LED (torch) and 3W red and white
- Also equipped with red LEDs
- Extra features include safety hammer and belt cutter for emergency use
- Aluminium and ABS construction with a weight of 305g
- Lighting mode: XPE High-Low-Flash (Press the switch for 3secs); White COB: High-Low (Press the switch for 3secs) Red COB: Strobe-weak flash
- Compass on the base should you feel the need to engage in orienteering



Code: **LA1WL2**

## Premium CREE LED Head Torch with Non-Contact On/Off, Beam Focus

- LED head torch with white and red light modes
- 180 lumen with 50m beam
- CREE LED technology and 5yr guarantee
- Splash resistant to IPX4
- Tilt adjustment
- Non-contact infrared on/off switch
- Three band fitting – over and around the head

## LED Head Torch with White & Red light Modes

- Fully-adjustable and elasticated strap
- 100 lumen
- 57m beam
- Battery life: 8hrs
- Three ultra-bright LED
- 3 x AAA batteries included
- Four operating modes: 1 LED @ 100%, 1 LED @ 50%, 2 Red LED solid and 2 Red LED Flashing
- Durable tilt-adjustable body



Code: **LA1HT2I**

3 x AAA batteries included



Code: **LA1HT4I**

## High Power LED Varta Head Torch

- Pivoting water-repellent head
- Three-position slide switch
- Three white LEDs
- One red LED
- Supplied with 3 AAA batteries
- 22 lumen output
- 30hr run time on white LEDs, 38hr run time on red LEDs



Code: **LA1VART1**

## Lighting & torches

### Quality 150 Lumens LED Torch comes with Charger



- Will last up to four hours on full charge
- Adjustable handle and swivel stand
- Brightness: 150 lumens
- Battery life: 4hrs
- Beam: 400m
- Weight: 670g
- Adjustable handle and swivel stand
- AC/DC mains adaptor and 12V DC car charger supplied
- Carry strap
- Battery: 3.7V, 2Ah lithium
- Charging indicator light
- Rubber cover on/off button
- Lightweight
- Yellow

Code: **LA1TR4**

### Constructor Hand Torch comes with Battery



- Fitted with Krypton bulb giving 70% more light than standard bulb
- Supplied with 996 6V battery

Code: **LA1T05B**

### Quality Aluminium 2 Cell Torch

- Comes with two 'D' Batteries
- Quality aluminium baton type two-cell torch with Xenon bulb
- Water-resistant and high-impact resistance
- 100 lumen
- 150m beam
- 10hrs battery
- One ultra-bright LED
- Precision engineered
- 2D alkaline batteries included
- IPX4 water-resistant
- Rubber side button switch
- Withstand 1m drop
- Long life LED
- 50,000hrs (non-replaceable)
- Silver



Code: **LA1UA2D**

### Aluminium Torch

- Requires 2 x AA batteries, which are included
- Precision-engineered aluminium
- Water-resistant
- Rubber side button
- Can withstand 1m drop
- Long life LED 50,000hrs (11yrs) (Non-replaceable)
- 90m beam
- 2.5hrs battery
- One ultra-bright LED



Code: **LA1UAAA**

### Alkaline Battery

- High power alkaline battery



Size:	Code:
LR03, AAA 1.5V, pack of 10	<b>LA3LR03</b>
LR6, AA 1.5V, pack of 10	<b>LA3LR6</b>
LR14, C 1.5V	<b>LA3LR14</b>
LR20, D 1.5V	<b>LA3LR20</b>
9V	<b>LA3LR9V</b>

### 6V 996/4R25 Battery

- 996/4R25 Zinc chloride battery
- Ideal for road lamps and torches




Code: **RE3B96B**

## Cable management

### Constructor Cable Protection Ramp

- A versatile cable protection system for power cables, leads and hoses, suitable for both indoor and outdoor use
- 15T max. weight
- Overall size: 860mm x 600mm x 80mm
- 16kg
- With 3 x 70mm x 60mm cable channels



Code: **CMPR09**

### Constructor Multipurpose Cable Hook

- Pack of 10
- Non-conductive, tough plastic cable hook suitable for electrical cables
- Versatile for most applications



Code: **CMCH01**

### Cable Ties – Black

- Pack of 100
- Standard moulded, one piece cable ties, ideal to secure netting or signage
- Black



Size:	Code:
200mm (8") x 4.8mm	<b>SN2T08</b>
300mm (12") x 4.8mm	<b>SN2T12</b>
450mm (18") x 4.8mm	<b>SN2T18</b>

### Cable Ties – Mixed Colours

- Pack of 700 (100 of each colour)
- 12" (300mm) x 4.8mm
- Standard-moulded, one-piece cable ties, ideal to secure netting or signage
- Green, yellow, brown, orange, purple, white and red



Code: **SN2T12C**

### Constructor Tower Cable Stand

- Includes base and post
- Fully portable, highly visible and very stable
- Height adjustable: 1520mm – 2560mm
- Water or sand fillable



Product:	Code:
Cable stand	<b>CMTS10</b>
Replacement cable grip	<b>CMTS10R</b>

## Constructor Standard Ladder Clamp

- Easy-to-use clamps designed to lock ladders and steps securely in place whilst on a roof rack



Code: **AA1A15**

## Quality Painted Adjustable Steel Acrow Style Prop

- 1.7m – 3.1m
- Designed to support a range of floors
- Head and base plates: 150mm x 6mm to **BS4360** with 38mm dia. hole
- All props are manufactured to **BS4074:1982** and tested to **BS5507-3:1982**



Code: **AP1H02**

## Steel Trestle Bandstand

- Traditional builders trestle available in a range of sizes, for use with trestle boards
- Traditional access equipment



Size:	Code:
725mm – 1170mm (size 2)	<b>TR1C02</b>
1065mm – 1710mm (size 3)	<b>TR1C03</b>

## Hop-Up Platform

- 600mm x 600mm x 510mm
- Aluminium
- With a platform height of 0.51m
- 1.1m x 0.6m working area
- Splayed base for extra stability
- Compact folded dimensions for easy storage
- Lightweight and easy to transport
- Simple to use
- Perfect for all odd jobs
- Large slip-resistant platform

## Tradesman Hop-Up Work Platform

- 1000mm(L) x 360mm(W) x 500mm(H)
- With a platform height of 0.5m
- Simple and safe to use with locking hinges for added safety
- Folds flat for easy storage, and will easily fit in the boot of any car
- Wide and deep non-slip platform
- Lightweight and easy to transport



Code: **TW3HU47**

## Safe Step Hop-Up

- 450mm x 370mm x 300mm(H)
- Heavy-duty plastic step which provides a safe, low level access platform ideal for use on construction sites, warehouses, factories offices or even around the home
- Slightly tapered sides mean the step is very stable
- Perforated, slip-resistant platform
- Rubber inserts in the feet allow the step to be used on all types of surface
- Steps can also be stacked inside each other to ease storage and transportation requirements
- 2kg
- 150kg SWL



Code: **TW3HU30**



Code: **TW3SS45**

## 2 Section Trade Aluminium Extension Ladder

- Features rectangular box section stiles for extra strength and rigidity
- Large 'D' shaped rungs
- **EN131**



Size:	Code:
2.5m – 4.25m, 9 rung	<b>AL2D25</b>
3m – 5.25m, 11 rung	<b>AL2D30</b>
3.5m – 6.25m, 13 rung	<b>AL2D35</b>
4m – 7.25m, 15 rung	<b>AL2D40</b>
4.5m – 8.25m, 17 rung	<b>AL2D45</b>
5m – 9.25m, 19 rung	<b>AL2D50</b>
5.5m – 10m, 21 rung	<b>AL2D55</b>

## Aluminium Single Section Roof Ladder

- 5.55m (18' 3")
- Single-section aluminium roof ladder with strong box section stiles and bearer bars with PVC sleeve to protect roof
- Conform to strength requirements **EN131**



Code: **RL4S56**

## 3 Section BS2037 Class 1 Heavy-Duty Ladder

- Heavy-duty, class 1 industrial aluminium ladders with box section stiles with extra large flat top, twist proof, non-slip rungs



Size:	Code:
2.5m	<b>AL1HT25</b>
3m	<b>AL1HT30</b>
3.5m	<b>AL1HT35</b>
4m	<b>AL1HT40</b>

## 3-Way Combination Ladder

- Light-duty aluminium
- Extremely versatile combi-ladder giving three options: stairway, extension, and double-sided steps
- **BS2037 class 1**



Code: **CS2Z830**

## Extending Aluminium Roof Ladder

- Extending aluminium roof ladder with strong box section stiles and bearer bars
- Close length: 4.1m
- Conform to strength requirements of **BS EN131**



Code: **RL10D40**

## 3 Section Trade Aluminium Extension Ladder

- Features rectangular box section stiles for extra strength and rigidity
- Large 'D' shaped rungs
- **EN131**



Size:	Code:
2.5m – 6m, 9 rung	<b>AL2T25</b>
3m – 7.5m, 11 rung	<b>AL2T30</b>
3.5m – 9m, 13 rung	<b>AL2T35</b>
4m – 10m, 15 rung	<b>AL2T40</b>

## 3-Part Combination Aluminium Ladder

- Three-part Skymaster is a free standing extending ladder
- Multi-purpose triple extension aluminium ladder
- Can be used as a double-sided step ladder



Size:	Code:
2.45m – 5.8m, 8 rung	<b>CL1228</b>
3m – 6.9m, 10 rung	<b>CL1229</b>

## Telescopic Ladder

- 3.3m
- Telestep is the worlds first telescopic ladder – only 740mm when closed, but extending to 3.3m
- 9kg(W)
- Extra length 3.8m version available to special order



Code: **TL1TE1**

## Class 1 Aluminium Builders/ Painters Steps

- Quality range of aluminium swing back steps designed for trade and industrial use
- Locking stays, non-slip serrated treads, and rubber non-slip feet



Size:	Code:
4 tread, 810mm top	<b>AS1T04</b>
6 tread, 1258mm top	<b>AS1T06</b>
8 tread, 1712mm top	<b>AS1T08</b>
10 tread, 2170mm top	<b>AS1T10</b>
12 tread, 2629mm top	<b>AS1T12</b>

## Fibreglass Builders/Painters Steps

- Range of quality fibreglass steps representing excellent value
- Heavy-duty stiles fitted with wide serrated aluminium treads
- Metal stays and non-slip rubber feet



Size:	Code:
4 tread (3 step + 1 top brace)	<b>FS2T04</b>
5 tread (4 step + 1 top brace)	<b>FS2T05</b>
6 tread (5 step + 1 top brace)	<b>FS2T06</b>
8 tread (7 step + 1 top brace)	<b>FS2T08</b>
10 tread (9 step + 1 top brace)	<b>FS2T10</b>

## Steel Pole Ladder

- Heavy-duty, all-steel, single-section ladders
- A classified alternative to timber pole ladders, with large box section sides and non-slip feet
- Overall width of 430mm increases stability



Size:	Code:
4m (13' 0")	<b>SPL104</b>
6m (19' 8")	<b>SPL106</b>

## Timber Pole Ladder

- Finest-quality, heavy-duty ladders
- Matched whitewood stiles
- Finished with two coats of ladder varnish
- With hardwood rungs at 250mm
- Strengthening tie rods



Size:	Code:
3m (10' 0")	<b>TPL203</b>
4m (13' 0")	<b>TPL204</b>
5m (16' 5")	<b>TPL205</b>
6m (19' 8")	<b>TPL206</b>

## PAS 250 Contractor Anti-Surf Aluminium Podium Platform

- Platform deck and access ladder
- Saloon gates for easy access which also act as stoppers for extra safety
- Two platform heights and non-removable stabilisers
- Anti-surf as standard
- Certified to **PAS250**



Size:	Code:
725mm – 975mm	<b>TWPAS250-1.0M</b>
975mm – 1225mm	<b>TWPAS250-1.2M</b>
1225mm – 1475mm	<b>TWPAS250-1.5M</b>

## Sherpa Telescopic Work Platform

- New HSE-approved alternative to both steps and podium platforms, with more built-in safety features
- Platform with guard rail and toe board
- **NF P 93-352** certified



Size:	Code:
1.06 – 1.52m	<b>TW5T152</b>
1.77 – 2.23m	<b>TW5T223</b>

## Good To Go Safety Check Book, Ladders

- 25-page check book retains carbon copies of all the completed equipment checks for management records
- Completed checklist is placed inside tag for all to see



Code: **GTG304**

## Good To Go Safety Check Book, Scaffold Tower

- 25-page check book retains carbon copies of all
- Completed checklist is placed inside tag for all to see



Code: **GTG303**

## Good To Go Safety Intro Kit, Scaffold Tower

- Kit: 320mm x 125mm x 40mm
- Kits containing all the items required, all in one kit, under one code
- Contents: 1 Status Tag, 100 Tamper Evident Seals, 2 Check Book, 1 Check Book Wallet & Pen



Code: **GTG310**

## Good To Go Status Pod

- Tamper evident status tag to display the current status of the equipment it is attached to



Code: **GTG301**

## The Yellow Book, Ladder Management Reference Folder

- Contains all elements needed to manage ladders in one, easy reference, loose leaf binder
- Management system register for laddertag



Code: **TLTYB5**

## Laddertag Management System

- Ladder safety system components
- Consists of one holder and one insert
- Complete management system
- Regulations require ladders to be checked for damage, faults and wear before use



Code: **TLTTAG3**

## Single Replacement Laddertag Registration Cards

- Ladder safety system components
- Complete management system
- Regulations require ladders to be checked for damage, faults and wear before use



Code: **TLTTAGR**

## Nanotag Management Tag System

- Consists of one holder and two cable ties
- Tough, durable safety management tagging system, purpose-designed for plant and machinery that has minimal attachment space
- Plastic tag and replacement card



Code: **TNTTAG5**

## Single Replacement 'Next Test' Insert Registration Card For Nanotag

- Replacement card for TNTAAG5
- Yellow



Code: **TNTNTRC-YLW**

## Access

### Microtag Management Tag System

- Consists of one holder and two cable ties
- Particularly useful for identifying small plant equipment including harnesses and lifting gear
- Plastic tag and replacement card



Code: **TMTTAG4**

### Single Replacement Microtag Card Showing "Next Test Date"

- 47mm x 30mm
- For TMTTAG4



Code: **TMTRTAG**

### Towertag Management System

- Consists of one holder and two inserts
- Complete management system for aluminium towers with same features as the Scafftag
- Approved tower safety system



Code: **TSTTTA2**

### Single Replacement Towertag Registration Cards

- Replacement card for TSTTTA2



Code: **TSTTTA2R**

### Scafftag Management System

- Complete management system for scaffold comprising durable, high visibility, weatherproof holder and two inserts
- Approved scaffold safety system



Code: **TSTTAG1**

### Single Replacement Scafftag Registration Cards

- Scafftag replacement card for TSTTAG1



Code: **TSTTAGR**

### Scafftag Microtag Orange PAT Test Insert Cards

- Clearly display last test date, maintenance and identification data at point of use
- Increase safety and communication



Code: **TMTTAG5**

### Podium Tags

- Pack of 10
- Complete management system suitable for use on any podium
- Contains: 10 durable, weatherproof holders, 10 hard wearing, double-sided tags, and 1 permanent pen
- Any working at height systems should be inspected daily and a record of inspection kept



Code: **TPTTAG1**

### Permanent Finepoint Marker Pen

- Pack of 10
- Permanent marker pen to suit Scaff and Laddertags



Code: **TSTPEN**

## Painting & decorating products

### Constructor 5 Piece Paint Brush Set

- ½" – 2½"
- Convenient range of sizes for all applications in one set



Code: **PB5PBS5**

### Economy Paint Brush

- Contract brushes often used in resin, floor paint, tar and other one use applications



Size:	Code:
25mm (1")	<b>PB1E10</b>
50mm (2")	<b>PB1E20</b>
75mm (3")	<b>PB1E30</b>
100mm (4")	<b>PB1E40</b>

### Professional Paint Brush

- Professional brushes to bring a quality finish to your paintwork



Size:	Code:
50mm (2")	<b>PB2P20</b>
75mm (3")	<b>PB2P30</b>
100mm (4")	<b>PB2P40</b>

### Plastic Paint Kettle

- 2.5ltr
- Plastic paint kettle for ease of paint distribution and cleaning
- Paint brushes not included



Code: **PH6PK25**

### Paint Roller Frame

- 305mm x 230mm x 50mm cage frame plastic handle push fit
- Weight: 326g
- Iron, zinc-plated



Code: **PH2P09**

### Medium Pile Roller Sleeve

- 230mm (9")
- Manufactured to standards for use by both professional painters and decorators



Code: **PR2M09**

### Industrial Metal Roller Frame

- 380mm (15")
- Double-arm steel paint roller frame will accommodate the jumbo professional range of roller refills



Code: **PROF15**

### Plastic Roller Tray

- 230mm (9")
- For easy application to the roller sleeve
- Manufactured in plastic for ease of cleaning and durability
- For ease of filling roller before application



Code: **PH5T09**

### Paint Roller Set

- 230mm (9")
- Paint roller set comes with roller frame, medium-pile sleeve and plastic tray
- For quick emulsion coverage
- Note: this frame does not suit our replacement sleeves



Code: **PH4R09**

# Painting & decorating products

## Telescopic Extension Pole (Handle Only)

- 1m – 2m
- Telescopic extension pole fits into roller frames for rolling on ceilings, walls and floors
- Helps reach those awkward areas and reduce the need for working at height



Code: **PH6EH1**

## Paint Roller Scuttle

- 400mm x 250mm
- 25ltr
- Plastic paint scuttle that can be used with all types of paint and wallpaper paste
- Strong wire handle



Code: **PR2T25**

## Radiator Roller (Tray)

- A plastic roller tray for 100mm (4") rollers
- Made from 100% post consumer recycled plastic
- Medium-pile rollers for use with gloss and emulsion paints on smooth surfaces



Code: **PR1RT2**

## Long Handled Radiator Roller Frame

- 100mm x 530mm
- Ideal for painting small areas or in awkward places
- 4" head and 23" handle



Code: **PR1RC1**

## Short Handled Radiator Roller Frame

- 100mm x 275mm
- Ideal for decorating behind radiators and awkward places
- Long-handled mini frame with 4" head and 11" handle



Code: **PR1RRS2**

## Radiator Roller Refill (Simulated Lambswool)

- Pack of 10
- 100mm (4")
- Medium-pile rollers for use with emulsion paints on smooth surfaces
- Refills are for use with mini rollers



Code: **PR1RR1**

## Radiator Roller Refill (Sponge)

- Pack of 10
- 100mm (4")
- Foam roller refills for use with gloss paints on smooth surfaces
- For use with both mini rollers and radiator rollers



Code: **PR1RS1**

## Paint Scraper

- 75mm (3")
- Scraper is also used for inserting filler into cracks or holes in wood or plaster
- Flexible blade
- Produces a smooth finish on all fillers prior to sanding



Code: **ST4A03**

## Quality Paint Scraper

- 50mm (2")
- Professional paint scraper featuring top-quality, polished stainless steel blade and hardwood handle



Code: **ST4QA02**

## Long Handled Scraper

- 4" (102mm) blade
- Removes wallcoverings, paint, silicone and scale
- Soft, comfort-grip handle
- Easy-change blade



Product: Code:  
Scraper **ST4MS1B**  
Spare blades, pack of 10 **ST4MS1**

## Window Scraper

- The Stanley 5930 window scraper uses a standard 1992 trimming knife blade to scrape excess paint from window panes
- Comfortable plastic handle with detachable blade guard
- With the guard fitted it makes a good windscreen ice scraper



Code: **ST4WS1**

## Polythene Dustsheets

- 4m x 2.5m (13' x 8')
- Thin plastic version of traditional dust sheets
- Leakproof
- Disposable



Code: **DS1P09**

## Rayon Dustsheets

- 3.65m x 2.75m (12' x 9')
- More economical alternative to cotton dust sheets, general purpose decoration protection



Code: **DS2R09**

## Heavy Duty Cotton Twill Dustsheets

- 3.65m x 2.75m (12' x 9')
- Heavy-duty 100% cotton
- Specially made for the building, painting and decorating trade



Code: **DS3C09**

## Jumbo Sponge

- Price per one
- Jumbo size cleaning sponge used for a multitude of applications
- For washing down hard surfaces



Code: **ST3A01**

## White Spirit

- Traditional 2ltr white spirit cleaner for paint brushes, for the easy removal of oil-based paints



Code: **ST3WS2**

We also sell masking tape on page 226

# Wheelbarrows & trolleys

## Constructor Wheelbarrow (Solid Tyre)

- 85ltr
- For general site use with solid tyre, guaranteed to save punctures
- Solid (cushion) rubber tyre
- Black



Code: **BA1S30**

## Constructor Wheelbarrow (Pneumatic Tyre)

- 85ltr
- For general site use with inflatable tyre, ideal for uneven surfaces
- Inflatable pneumatic tyre
- Black



Code: **BA1P30**

## Galvanised Heavy-Duty Wheelbarrow (Pneumatic Tyre)

- 120ltr
- Deep-pan galvanised and heavy-duty, pressed steel body with pneumatic tyre
- Larger capacity galvanised steel pan



Code: **BA2H108**

## Professional Wheelbarrow (Pneumatic Tyre)

- Quality-pressed, steel pan wheelbarrow with increased capacity and pneumatic tyre
- 90ltr



Colour: **Green** Code: **BA2H42**  
**Green – Haemmerlin** Code: **BA2HD90**

## Twin-Wheeled Barrow (Pneumatic Tyre)

- 170ltr
- Large capacity steel pan wheelbarrow
- Improved stability and pneumatic tyres for ease of use on rough ground
- Twin-wheeled for greater stability
- Black



Code: **BA1TW1**

## Constructor 4 Wheeled Plastic Container Trolley

- 1350mm x 710mm x 740mm
- Excellent for use in building refurbishment and removal of builders refuse
- Easy to transport and clean



Code: **TE3CT1**

## Wheelbarrow Inner Tube

- 8"
- Inflatable inner tube for pneumatic-tyred wheelbarrows



Code: **BA1IT1**

## Contractor Sack Truck

- 300mm x 225mm x 5mm mild steel toe plate for large loads
- General-purpose sack truck designed to make moving heavy objects easier
- Lightweight and easy to use
- Handle grips for added control and comfort
- 200mm diameter solid rubber tyres for a smooth ride



Code: **SA1E00**

## Flat Bed Trolley (Cushion Tyre)

- Heavy-duty construction manufactured from heavy steel for strength and durability
- For transporting plant and tools around site
- Weight limits: TE1C36C – 400kg; TE1C50C – 500kg; TE1C60C – 750kg



Size: Code:  
 1060mm x 610mm **TE1C36C**  
 1520mm x 710mm **TE1C50C**  
 1820mm x 910mm **TE1C60C**

## Wheelbarrow Tyre comes with Inner Tube

- 8"
- Replacement rubber tyre for pneumatic-tyred wheelbarrows
- Black



Code: **BA1ST1**

## Heavy-Duty Sack Truck (Pneumatic Tyre)

- 200kg
- Suitable for moving loads up to 200kg, this heavy-duty sack truck is fitted with 254mm pneumatic tyres



Code: **SA5H926**

## Flat Bed Trolley (Pneumatic Tyre)

- Heavy-duty construction manufactured from heavy steel for strength and durability
- For transporting plant and tools around site
- Weight limits: TE1C36P – 400kg; TE1C50P – 500kg; TE1C60P – 1000kg



Size: Code:  
 1060mm x 610mm **TE1C36P**  
 1520mm x 710mm **TE1C50P**  
 1820mm x 910mm **TE1C60P**

## Constructor Pallet Truck

- 2.5T
- 540mm x 1150mm
- Contract pallet truck with tapered fork tips and entry to pallet guide roller
- Robust and heavy-duty construction



Code: **TE4PT2**

## T302 Heavy-Duty Sack Truck

- 200kg
- Centre strap design to suit all types of load, with roller bearings to help ease of movement
- Solid tyres
- Heavy-duty



Code: **SA3H02**

## Constructor Plasterboard Trolley

- 1280mm x 610mm x 1500mm
- Heavy construction, sheet carrying trolley, will take up to 15 sheets of 12mm plasterboard
- Safe transportation of sheet materials



Code: **TE2P05**

# Water hose & fittings

## Heavy-Duty Hose – 12.5mm

- Hard-wearing, yellow UV stabilised, abrasion resistant, reinforced and crush resistant
- Excellent flexibility hose
- 12.5mm (½")
- Yellow



Size:	Code:
25m	HO3Y25
50m	HO3Y50

## Heavy-Duty Hose – 19mm

- Hard-wearing, yellow UV stabilised, abrasion resistant, reinforced and crush resistant
- Excellent flexibility hose
- 19mm (¾")
- Yellow



Size:	Code:
25m	HO4Y25
50m	HO4Y50

## Reinforced Garden Hose

- Flexible reinforced garden hose
- ½" diameter can be used in conjunction with Quick Fix fittings and accessories
- Green



Size:	Code:
15m	HO1G15
30m	HO1G30
50m	HO1G50

## Oscillating Sprinkler

- 180m²
- 15 hole
- Sprinkler with variable setting
- Covers up to 250m² at water pressure of 100psi
- Suits all snap lock connectors
- Use with Quick Fix Hose Connector
- Fits ½" hose



Code: JS3OS2

## Quick Fix 6 Dial Deluxe Spray Gun

- Six different water patterns, locking and adjustable
- Trigger-control water flow
- Zinc body with ergonomic grip
- Comes complete with a universal Quick Fix male adapter
- Grey/black



Code: HC6JX83

## Pressure Sprayer With Wand

- 8ltr
- Bottle with plastic hand pump and hose attached to metal trigger-operated lance
- Great for keeping dust down on sites



Code: WC3S08

## Jubilee Clip

- Jubilee adjustable worm drive hose clips available in sizes from 12mm (½") – 70mm (6½")



Size:	Code:
12mm – 20mm	JU2A00
16mm – 27mm	JU4A0X
20mm – 32mm	JU5A1A
25mm – 40mm	JU7A1X
32mm – 50mm	JU8A2A
70mm – 90mm	JU9AA4

## Hose Connector

- 13mm (½")
- For connecting or repairing garden hose pipe



Code: HC5H15

# Water hose & fittings / Site communication

## Quick Fix Double Male Connector

- Two universal male connectors with rubber o-rings
- Compatible with 13mm (½") diameter hose



Code: HC6JK8

## Quick Fix Female Waterstop Hose Connector

- Compatible with 13mm (½") diameter garden hose
- Castle grip hose clamp
- Three holding clips



Code: HC6JK312

## Quick Fix Threaded Tap Connector

- Compatible with other leading makes
- Suitable for 13mm (½") hose only



Code: HC6JK14

## Universal Hose/Tap Connector

- 13mm (½")
- Round tap connector (max dia. 18mm)
- Designed for round and oval spout taps
- Fitting is sealed to the tap by tightening the stainless steel clip



Code: TC3C15

## Galvanised Watering Can comes with Rose

- 8ltr (2gal)
- Popular with the tar layers as robust and stands up to the heat from the hot tar
- Great for contract use



Code: WC2G02

## Plastic Watering Can

- 10ltr
- Lightweight and comes complete with a rose
- Domestic and commercial



Code: WC2P02

## Motorola Two-Way Radios (Twinpack)

- General-purpose two-way radio, ideal for users needing to stay in touch with staff, colleagues or team members quickly, easily and economically
- High-performance, rechargeable batteries ensure it can operate on long shifts without the need for recharging
- Has been designed to be lightweight, comfortable and simple to use, offering superb audio clarity and clear communications in a wide range of environments

- Range up to 8km (5 miles)
- 8 channels with channel monitor/scan
- 121 eliminator codes
- 10 call tones
- Up to 14hrs battery life
- Black



Code: PR1M446T

# Salt & snow products

## De-Icer – Trigger Spray

- 500ml
- Clears screen and windows efficiently
- Works quickly leaving a bright streak free finish
- Operates down to -15°C



Code: VA1DE05

## De-Icer (Aerosol)

- 600ml
- Clears screen and windows efficiently
- Melts ice fast and helps prevent re-freezing down to -15°C



Code: VA1DE03

## Medium Ice Scraper comes with Rubber Blade

- Solid plastic for busting ice and clearing off vehicles, plant, and practically anything



Code: SH7SCR1

## Magic Ice Melt

- Free-flowing, fast-acting solid de-icer in the form of white 'prills' or granules
- Completely harmless to humans and animals and will not attack fabrics or metals, thus allowing application without the need for protective clothing
- Free-flowing properties means it can be applied sparingly, ensuring maximum economy



Size:	Code:
10kg bag	CJ2IM10
18.75kg tub	CJ2IM18

## Screenwash – All Seasons

- 5ltr
- Clears screen for safe driving



Code: VA1SW02

## Rock Salt

- Stop the slips
- 25kg
- Cost-effective salt for roads, driveways, pavements, car parks etc.
- Carriage charges may apply



Code: CJ2RS25

## Eco Salt Spreader



- Lightweight and easy-to-handle salt spreader, ideal for small areas, paths, entrance ways on small commercial units and at home
- 25kg bag capacity
- Model No: SPB27W
- 460(W) x 810(D) x 765mm(H)
- Capacity (weight): 27kg
- Capacity (volume): 16ltr
- Spread: 3m – 3.6m
- Weight: 5.5kg

Code: CJ2RSSP

## Grit Bin

- Made from UV-stabilised HDPE of which yellow being virgin and black of re-processed material
- 200ltr and 400ltr
- Moulded finger grips make the lid easy to lift whilst access points on the base make the bin convenient for lifting with a fork lift
- Fit inside each other for easy stacking and fit 14 to a pallet
- Suited for forklift use
- Black/yellow



Size:	Code:
250kg, 800mm(H) x 800mm(L) x 600mm(D)	CJ2GB200
450kg, 820mm(H) x 1050mm(L) x 750mm(D)	CJ2GB400

## Snow Scoop

- Wide-bladed snow scoop has a 410mm x 300mm plastic blade and requires a long handle for leverage code: HA2B15 – see page 158
- Very effective on new and heavy snowfall
- Black



Code: CJ2SS1

## Lightweight Telescopic Plastic Snow Shovel

- 310mm x 770–970mm (handle)
- Standard lightweight shovel with 'PD' handle
- Very manoeuvrable for fast, easy use
- Tough polypropylene shovel for snow clearing tasks
- Telescopic handle for easy storage and transport



Code: SH3GP4

## Medium Duty Salt Spreader

- User-friendly pedestrian spreader, easy to use and controllable by the operator
- 47ltr polyethylene hopper with cover
- Top screen to prevent large chunks entering hopper
- Adjustable flow gate
- Up to 6m spread width
- 57kg
- For spreading of free-flowing materials, to BS3247



Code: CJ2SE57

## Shoulder Salt Spreader

- 9kg hopper capacity
- Heavy-duty bag hopper has a top zip opening for easy filling and closure
- Contoured, moulded base ensures user comfort
- Spring loaded shut-off
- 5m typical spread width



Code: CJ2SHS1



## Tools & Engineering

---

OnSite Support offer tools and accessories to suit a range of tasks and budgets. We will always try our best to make sure that the site tools you use to complete the job reflect the care and quality of it. From preparation through to completion, we can help equip you with a range of tools to meet your requirements.

**266** Power tools

**268** Laser levelling systems

**270** Hand tools

**294** Machine abrasives

**296** Hand abrasives

**297** Cutting, grinding & drilling

**303** Welding & gas cutting

**Please note:** Items are subject to change. Please check our website for the most up to date list at [onsite-support.co.uk](https://onsite-support.co.uk)

## Makita 18V 2 Speed LXT Li-ion Cordless Combi Drill

- Highly-versatile, cordless drill with screwdriving, drill and hammer functions
- Long lasting 3Ah batteries
- Fast 22min charge time with the air-cooled Makstar Optimum Charging System
- Two-speed gear box and metal gears
- Single sleeve, keyless drill chuck for easy bit installation/removal
- 3Ah Li-ion battery can be also used as a power unit by a battery that weighs the same as a 12V Ni-MH battery
- Conveniently located push button for forward and reverse
- Max torque: S/H 42Nm
- Noise sound pressure: 78 dB(A)
- Vibration: drilling 2.5m/sec<sup>2</sup>
- Torque settings: 16+ drill
- Vibration K factor: 1.5m/sec<sup>2</sup>
- Vibration: hammer drilling 7.5m/sec<sup>2</sup>
- No load speed: H: 0-1300 / L: 0-400rpm
- Max. in masonry: 13mm
- Max. in steel: 13mm
- Max. in wood: 36mm
- Blows per minute: H: 0-19500 / L: 0-6000bpm



Compact and lightweight design for easy handling

Code: **PK18-CD-30**

## Quality Quick Release Screwdriver Bit Holder 50mm

- For 1/4" DIN 3126-C 6,3 und E 6,3 (ISO1173) hexagon insert bits and Wera Series 1 and 4
- Rapidaptor easy-in, easy-out, rapid-spin, chuck-all, and single-hand technology, with strong permanent magnet



Code: **FX6SB6**

## Screwdriver Bits

- 1/4" hexagon drive Pozidriv screwdriver bits are made from high strength, specially heat treated 'S2' grade chrome vanadium steel for specific use in screwdriving applications
- Both shock and wear resistant
- Coated



Size:	Code:
Pozi No.2 (PZ2) x 25mm, pack of 25	<b>FX6SB1</b>
Pozi No.3 (PZ2) x 25mm, pack of 3	<b>FX6SB2</b>
Pozi No.2 (PZ2) x 25mm, pack of 3	<b>FX6SB3</b>
Pozi No.2 (PZ2) x 50mm, pack of 3	<b>FX6SB4</b>

## Makita Angle Grinder

- 110V
- Medium-duty
- Ideal for site or workshop use
- Cutting, grinding and sanding
- Anti-vibration options available



Size:	Code:
115mm	<b>PKAG115-110</b>
125mm	<b>PKAG125-110</b>
230mm	<b>PKAG230-110</b>

## Slugga R32 Magnet Drill

- 110V
- Lightweight, robust design and internal coolant reservoir
- Supplied in steel site case with handles and restraint straps
- Weight: 10.5kg
- Power: 920W
- Magnet hold: 1000kg
- Speeds: 350rpm
- Max dia cutter: 32
- Max length cutter: 50
- Drill capacity: 12
- Chuck: no
- Step drill capacity: no
- Application: ideal for small beam broaching on site



Code: **PABR32-110**

# Laser levelling systems

## IMEX LAR28 28 Mag Automatic Level



- IP66 water/dust shock resistant
- Combining an all steel, fully-sealed housing for all weather protection and high magnification
- Magnetic damping compensator ensures better stability and reliability in all conditions
- 28x magnification
- Hard carry case
- Does not include tripod or staff

Code: **LMLAR28**

## IMEX LAR28 KIT 28 Mag Automatic Level Kit

- Comprising auto level, 5m E staff and dome top tripod



Code: **LMLAR28KT**

## IMEX 66R KIT Horizontal Rotating Laser Level Kit

- Comprising laser level, receiver, 5m metric staff and flat top tripod



Code: **LM66RKT**

## IMEX LX3DR 3 Line 360° Professional Laser

- Magnetic wall bracket
- Ceiling grid clamp
- USB charger
- Spare battery pack
- Target plate
- Hard carry case
- The new Imex 3DR is one of the brightest lasers on the market



Code: **LMLX3DR**

## IMEX SJA Flat Top Tripod

- Heavy-duty, flat/elevating or domed
- Aluminium flat top



Code: **LMSJA30**

## IMEX 88R HV Rotating Laser Level

- Robust construction tough horizontal/vertical laser level
- 5 year warranty
- IP66 water/dust shock resistant
- Full kit available at LM88RKT



Code: **LM88R**

## IMEX LX22 Cross Line comes with Bracket & Tripod

- One vertical, one horizontal beam
- Self-levelling
- Magnetic bracket
- Lock mode for fixed angles
- The cross line laser level and plumb spot self-levelling laser
- Features a rotating bracket and pulsating mode for outdoor use with optional detector to 50m
- Comes with a clamp mount that you can attach to a variety of surfaces, and standard tripod threading, making it highly usable in a variety of situations
- The tool has a locking pendulum to protect the integrity of the laser level and a useful feature for projecting lines out of level when needed
- Exceptional laser line level that projects sharp, bright lines across a room with a high level of accuracy
- IP rating of IP54 which is excellent for all applications



Code: **LMLX22RKT**

## IMEX 88R KIT HV Rotating Laser Level Kit

- Kit includes laser, tripod & staff
- Horizontal/Vertical self levelling (electronic)
- 500m range
- Dual manual grade slope
- Laser is IP66 water/dust shock resistant
- Hard carry case, spare battery pack



Code: **LM88RKT**

## IMEX Bullseye 30/80 Laser Distance Measurer

- Fast speed measuring belt pouch
- Combining a multiplicity of measuring functions including length, area, cubic and indirect pythagoras measurement with a new slim line design
- Includes a m<sup>2</sup> and m<sup>3</sup> function for quick, easy and accurate measurements, pythagoras function and a 20 measurement memory recall
- Ideal tool for all internal quoting jobs
- Bullseye button enables the user to measure with more flexibility, accuracy and efficiency

### Technical Data:

- Operating range: 0.05m – 30m/80m
- Accuracy: +/-1.5mm
- Battery: 2 AA
- Battery life: 10,000 measurements
- Dimensions: 110mm x 45mm x 30mm

### Specifications:

- Measuring range: 0.05m – 30m or 80m
- Resolution: 0.001m
- Accuracy: ±2mm @ 30m
- Measuring speed: 0.5sec
- Laser type: 660nm, Class II
- Power: 2 x AAA batteries
- Battery life: up to 10,000 measurements
- Dimensions: 145mm x 32mm x 21.5mm
- Operating temp: -5°C – 40°C
- Storage temp: -20°C – 60°C
- Auto shut off: yes



Size:  
30m  
80m

Code:  
**LMBE30**  
**LMBE80**

## IMEX EV18 Aluminium Elevating Tripod

- Heavy-duty
- Height adjustable
- Suitable for use with rotating and crossline laser units



Code: **LMEV18**

## IMEX IMELS5 5m Metric Levelling Staff Universal Measurement

- 5m metric levelling staff
- Use with rotating lasers



Code: **LMMEL5**

# Hand tools

## Constructor Bolt Cutter

- Powerful and made to withstand heavy use on a wide range of metals including HT steel reinforcing bars
- Fitted with soft-grip handles for comfort



Size:	Code:
450mm (18")	<b>BC4C18</b>
600mm (24")	<b>BC4C24</b>
900mm (36")	<b>BC4C36</b>

## Contract Combination Pliers

- 180mm (7")
- The front section of the serrated jaws are ideal for gripping flat surfaces and the serrated sections match the profiles of pipes
- Great for gripping and cutting



Code: **PL0EP1**

## Long Nose Pliers

- 150mm (6")
- Long, half-round section gripping jaws for forming loops with wire or thin strips of metal
- Great for intricate work



Code: **PL0EP2**

## Diagonal Cutting Pliers

- 150mm (6")
- Side cutting pliers with induction-hardened cutting edges
- Cushion-grip handles with slip guards for comfort and safety
- Great for cutting small cable



Code: **PL0EP3**

## Waterpump Pliers

- 250mm (10")
- Slip joint plier
- Induction-hardened jaws
- Ideal for plumbing where ends of a nut are rounded
- Provides a levered grip
- Contoured comfort-grip handles



Code: **PL0EP4**

## Knipex Diagonal Side Cutting Pliers

- 150mm (6")
- Special tool steel construction with moulded, multi-component handles for added comfort and durability
- Precision cutting edges



Code: **PL1K20**

## Constructor High Leverage End Cutting Pliers

- 200mm (8")
- Ideal for twisting and cutting wire in one operation



Code: **PL2C25**

## Mole Grip Type Wrench

- Curved jaws securely grip and hold rounded objects
- 254mm (10") self grip wrench
- Can also hold hexagonal
- Manufactured from selected alloy steel
- Chrome plate finish and precision grip jaws



Code: **WS2M10**

## Torque Wrench



- 3/4" drive
- 80-400Nm (3.75kg)
- For checking tightness of bolts
- Flip reverse setting
- Torque setting gauge
- 12 month calibration certificate from the date of manufacture is provided with this tool
- Warranted for 10,000 applications of use before it requires recalibration

Code: **HTTWT34**

## Stillson Wrench

- Handle and moving jaw of each stillson is forged from high-quality steel, which has been heat treated to ensure maximum strength



Size:	Code:
300mm (12")	<b>WS3H12</b>
450mm (18")	<b>WS3H18</b>
900mm (36")	<b>WS3H36</b>

## Ratchet Handle

- 1/2" Sq drive reversible ratchet, fully reversible, 72 tooth, 10" overall length, ergonomic, exceptional value
- Professional quality, manufactured from chrome Moly steel hardened, tempered
- Chamfered end allows easier location
- Holes for use with ring and pin
- Manufactured to international DIN standards



Code: **HTT-1200**

## 1/4" and 1/2" Drive Socket Sets

- An expert quality comprehensive socket set
- Chrome vanadium



## Deep Impact Socket

- 3/4" drive
- Heavy-duty sockets for use with impact wrenches
- Deep length
- Always use pin and ring to secure
- Black



Size:	Code:
30mm	<b>HTT34SID-30</b>
36mm	<b>HTT34SID-36</b>



Size:	Code:
1/2" drive (10mm - 32mm) - 24 piece	<b>HTT12SET-24</b>
1/4" drive (4mm - 14mm) - 45 piece	<b>HTT14SET-45</b>

# Hand tools

## Hex Key Set Metric 9 Piece Ball End

- 1.5mm – 10mm
- Manufactured with a black oxide finish
- The ball end key allows more flexibility when using hex keys in confined spaces and will turn through 360° up to 25° from vertical



Code: **HHKS09**

## Anti-Tamper Fencing Spanner Double-Ended to Suit Blok'N'Mesh Coupler

- 2 Sq. 1 round prong / 7/16" W
- Made from carbon steel
- Lightweight so easy to carry in a tool belt
- Fits in standard holders
- Finished with hard chrome



Code: **HFS02**

## Combination Spanner

- Forged vanadium spanner with one ring end and one open end



Size:	Code:
13mm	<b>S01M13</b>
14mm	<b>S01M14</b>
16mm	<b>S01M16</b>
17mm	<b>S01M17</b>
19mm	<b>S01M19</b>
20mm	<b>S01M20</b>
22mm	<b>S01M22</b>
24mm	<b>S01M24</b>
30mm	<b>S01M30</b>
32mm	<b>S01M32</b>

## BS8020 Constructor Heel & Point Crowbar

- 6'
- Insulated handle tested to **BS8020:2011**
- Each individual tool is flash tested to 10,000V before the issue of a certificate, unique to each product
- Exceptionally strong, hard wearing and safe
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- The orange insulation used for the outer sheathing has been developed for its high voltage and abrasion resistance properties
- A specially-contoured collar prevents the user's hand slipping onto the steel blade
- Each tool is flash tested to 10,000V and printed with the BS8020 1,000V logo



Code: **CB5HP6**

## Heel & Point Crowbar

- 6' x 1 1/8"
- Made from high-grade, heat-treated steel
- Heel bars have a hexagonal/round profile with a point at one end, and a bent chisel edge at the other
- To lift and lever heavy materials fast



Code: **CB2H06**

## Scaffold Spanner Double Ended

- 7/16" x 1/2"
- Traditional scaffold spanners suitable for use with all popular scaffold fittings used within the UK



Code: **SS1T15**

## Adjustable Spanner

- Adjustable wrench manufactured from carbon steel with heat-treated, offset jaws
- Contract drop-forged construction



Size:	Code:
150mm (6")	<b>WS1C06</b>
200mm (8")	<b>WS1C08</b>
250mm (10")	<b>WS1C10</b>
300mm (12")	<b>WS1C12</b>
380mm (15")	<b>WS1C15</b>
450mm (18")	<b>WS1C18</b>

## 14-Piece Metric Combination Spanner Set

- 8mm – 32mm
- Forged vanadium spanner with one ring end and one open end
- Handy case set



Code: **SS2M14**

## Wrecking Bar

- Heavy-duty
- Manufactured from octagonal steel with hardened and tempered chisel and claw ends



Size:	Code:
450mm (18")	<b>CB3W18</b>
600mm (24")	<b>CB3W24</b>
760mm (30")	<b>CB3W30</b>
900mm (36")	<b>CB3W36</b>

## Gorilla Bar

- Heavy-duty patented design
- Oval-shaped for strength to provide a more comfortable grip
- High-grade, forged steel construction



Size:	Code:
600mm (24")	<b>CB3GW24</b>
900mm (36")	<b>CB3GW36</b>

## Utility Bar

- 375mm (15")
- Versatile tool enables a wide range of light duty work
- The flat bar with bevelled ends is designed for such tasks as opening boxes, crates and manhole covers



Code: **CB4UB15**

## BS8020 Constructor Chisel & Point Crowbar

- 5'
- Insulated handle tested to **BS8020:2011**
- Each individual tool is flash tested to 10,000V before the issue of a certificate, unique to each product
- Exceptionally strong, hard wearing and safe
- Pick head forged from carbon manganese steel for maximum strength
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- Orange insulation used for the outer sheathing has been developed for its high voltage and abrasion resistance properties
- Specially-contoured collar prevents the user's hand slipping onto the steel blade
- Each tool is flash tested to 10,000V and printed with the BS8020 1,000V logo



Code: **CB5CP5**

## Chisel & Point Crowbar

- Made from high-grade, heat-treated steel
- Digging bars have a hexagonal/round profile with a point at one end, and a flat chisel edge at the other
- Used to break concrete and other hard material



Size:	Code:
5' x 1 1/8"	<b>CB1C05</b>
6' x 1 1/8"	<b>CB1C06</b>

## Constructor Electricians Bolster comes with Guard

- 55mm (2.25")
- Ergonomically-designed grip
- A hardened and tempered steel, hexagonal shank
- Blast finish with a polished tip, and domed and chamfered striking face and hand guard



Code: **CI1B10**

## Constructor Brick Bolster comes with Guard

- 100mm (4")
- Suitably hardened cutting edge
- With ergonomically-designed grip
- For cutting bricks and blocks



Code: **CI1B20**

## Constructor Cold Chisel

- For cutting brick, concrete and paving slabs
- Cutting edge has an approximately 60° angle



Size:	Code:
6" x 1/2"	<b>CI2C06</b>
8"	<b>CI2C08</b>
10 x 3/4"	<b>CI2C10</b>
12" x 3/4"	<b>CI2C12</b>
18" x 3/4"	<b>CI2C18</b>
10 x 1"	<b>CI3F10</b>
18" x 1"	<b>CI3F18</b>

# Hand tools

## Constructor Double Ended Scutch Hammer

- Bricklayer's double scutch hammer fitted with a traditional hickory handle
- Specifically designed for dressing bricks and masonry
- 250mm handle



Code: **HR7T05**

## Scutch Chisel

- 25mm (1")
- Relates to HR7T05



Code: **CI5T25**

## Scutch Combs

- 25mm (1")
- Relates to HR7T05



Code: **CI5T10**

## Wooden Maul comes with Handle

- 8" diameter hardwood mallet
- Used for laying paving stones and flags



Code: **FT3W12**

## Rubber Maul comes with Handle

- 10lb rubber pavers maul
- Designed to tap paving slabs whilst leaving them undamaged
- Round head rubber mallet



Code: **FT1P10**

## White Rubber Mallet

- 90mm (3½")
- 1450g
- White non-marking head



Code: **HR7RM2**

## Large Rubber Mallet

- Featuring self-locking handles to deliver a gentle but firm blow with little rebound
- Wooden handle is contoured to provide a comfortable grip during use
- Size: 63mm (2½")
- Weight: 680g (24oz)
- Face: 63mm
- Colour: black



Code: **HR7RM1**

## Hickory Handled Sledge Hammer

- General purpose, heavy hammer for builders and contractors
- Both striking faces are precision ground



Size:	Code:
7lb	<b>HR6S07</b>
10lb	<b>HR6S10</b>
14lb	<b>HR6S14</b>

## Poly-Fibreglass Handled Sledge Hammer

- Both striking faces are precision ground
- Lightweight, strong polyfibre shaft
- Helps absorb shocks and impact
- Solid-forged from one piece of steel to give maximum strength



Size:	Code:
7lb	<b>HR7FS07</b>
10lb	<b>HR7FS10</b>
14lb	<b>HR7FS14</b>

## Poly-Fibreglass Handled Club Hammer

- Drop-forged, heat-treated steel head with round, double-faced polished striking surfaces
- Lightweight, strong polyfibre shaft
- Solid-forged from one piece of steel to give maximum strength



Size:	Code:
4lb	<b>HR5F04</b>
2½lb	<b>HR5F25</b>

## Constructor Club Hammer

- Available in 2.5lb and 4lb head weights
- Hickory handle 10"



Size:	Code:
4lb	<b>HR4B04</b>
2½lb	<b>HR4B25</b>

## All Steel Drop Forged Cushion Grip Claw Hammer

- One-piece, drop-forged hammer
- Head and shaft mirror polished
- Fitted with comfort shock-absorbing, non-slip handle
- Made to **BS876-95**
- 568g (20oz)



Code: **HR4WE6**

## Fiberglass Shaft Claw Hammer

- 16oz claw hammer
- Drop-forged, polished head
- Made to BS876-95



Code: **HR4WF16**

## Contractor Steelshaft Claw Hammer

- Steel shaft with rubber grip



Size:	Code:
16oz	<b>HR1R16</b>
20oz	<b>HR1R20</b>

## Chipping Hammer

- 16oz cross chisel chipping hammer
- Fitted with a 12" economy shaft



Code: **HR4CH1**

# Hand tools

## Constructor Bucket Trowel

- 178mm (7")
- Wooden handle
- Heavy tang
- Polished and laquered blade



Code: **TW3BM5**

## Contractor Brick Laying Trowel

- 250mm (10")
- The angled design permits easy scraping of mortar from boards



Code: **TW1B05**

## Premium Brick Trowel

- 280mm (11")
- Solid forged steel blade
- Precision tapered ground blade



Code: **TW1M1911**

## Constructor Gauging Trowel

- 180mm (7")
- Wooden handle



Code: **TW3G05**

## Gauging Trowel

- 88mm x 178mm
- High-quality carbon steel
- Soft-grip handle



Code: **TW1AXG18**

## Constructor Pointing Trowel

- 150mm (6")
- Contract trowel with hardened and tempered steel blade
- Wooden handle



Code: **TW2P10**

## Premium Pointing Trowel

- 150mm (6")
- Duragrip handle with finger protection
- High-quality carbon steel
- Straight welded shank
- Soft-grip handle for extreme comfort



Code: **TW2M4611**

## Concrete Edging Trowel

- 180mm x 100mm
- Highest-grade, sprung steel blade, tempered, ground and polished to give the best results



Code: **FP3M192**

## Constructor Serrated Trowel

- 255mm x 112mm
- Plastic handle



Code: **FP3P10**

## Surfacemaster Quality 10 Plasterers Trowel

- 280mm x 117mm
- Hardened and tempered spring steel blade



Code: **FP3P20**

## Constructor Double Hang Plasterers Trowel

- 280mm x 117mm
- Double hang for extra strength and durability



Code: **FP3P15**

## Premium Plasterers Finishing Trowel

- Highest-grade, sprung steel blade, tempered, ground and polished to give the best results
- Pre-worn edges to eliminate line and ripple marks
- Lightweight aluminium shank
- Handle set for perfect balance
- Duragrip handle for ultimate comfort



Size:  
457mm x 125mm  
280mm x 112mm

Code:  
**FP3M815D**  
**FP3MXS1**

## Contractor Plasterers/ Finishing Trowel

- 255mm x 112mm
- For plastering, concrete or screeding
- Wooden handle
- Steel finishing trowel



Code: **FP2P05**

## Stainless Plasterers Finishing Trowel

- 330mm x 125mm
- Highest-grade, sprung steel blade, tempered, ground and polished to give the best results



Code: **FP3M13DSS**

## Constructor Bullnose Flooring Trowel

- 400mm x 112mm
- With wooden handle
- Shaped nose for corner finishing



Code: **FP4F16**

## Poly Float

- 280mm x 112mm
- Makes light work of finishing floors and is lightweight to use
- Double hang, poly-moulded handle



Size: Code:  
Small **FP1P11**  
Large **FP1P14**

# Hand tools

## Aluminium Straightedge

- 3m(L) x 100mm(H) x 19mm(D)
- Used to level and finish those larger areas smoothly and easily



Code: **FP5S30**

## Flat 2nd Cut File

- 250mm (10")
- Engineering quality files for those sharp edges
- Flat hand-type files



Code: **FSE250**

## Constructor Spirit Level

- Contract box section, easy-use spirit level for all site needs
- Accurate two vial site level



Size:	Code:
600mm	<b>SV2C06</b>
900mm	<b>SV2C10</b>
1200mm	<b>SV2C12</b>
1800mm	<b>SV2C18</b>

## Premium Spirit Level

- Unique dual view
- Shockproof end caps



Size:	Code:
600mm	<b>SV9OX060</b>
900mm	<b>SV9OX090</b>
1200mm	<b>SV9OX120</b>
1800mm	<b>SV9OX180</b>
2000mm	<b>SV9OX200</b>

## Stabila Magnetic Boat Level

- 250mm
- Will fit into standard level frog



Code: **HTAMSTBL**

## Contractor Aluminium Scaffolders Boat Level

- 250mm
- The strong die-cast body is shaped for easy handling
- Ideal for scaffolders, pipe fitters and steel erectors



Code: **SV5C10**

## IMEX EL60 EL Pro Digital Level

- 600mm
- Measure in percentage or degrees
- Hold button
- Audible buzzer at 90°, 45° and 0°



Code: **LMEL60**

## Constructor Pocket Tape Measure

- High-quality Constructor auto-lock tape measure
- Pressing the button releases the lock with a soft-grip case and belt clip
- Strong plastic case



Size:	Code:
5m	<b>TM2C05</b>
8m	<b>TM2C08</b>

## Constructor Premium Heavy Duty Magnetic Tape Measure – Double sided

- Robust case
- Magnetic tip
- 25mm blade width



Size:	Code:
5m (16')	<b>TM2CP05</b>
8m (27')	<b>TM2CP08</b>

## Contract Long Tape

- 30m
- Ideal long measurements
- Robust and accurate
- Woven fibreglass



Code: **TM9C30**

## Fibreglass Blade Surveyors Tape with ABS Case

- 30m x 13mm
- Enclosed glass fibre tape, which is coated in an extra thick layer of PVC, which gives extra resistance to scuffing and marking
- Integrally-moulded, non-slip hand grip



Code: **TM9FU30**

## Constructor Open Frame Tape Measure

- Fibreglass tape ideal for long measurements
- Impact-resistant frame



Size:	Code:
30m	<b>TM8C30</b>
50m	<b>TM8C50</b>
100m	<b>TM8C100</b>

## Constructor Heavy-Duty Folding Measuring Wheel comes with Bag

- 300mm
- Using a tight tolerance 1m circumference wheel allows accuracy of over 99.5% over 9,999.9m
- Comes with a support stand, collapsible handle and the highest-specification measuring wheel
- Kick-down side stand, ideal when recording measurements on the move
- Perfect balance ensures measurement accuracy and precision
- Folding handle so is easy to transport when folded down
- Durable storage bag



Code: **RE9T300**

## Fisco Pacer Open Frame Tape Measure

- Tufcote steel blade
- 50m
- A heavy-duty, high-specification, open-frame tape designed for the professional user
- Impact-resistant ABS frame has a handy integral ground spike, plus a tough, high-impact polymer centre with low friction bearing, which offers a smooth rewind action



Code: **TM7P50**

# Hand tools

## Contractor Hacksaw

- 300mm
- Manufactured from high-quality carbon steel
- Features a 12" bi-metal blade which has the advantage of the hardened edge
- Strong tubular frame
- Easy to transport and safely store



Code: **HS1E05**

## Constructor Bi-Metal Hacksaw Blades

- Pack of 10
- 300mm (12")
- 24TPI
- Quality bi-metal blades, which will bend and flex, reducing the risk of shattering and allowing longer life
- Perfect for ferrous and non-ferrous metals



Code: **HS3C12-24TPI**

## Contractor Hard Point Saw

- 560mm (22")
- Reliable contract saw for the requirements on site
- Universal use



Code: **SW1B22**

## Premium Universal Hardpoint Saw

- 550mm (22")
- For general use cutting along and across the grain with a standard finish
- Finger rest for both left- and right-handed users
- Tough 'Suregrip' or hard feel moulded handle, incorporating useful 45/90° angle guide



Precision cross ground teeth for extra sharpness

Code: **SW1PC22**

## Felling Axe

- 2.7kg (6lbs)
- Quality drop-forged head with polished, lacquered blade and painted body, with specially-shaped and curved hickory handle



Code: **AX2F60**

## Compound Action Heavy Duty Cranked Handle Shears

- 250mm (10")
- Compound action, straight cutting moulded handled snips – suitable for use with mild steel and other non-ferrous material
- Precision-formed blades



Code: **TI3GS18**

## 12 Tine Constructor Garden Rake

- Flat rake, carbon steel head



Code: **RA1C12**

## 18 Tine Landscape Rake with Backedge

- Metal tines and backedge for the best results
- Excellent for levelling and clearing
- Head: steel
- Width of rake: 700mm
- Teeth: 18
- Tooth gap: 40mm
- Handle: 180cm hardwood



Code: **RA9L18**

## 16 Tooth Flat Tine Constructor Asphalt Rake

- Used for spreading and raking asphalt evenly
- Flat tines for easy spreading



Code: **RA6A16**

## 18 Tine Alloy Head Landscape Rake including Handle

- Landscape rake with a cast aluminium head ideal for levelling sand and gravel



Code: **RA2A18**

## Concrete Rake

- 140cm x 50cm x 10cm
- Magnesium
- Rake for the leveling of concrete
- Impact resistant frame



Code: **RA5CO1**

## Tarmac Lute comes with Handle & Stay

- 600mm (24")
- Wooden
- For evenly applying tarmac



Code: **TS1L05**

## 32 Tine Polyprop Leaf and Grass Rake

- Polypropylene head
- Curved teeth and a set of secondary teeth that run at 90° from the top of the teeth
- Tooth gap: 20mm
- Handle: 150cm hardwood
- Head width: 650mm



Code: **RA9L32**

## 16 Tooth Round Tine Constructor Tarmac Rake

- 2.8kg
- Used for evenly spreading loose stocks of tarmac
- Round tines for even spreading



Code: **RA7T16**

## Aluminium Lute/Spazzle

- 600mm x 100mm
- Used for levelling and maneuvering tarmac and a variety of loose materials
- 1500mm handle
- Cast from high grade aluminium, light in weight yet strong by design



Code: **TS1AL10**

# Hand tools

## Constructor Digging Fork (PYD Handle)

- Head: 280mm(L) x 290mm(W)
- Epoxy-coated hammer finished, flexible tines
- Polypropylene shaft with PYD handle
- Hardened to HRC 38/45 for durability
- Individually load-tested for 3mins at 40kg



Code: **FO1C05**

## Constructor Trenching Fork with Poly-Fibreglass Shaft

- Lightweight and strong YD handle
- Generous D handle grip for added comfort
- Solid-forged from one piece of steel to give maximum strength



Code: **FO2B20**

## Constructor Heavy Duty Trenching Fork (MYD Handle)

- Four square prongs and chisel points for easy ground penetration
- Ideal for breaking up earth and digging clay
- All steel, heavy-duty



Code: **FO3C15**

## BS8020 Constructor Insulated Fork

- 8" x 12"
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- A specially-contoured collar prevents the user's hand slipping onto the steel blade
- Each tool is flash tested to 10,000V and printed with the **BS8020** 1,000V logo



Code: **FO4C15**

## BS8020 Constructor Insulated Pick Axe

- 7lb
- Each individual tool is flash tested to 10,000V before the issue of a certificate, unique to each product
- Exceptionally strong, hard-wearing and safe
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- A specially-contoured collar prevents the user's hand slipping onto the steel blade
- Insulated handle tested to **BS8020:2011**



Code: **BS8DT10**

## Chisel & Point Pick Axe Head

- 7lb
- Hardened and tempered
- 3"x 2" eye
- Supplied as head only so the user can interchange the shaft as suitable
- Handle sold separately on next page



Code: **PM1C05**

## Cross Clay Demolition Mattock Head

- 7lb
- Hardened and tempered steel tool with chisel and grubbing head
- Ideal for demolition work
- Cross clay head
- Handle sold separately on next page



Code: **PM1C15**

## Grubbing Mattock Head

- 5lb
- One face is at right angles to the shaft and one vertical
- Ideal for grubbing out tree roots
- Great for tree and root removal
- Handle sold separately on next page



Code: **PM1C20**

## Fibreglass Pick Handle

- 900mm (36")
- Heavy-duty, digging/demolition tool handle to fit standard pick heads



Code: **HA5F36**

## Hickory Pick/Mattock Handle

- 900mm (36")
- Heavy duty digging/demolition tool handle



Code: **HA5H36**

## Hardwood Pick/Mattock Handle

- 900mm (36")
- Heavy duty digging/demolition tool handle



Code: **HA5W36**

## Square Head Punner

- 4.5kg (10lb)
- Earth and tarmac rammer to compact and level materials
- Steel handle for strength



Code: **PM3P10**

## Post Digger

- Long chisel blade for post hole digging and a tamper head for tamping, especially useful at the base of a hole
- With a drop-forged, steel construction that has specific heat-treated working areas
- Length: 175cm (69")
- Diameter: 25cm (1")
- Black



Code: **CB2PD05**

## Constructor Long Handled Steel Shaft Post Hole/Cable Layer Spade

- Fitted with 1650mm (65") tubular steel handle for post hole digging and use in confined spaces
- Heavy-duty



Code: **SD2CL20**

## Constructor Steelshaft Shovel Holer

- Length: 1725mm (68")
- Post hole digger has steel, oval-mouth shovel blades which are hinged in opposition
- Hardened and tempered carbon steel blades
- Blade size: 355mm (14") x 220mm (8.5")
- Nominal weight: 7.7kg



Code: **FT6S15**



Code: **SH4S15**

## BS8020 Constructor Insulated Cable Layer

- 5" – 4½" x 11"
- Often known as a '1-way' in some trades
- Designed for cable and pipe laying with a slim blade that is ideal for digging out narrow trenches
- 28" polyfibre shocksafe insulated
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- Each tool is flash tested to 10,000V and printed with the **BS8020** 1,000V logo



Code: **SD4S20**

## Constructor Steel Shaft Cable Layer

- Cable laying, tubular steel-shafted, solid socket digging tool



Code: **SH2S20**

## Constructor Steel Shaft Trenching Shovel

- Handle: 28"
- Blade: 11" x 7.5" x 6.5"
- With tubular steel shaft and solid socket head
- Automatically rotary welded – perfect weld alignment ensures maximum strength
- Made from high strength carbon/manganese steel
- Epoxy coated for reduced soil adhesion and rust
- Heat-tempered steel for a long life



Code: **SH2S30**

## Constructor Steel Shaft Square Mouth Shovel

- 28" all steel MYD
- 10" x 12½" square-mouth, steel-shafted, solid socket shovel
- Used for shovelling out or concrete mixing, working tarmac and cement, backfilling trenches and manoeuvring ballast



Code: **SH2S05**

## Constructor Steel Shaft Taper Mouth Shovel

- 28" all steel MYD
- Total size: 10" – 8½" x 12½"
- The all-steel, taper-mouth shovel
- Solid manganese steel-forged blade and socket, correctly tempered for strength
- Powder-coated for rust prevention
- A tubular shaft is welded to the socket for a strong smooth join
- The shaft is fitted with a metal YD hilt with a wooden cross dowel for added comfort



Code: **SH2S40**

## Constructor Steel Shaft Grafting Tool

- Handle: 711mm (28")
- Blade : 320mm x 165mm
- Ideal for heavy digging in clay-based soils
- Features a heavy-duty tubular shaft and a heavy-gauge, dished blade
- Steel shaft and MYD handle



Code: **SD1C20**

## Constructor Steel Shaft Newcastle Draining Tool

- Handle: 711mm (28")
- Blade: 405mm x 165mm x 105mm
- For creating drainage channels, preparing trenches for drainage pipes and for making straight-sided holes for fence posts



Code: **SD1C25**

## BS8020 Constructor Insulated Newcastle Drainer

- Blade: approx. 405mm x 165mm x 105mm
- Insulated handle tested to **BS8020:2011**
- Each individual tool is flash tested to 10,000V before the issue of a certificate, unique to each product
- Exceptionally strong, hard-wearing and safe
- Heads forged from carbon manganese steel for maximum strength
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core



Code: **SD4C25**

## BS8020 Constructor Insulated Grafting Tool


- 6" x 12"
- Integrated treads provide better grip, increased comfort and protection to the user's feet
- 28" polyfibre shocksafe insulated
- Heads forged from carbon manganese steel for maximum strength
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- Each tool is flash tested to 10,000V and printed with the **BS8020** 1,000V logo



Code: **SH4C20**

## BS8020 Constructor Insulated Trenching Shovel

- 7" x 11"
- Used for digging and cleaning out narrow trenches for cable and pipe laying
- 28" polyfibre insulated handle
- Exceptionally strong, hard-wearing and safe
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- Each tool is flash tested to 10,000V and printed with the **BS8020** 1,000V logo



Code: **SH4S30**

## BS8020 Constructor No.2 Insulated Square Mouth Shovel

- 10" – 12½"
- 28" polyfibre insulated
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core
- Each tool is flash tested to 10,000V and printed with the **BS8020** 1,000V logo



Code: **SH4S45**

## Constructor Digging Spade (PYD Handle)

- Contract digging spade for breaking up ground, and digging clay and earth



Code: **SD1C05**

## Constructor Steel Shaft Treaded Spade (MYD Handle)

- 7½" x 11½"
- 28" all steel MYD
- Heavy-duty spade designed to cope with arduous digging tasks
- Integrated treads provide better grip, increased comfort and protection to the user's feet



Code: **SD1C15**

## Constructor Wood Shaft Open Socket Shovel (PYD Handle)

- Lightweight, square-mouthed, open socket shovel pressed from high-quality steel



Code: **SH1W25**

## BS8020 Constructor No.2 Insulated Taper Mouth Shovel

- 10" – 8½" x 12½"
- Used for shovelling out or concrete mixing, working tarmac and cement, backfilling trenches and manoeuvring ballast
- Integrated treads provide better grip, increased comfort and protection to the user's feet
- Tested and made in conformance with **BS8020:2011**
- 28" polyfibre shocksafe insulated
- Solid-forged, fully-insulated digging tools doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core



Code: **SH4S55**

## Aluminium Hand Scoop

- Aluminium scoop is resilient to aggressive materials or aggregate
- Silver



Code: **SAC2300**

# Hand tools

## Big Blue Easy Float Kit 1

- Comes with 1200mm head, worm gear, 3 aluminium handles
- 1200mm x 300mm



Code: **FP6BBK1**

## Big Blue Easy Float Head

- Comes with worm gear
- 1200mm



Code: **FP6BBW1**

## Snap Handles to fit Big Blue Kit 1

- 1800mm
- Aluminium snap handles for use with bullfloats, big blue trowels and walking hand tools



Code: **FP6BBH1**

## Concrete Testing Slump Cone

- 100–200mm(dia.) x 290mm
- Concrete slump cone for the testing of concrete prior to the pour
- Galvanised steel for durability



Product: Slump Cone  
Code: **SC8100**  
Base Plate  
Code: **SCBP01**

## Premium Slump Cone Tamping Rod

- 16mm(dia.) x 600mm(L)
- Metal tamping rod for slump cone
- Certified to **BS1881** and **EN12350-2**



Code: **SCR960R**

## Mould Oil

- 5ltr
- Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed
- Suitable for most types of form work including potable water structures, not affected by rain after application



Code: **SM05400**

## 4 Part Test Cube Mould for Concrete or Mortar Testing



Size: 100mm x 100mm, 8.5kg  
Code: **TC1M10**  
150mm x 150mm, 16kg  
Code: **TC1M15**

- Bolt together with detachable base
- Cubes of 100mm size are not suitable for concrete having a nominal maximum aggregate size exceeding 20mm
- Cubes of 150mm size are not suitable for concrete having a nominal maximum aggregate size exceeding 40mm
- Conforms to **BS1881:Part 108:1983**

## Polypropylene Concrete Curing Tank

- 700mm x 540mm x 530mm (internal)
- Concrete curing tanks are perfect testing of concrete cube moulds
- They maintain temperature of the cubes at the required 20°C



Size: 110V  
Code: **TC3CCT1-110V**  
240V  
Code: **TC3CCT1-240V**

## Brass Concrete Thermometer

- Brass cased
- 460mm slot
- -35°C – +50°C



Code: **TM0CT1**

## Max-Min Thermometer

- Quick set press button
- No magnet needed to reset
- Moulded in cream case with white scale



Code: **TM0MMO**

## Universal Joint Double Worm Screw

- 50mm (2")
- Lockfast double worm screw pierces blockages such as paper or rags so the obstruction can be drawn back to clear the pipe



Code: **DA2WSU**

## Double Head Hydrant Stand Pipe

- 1"
- Complete with cast 2½" base, double check valve and ¾" brass hose outlet



Code: **DA5D34**

## Single Head Hydrant Stand Pipe (19mm Hose Outlet)

- 1"
- Complete with cast 2½" base, double check valve and ¾" brass hose outlet



Code: **DA5H34**

## Round Bowl Sewer Grab

- 90mm
- 1.5m long-reach handle



Code: **DB5BG5**

## Hydrant Standpipe Key

- Standard 16mm bar
- T handle
- Designed for turning on the supply from an underground water hydrant
- Available in a standard 16mm diameter bar complete with a 1¼" AF fitting



Code: **DA6K34**

## Manhole Key

- With a universal keyway fabricated from steel bar with a welded key
- Zinc-plated to 90hrs salt spray test



Size: 140mm, light duty  
Code: **DA7M07**  
250mm (10"), medium duty  
Code: **DA7M10**  
300mm (12"), heavy duty  
Code: **DA7M12**

## Heavy Duty 4 Key Manhole Lifter

- Ductile manhole lifting tool with wheel comprising of four different key heads



Code: **DA7MP24**

# Hand tools

## Universal Joint Drain Rod

- 3' x ¾"
- Quality polypropylene universal joint drain rod



Code: **DR3RU5**

## Brass Drain Test Plug Nipple

- Up to and including 6" test plugs
- 12.5mm (½")
- The brass test nipple cap can be fitted to a drain test plug for the completion of air tests



Code: **DP2TN05**

## Drain Test Plug Nipple 1" (for 7" or Larger Plugs)

- 25mm (1")
- The brass test nipple cap can be fitted to a drain test plug for the completion of air tests



Code: **DP2TN10**

## Drain Test Plug

- Used for blocking off water and gas pipes
- Can be used on copper or steel pipes



Size:	Code:
25mm (1")	<b>DP1P01</b>
32mm (1¼")	<b>DP1P014</b>
38mm (1½")	<b>DP1P015</b>
50mm (2")	<b>DP1P02</b>
63mm (2½")	<b>DP1P025</b>
100mm (4")	<b>DP1P04</b>
125mm (5")	<b>DP1P05</b>
150mm (6")	<b>DP1P06</b>
200mm (8")	<b>DP1P08</b>
225mm (9")	<b>DP1P09</b>
300mm (12")	<b>DP1P12</b>

## Drain Rod Straps

- 12" x ½" strap
- Drain cleaner/unblocker



Code: **DA0S01**

## Universal Joint Rubber Plunger

- Builds up pressure of water which forces the obstruction clear
- One-piece moulded
- Lockfast joint will rotate in both directions



Size:	Code:
100mm (4")	<b>DA2PU4</b>
150mm (6")	<b>DA2PU6</b>

## Universal Joint Drain Rod Set In Carry Case

- Purpose-designed set comes complete with a heavy-duty, blue waterproof Bailey carry bag and supplied with adjustable shoulder straps
- Easily stored
- Includes 30' of the Bailey Blue Rods® with brass fittings

### Contains:

- 10 3' x ¾" blue rods
- One 4" plunger
- One 4" drop scraper
- One double worm screw



Code: **DR2US3**

## Universal Joint Drop Scraper

- 100mm (4")
- Glides over small obstructions and drops into a vertical position to allow material to be dragged back



Code: **DA2DU4**

## Duct Conduit Rod on Free Standing Frame

- 6m x 60m
- High-quality, glass fibre-reinforced epoxy rod giving excellent flexibility
- Ideal for both short and long installation



Code: **DC3R660**

## Drain Tracing Dye

- Soluble in water
- Helps to confirm the direction of the flow in the pipes or drains
- Blue



Code: **DD2BTD1**

## Canvas Airbag

- Quality, flexible airbag stopper for the plugging of drains and pipes
- Fitted with length of hose



Size:	Code:
100mm (4")	<b>DT1A04</b>
150mm (6")	<b>DT1A06</b>

## PVC Airbag

- A durable, quality, PVC rubber flexible drain plug for plugging drains and pipes



Size:	Code:
50mm (2")	<b>DT6R02</b>
100mm (4")	<b>DT6R04</b>
150mm (6")	<b>DT6R06</b>

## Plastic Inflator Pump

- For PVC/canvas airbags with Schrader valves



Code: **DT2P55**

## Air U-Gauge Kit (Manometer)

- 1m hose
- The kit contains items required (except testing plugs) to carry out an air test to 100mm (4") drain or pipe
- Suitable for pressure testing drains and sewers to **BS8005** and **EN1610**

### Contains:

- U Gauge for 4"
- 9' rubber hose
- Hand bellows
- Hose Y piece
- ½" test nipple cap



Code: **DT3G11**

## Hilmor Tube Stops (620103)

- For use with EL25, EL32, CM42 and K3B tube benders



Code: **BN3S66**

## Hilmor Pipe Vice Jaws (661053)

- Hilmor pipe vice jaw, nuts and screws
- For use with Hilmor Vice only BN2E25B



Code: **BN3S46**

# Hand tools

## GLM Bender comes with Formers & Guides

- With precision, high-pressure aluminium die-cast formers and guides to produce sets, offsets, multiple bends etc in tubes of a maximum diameter of 22mm
- Particular suitable for installation of small heating systems etc.
- Capacities are: copper **BS2871** 15mm – 22mm; stainless steel **BS4127** 15mm; mild steel **BS4152** 15mm



Code: **BN5GLM**

## Conduit Bender Complete

- Conduit Machine will bend 20mm and 25mm galvanised and black enamel conduit
- The formers are precision-machined aluminium for improved accuracy and ease of use throughout the bend
- Supplied with a quality pipe vice and carrying handle for ease of transportation
- Designed so that it is compact enough to fit into the average car boot
- Manufactured in the UK by the last British manufacturer of the Hilmor brand of pipe bending machines, spares and accessories



Code: **BN2E25B**

## Bottle Paint Marker

- Squeezy bottle liquid paint markers for tough paint marking on beams
- Quick-drying paint
- Steel ball point



Colour:	Code:
White	<b>HBPM10-W</b>
Yellow	<b>HBPM10-Y</b>

## Flexible Hose to suit Grease Gun

- 300mm
- Allows operator to overcome accessibility issues while greasing
- High pressure flexible nylon tube with 1/8" BSP male thread connection each end



Code: **GG1FH1**

## Grease Gun comes with 6" Rigid Tube

- 500ml
- For 400cc cartridge loading or 500cc bulk
- Complete with air release valve/ European pattern bulk filler nipple, 6" rigid tube and 4 jaw hydraulic connector



Code: **GG1L50**

## King Dick Podger, Open End, Tethering Ring Style



- Low-profile design that is viewed as the best for fabrication and steel erection
- Includes a tethering ring for easy tethering when working at height
- Slimline design
- For M12, M16, M20, M22, M24, M27 and M30 thread bolts

Size:	Code:
19mm	<b>HPOKDO-19</b>
24mm	<b>HPOKDO-24</b>
30mm	<b>HPOKDO-30</b>
36mm	<b>HPOKDO-36</b>

## King Dick Podger, Ring End, Tethering Ring Style

- Low-profile design that is viewed as the best for fabrication and steel erection
- Now includes a tethering ring when working at height
- Ring podgers for better grip on bolts
- Slimline design
- For M12, M16, M20, M22, M24, M27 and M30 thread bolts



Size:	Code:
19mm	<b>HPOKDR-19</b>
24mm	<b>HPOKDR-24</b>
30mm	<b>HPOKDR-30</b>
32mm	<b>HPOKDR-36</b>
36mm	<b>HPOKDR-30</b>

## Tethered Box Scaffold Spanner

- 7/16" Whitworth, bi-hex
- Bespoke lanyard attachment point to allow virtually unrestricted use whilst tethered
- Other sizes and handle styles available
- Lanyard not included: use with SFAHCTWS – page 120



Code: **HTASSP-716**

## Constructor Unbreakable Ball Pein Hammer

- Lanyard hole for tethering hammer
- Unbreakable technology
- No-slip grip
- Flat head to stand upright
- Anti-vibe neck



Size:	Code:
24oz	<b>HWUBPH-24</b>
32oz	<b>HWUBPH-32</b>

## Unbreakable Club Hammer

- Longer handle than most club hammers allowing greater striking force
- Unbreakable technology
- Hi-Vis green head
- No-slip grip
- Safety plate to prevent head dislodging
- Flat head to stand upright
- Anti-vibe neck
- Lanyard hole for tethering hammer



Size:	Code:
4lb, 16" handle	<b>HWUCH-04</b>
2.5lb, 12" handle	<b>HWUCH-25</b>

## Unbreakable Sledge Hammer

- With molten steel bars reinforcing the handle, and a locking steel plate holding the head to that handle
- Hi-Vis orange head
- No-slip grip
- Safety plate to prevent head dislodging
- Flat head to stand upright
- Anti-vibe neck
- Lanyard hole for tethering hammer
- Use lanyard: SFASCTL11 – page 121



Size:	Code:
6lb, 24" handle	<b>HWUSH-0624</b>
10lb, 24" handle	<b>HWUSH-1024</b>
14lb, 30" handle	<b>HWUSH-1430</b>

## Estwing Professional Claw Hammer

- Handle grip made from liquid vinyl bonded to shaft during production
- Excellent balance
- Add D shackle to hole in shaft to create a tethered hammer



Size:	Code:
16oz	<b>HR4EW16</b>
20oz	<b>HR4EW20</b>

## Constructor Tethered High Leverage End Cutting Pliers

- 200mm
- Polished/blackened
- Ideal for twisting and cutting wire in one operation
- Weight: ca. 360g
- Material: C45
- Hardness of edges: HRC 60
- Handle: PVC dipped yellow
- Durable joint and precision cutting edges for miscellaneous use
- For twisting and cutting binding wire

## Fallproof Tethered Tape Measure

- High-quality
- Complete with tether
- Strong plastic case



Size:	Code:
5m	<b>TM5T05</b>
8m	<b>TM5T08</b>

## Stabila Magnetic Boat Level comes with Tethering Ring

- 250mm
- Famous Stabila quality with added benefit of tool tether ring



Code: **HTAMSTBL-T**



Code: **PL2CT25**

# Hand tools

## Twin-Pad Glass Lifter

- 100kg
- Pad suction lifter is ideal for carrying heavy, awkward items such as glass, doors, windows and sheet metal



Code: **GL1A02**

## Triple-Pad Glass Lifter

- 100kg limit
- Plastic triple-suction cup for carrying heavy, awkward items such as sheet glass and board
- Pad size 115mm dia.



Code: **GL1A03**

## Heavy Duty Staple Gun

- 3-way, heavy-duty staple gun for 1mm wide staples
- Ideal for light-duty DIY work and simple poster memo fixing
- Fits square staples 6mm – 12mm
- U staples 12mm and T nails 10mm
- Black



Code: **SG2HD1**

## Staples

- 1,000 pieces
- Metal
- 8mm suitable for SG2HD1



Size:	Code:
8mm	<b>SG2RS2-08</b>
12mm	<b>SG2RS2-12</b>

## 25 Piece Screwdriver Bit Set

- Screwdriver bit set includes 24 of the most popular screwdriver bit types
- Hard wearing S2 steel for a long working life
- Supplied in a sturdy plastic storage case



### Contains:

- Slotted screwdriver bits: 4, 5.5, 6.5mm
- Pozidriv screwdriver bits: Pz1 (x2), PZ2 (x3), PZ3 (x3)
- Phillips screwdriver bits: PH1, PH2, PH3
- Hexagonal screwdriver bits: 3, 4, 5, 6
- Star screwdriver bits: T10, T15, T20, T25, T30, T40
- 1 quick release magnetic 1/4 in hex drive ejector bit holder

Code: **FX6SB5**

## 6 Piece Screwdriver Set

- A set of screwdrivers featuring full-size, bi-material, soft-grip handles for maximising user comfort and firm non-slip gripping
- Professional, quality set



Code: **SC5CS6**

## 25 Piece Screwdriver Bit Set

- Comprehensive security bit set contains 60 Chrome Vanadium steel bits and a magnetic bit holder
- Supplied in a sturdy plastic storage case

### Contains:

- 5 slotted screwdriver bits: 3, 4, 5, 6 and 7mm
- 6 Pozidriv screwdriver bits: PZ0, PZ1, PZ2(3) and PZ3
- 6 Phillips screwdriver bits: PH0, PH1, PH2(3) and PH3
- 12 Hex screwdriver bits: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7 and 8mm
- 13 Star screwdriver bits: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T35 and T40
- 7 Tamperproof Star screwdriver bits: TT10, TT15, TT20, TT25, TT27, TT30 and TT35
- 6 Hex security screwdriver bits: 2, 2.5, 3, 4, 5 and 6mm
- 5 spanner bits: 4(2), 6, 8 and 10mm
- 1 magnetic bit holder 60mm



Code: **HTTSET3**

## Heavy Duty Tubular Floor Scraper

- 300mm (12")
- Used for removing grease and dirt from workshop or site floor areas
- 1.5m(L)



Product:	Code:
Floor scraper	<b>FP4HDFI</b>
Replacement blades	<b>FP4H05B</b>

## Plain Carborundum Blocks

- 200mm x 50mm x 50mm (8" x 2" x 2")
- Manufactured from hard silicon carbide abrasive
- Rubbing bricks used for heavy-duty applications



Product:	Code:
Plain	<b>RBP201</b>
Fluted	<b>RBP202</b>

## Gin Wheel

- 250mm (10")
- For fitting to scaffold for winching tools and equipment up to the worksite
- Tested to 1000kg
- Certified to lift 250kg
- Rope not included



Code: **SS1G10**

## Plasterers Mixing Whisk (For Electric Drill)

- 120mm x 600mm
- Takes the strain out of mixing by putting the strain onto the power of a drill or electric mixing tool



Code: **FP0PM120**

## Pressurised Dust Suppression Water Bottle

- 15ltr tank
- Designed for dust suppression applications used in conjunction with all standard petrol cut off saws
- Standard hoselock style fitting



Code: **HDSB-15L**

To support a fast and efficient delivery of products to your sites, you can order our products online at [onsite-support.co.uk](http://onsite-support.co.uk)



# Machine abrasives

## Sanding Disc Backing Pad, Flexible

- Speed-tested, nylon backing pad for sanding discs
- Ultra flexible and hard wearing
- Fits all standard angle grinders, supplied complete with nut
- White



Size:	Code:
115mm	<b>ABP115</b>
125mm	<b>ABP125</b>

## Abrasive Belts Zircon

- Band file, heavy-duty ceramic belts for band file or dyna file machines
- Special low-profile reinforced joints for strength and finish
- Long life on mild or stainless steel, compatible with 457mm belts



Size:	Code:
6mm x 455mm, 120 grit	<b>ABZH0645-120</b>
9mm x 533mm, 80 grit	<b>ABZH0953-80</b>
13mm x 455mm, 40 grit	<b>ABZH1345-40</b>
13mm x 455mm, 60 grit	<b>ABZH1345-60</b>
13mm x 455mm, 80 grit	<b>ABZH1345-80</b>

## Sanding Discs Ceramic

- 125mm, 120 grit
- Flexible sanding disc for stainless steel metalworkers
- Ceramic material on heavy duty 0.8mm fibre backing material
- Use with ABP Backing Pad, 36, 60, 80, 120 grit available



Code: **ADC125-120**

## Sanding Discs Zircon

- High performance 'ZF' zirconium cloth
- Gives a consistent cut and good life on mild and stainless steels
- 16mm bore for 100mm
- 22mm bore for 115mm, 125mm and 180mm



Size:	Code:
115mm, 120 grit	<b>ADZ115-120</b>
115mm, 36 grit	<b>ADZ115-36</b>
115mm, 60 grit	<b>ADZ115-60</b>
115mm, 80 grit	<b>ADZ115-80</b>
125mm, 120 grit	<b>ADZ125-120</b>
125mm, 36 grit	<b>ADZ125-36</b>
125mm, 60 grit	<b>ADZ125-60</b>
125mm, 80 grit	<b>ADZ125-80</b>

## Flap Discs Zircon



- Fibreglass backing
- Abrasive cloth on low-vibration, nylon backing pad
- Metal removal/good finish for weld removal or blending
- 40, 60, 80 grits
- 8500 safe RPM

Size:	Code:
115mm, 40 grit	<b>ADFZ115-40</b>
115mm, 60 grit	<b>ADFZ115-60</b>
115mm, 80 grit	<b>ADFZ115-80</b>
125mm, 40 grit	<b>ADFZ125-40</b>
125mm, 60 grit	<b>ADFZ125-60</b>
125mm, 80 grit	<b>ADFZ125-80</b>

## Surface Conditioning Belts

- 13mm x 457mm
- For retrain and blending of hard to reach places, tube work etc.
- Ideal for stainless steel balustrades etc.
- Reinforced joints



Type:	Code:
Coarse	<b>ASCBH1345-C</b>
Fine	<b>ASCBH1345-F</b>
Medium	<b>ASCBH1345-M</b>

## Twist Knot Cup Brush

- 65mm, M14, coarse
- Industrial wire brushes with twisted knot wires for extra strength
- Mild steel 0.5mm wire as standard
- These industrial wire brushes fit onto a standard M14 thread on all common angle grinders



Code: **AWCT65-C**

## EDX Drum Sleeve Ceramic

- 100mm x 295mm
- Use for metal grinding, weld removal, and taking off mill scale
- Made from high-spec ceramic cloth material
- Fits inflatable roller



Type:	Code:
40 grit	<b>APE330-040</b>
60 grit	<b>APE330-060</b>
80 grit	<b>APE330-080</b>
120 grit	<b>APE330-120</b>

## EDX Belt Ceramic Grit Band

- 40mm x 760mm grit bands
- Wraps around tube for perfect finish



Type:	Code:
60 grit	<b>APE730-60</b>
80 grit	<b>APE730-80</b>
120 grit	<b>APE730-120</b>
240 grit	<b>APE730-240</b>

## EDX Belt Surface Conditioning, Fleece Band

- Surface conditioning fleece material for satin graining
- Scratch removal, final graining, matt and satin finishes, deburring
- Wraps around tube for perfect finish
- Medium (Red)



Code: **APE760-M**

## PTX Band Ceramic

- Belt roller grit bands
- Use for grinding, weld removal and taking off mill scale
- Fits belt roller or tube
- Long-life, green ceramic/zircon grit material
- Use for weld removal, mill scale removal and coarse graining
- Cool running material, with long life on stainless steels
- Fantastic on curved designs and fitted handrails



Type:	Code:
80 grit	<b>APX630-80</b>
120 grit	<b>APX630-120</b>

## PTX Sleeve Ceramic

- 100mm
- Use for grinding, weld removal and taking off mill scale
- Made from high-specification ceramic cloth material
- Fits expanding roller



Type:	Code:
40 grit	<b>APX330-40</b>
80 grit	<b>APX330-80</b>
120 grit	<b>APX330-120</b>

## PTX Link Band Surface Conditioning



- Belt roller grit bands
- Use for grinding, weld removal and taking off mill scale
- Fits belt roller or tube
- Long-life, green ceramic/zircon grit material
- Use for weld removal, mill scale removal and coarse graining
- Cool running material, with long life on stainless steels
- Use with APX320 Belt Roller
- Fantastic on curved designs and fitted handrails

Code: **APX665-M**

## PTX Sleeve Trizact, 237 AA

- Revolutionary micro-abrasive pyramid grit technology allows stepping through to 2000 grit mirror polish
- Quick and easy finishes
- Trizact type belts for mirror finishing on stainless steel



Type:	Code:
A45	<b>APX350-A45</b>
A6	<b>APX350-A5</b>

## Machine abrasives / Hand abrasives

### PTX Sleeve, Surface Conditioning

- Surface conditioning fleece material for satin finishing
- For scratch removal, matt and satin graining, and deburring
- Fits expanding roller
- Coarse, Medium and Fine



Code: **APX360-C**

### PTX Fleece Wheel

- 100mm
- Solid compressed fleece wheels for a final brushed satin finish
- Slide straight onto Pro Finisher shaft
- Low-vibration keyway mounting



Type:	Code:
80 grit	<b>APX400-80</b>
280 grit	<b>APX400-280</b>

### PTX Mix Wheel

- 100mm
- Combo wheels mix of surface conditioning material and abrasive sheets
- Deburring/light stock removal
- Blend welds and course graining



Type:	Code:
Coarse	<b>APX420-COARSE</b>
Medium	<b>APX420-MEDIUM</b>

### Scotchbrite Hand Pad

- Pack of 20
- Medium finish
- Top quality pads for long life and easy finish
- Commonly used for hand finishing, oxide removal, cleaning, and deburring applications
- Mainly used on stainless steel sheet metal but can be used on any material needing fine sanding or blending



Code: **AHS7496-PACK 20**

### Siafleece Hand Pad, High Density and Long Life, Medium

- Pack of 10
- Commonly used for hand finishing, oxide removal, cleaning, and deburring applications
- Mid-range, black handpad for general cleaning and graining work
- Excellent on stainless steel
- Top quality pads for long life and easy finish



Code: **AHSBLK-PACK 10**

### Scotchbrite Roll

- Pack of 2
- 25mm x 5m
- Coarse
- General purpose, tear-to-length, non-woven Scotchbrite rolls for everyday hand finishing and cleaning
- Blends and grains stainless steel



Code: **ASR025B**

### Wire Brush

- 4-row
- Heavy-duty, wooden-handled scratch brushes
- Industrial-quality brushes suitable for a multitude of cleaning applications



Code: **BR5W04**

### Hand Wire Brush with Scraper

- 4-row
- Quality scratch brush with bristles made from hardened and tempered steel
- For use in preparatory work, when removing rust, scale, old paintwork and grouting



Code: **BR5WS4**

### General Purpose Abrasive Roll

- 115mm x 10m
- Aluminium oxide sandpaper in handy 10m rolls
- Can be used on a multitude of materials including wood, metal, fibreglass and painted surfaces



Type:	Code:
120 grit	<b>FX5AB1</b>
100 grit	<b>FX5AB2</b>
180 grit	<b>FX5AB3</b>
40 grit	<b>FX5AB4</b>
60 grit	<b>FX5AB5</b>
80 grit	<b>FX5AB6</b>

## Cutting, grinding & drilling

### TCT Circular Saw Blade, Mild Steel

- 165mm x 20mm bore
- Premium-grade, tungsten-tipped saw blades for cutting mild steel
- Fast burr and spark-free cut
- Rated to 3800rpm



Code: **CCBTC165-M**

### Jigsaw Blades

- Pack of 5
- Quality German-made metal cutting HSS Jigsaw blades in a range of common types



Size:	Code:
75mm, fast clean	<b>CJBT101B</b>
75mm, fast coarse	<b>CJBT144D</b>
90mm, fine pitch	<b>CJBT118A</b>
90mm, medium pitch	<b>CJBT118B</b>
130mm, fine pitch	<b>CJBT318A</b>

### Reciprocating Sabre Saw Blades

- Pack of 5
- 130mm
- 6TPI
- Ideal for cutting hardwood, plywood and PVC
- For clean parallel cuts



Code: **CRBS644D**

### Reciprocating Saw Blades, Bi-Metal

- Pack of 5
- 80mm
- Ideal for cutting sheet steel, iron and cement panels
- For clean, coarse cuts



Code: **CRBSGP80**

### TX10R Diamond Discs

- 300mm
- Superior-performance, diamond cutting blade for cutting all construction materials including steel
- Reinforced flange, cooling holes and semi-transparent



Code: **TX10R300**

### Constructor Plus Universal Diamond Blade

- 12mm standard segment height
- All-round performance, diamond blade for cutting building products, kerbs and slabs, blocks and roof tiles



Size:	Code:
115mm (4½")	<b>DDU115</b>
125mm (5")	<b>DDU125</b>
230mm (9")	<b>DDU230</b>
300mm (12")	<b>DDU320</b>

### Reciprocating Sabre Saw Blades

- Pack of 5
- Quality German HSS reciprocating saw blade
- Perfect for demolition/construction activities in a variety of materials
- For use on wood and metal



Size:	Code:
205mm, 10 – 14TPI	<b>CRBS1122VF</b>
150mm, 10 – 14TPI	<b>CRBS922VF</b>

### TCT Circular Saw Blade, Wood

- Premium-grade, tungsten-tipped saw blades for cutting wood, plastic, composite board etc.
- Fast burr and spark-free cut
- Bore x 24T



Size:	Code:
165mm x 20mm	<b>CCBTC165-M</b>
190mm x 30mm	<b>CCBTC19W24</b>
230mm x 30mm	<b>CCBTC23W24</b>

### Premium Diamond Blade

- 300mm
- Universal blade
- All-round performance, diamond blade produced under new technology giving fast cutting speed and the ability to cut the hardest concrete and natural stone
- 12mm standard segment height **EN13236**



Code: **DMX300**

# Cutting, grinding & drilling

## Power Max 55 comes with Spring Pilot Drill

- 6mm x 110mm
- High-quality Morse taper arbors for use with the appropriate size machine and cutter
- Use each arbor with pilot drill



Code: **CAPK-QC-06**

## Power Max TCT Holesaws, For Quick Change Arbor

- High-performance, versatile TCT cutters
- Can be adapted for use in magnetic drills using the corresponding arbor and pilot pin
- 14mm – 150mm holesaws available in 12mm, 30mm and 55mm depth



Size:	Code:
14mm x 55mm	<b>CAPK-QC-14</b>
17mm x 55mm	<b>CAPK-QC-17</b>
18mm x 55mm	<b>CAPK-QC-18</b>
21mm x 55mm	<b>CAPK-QC-21</b>
28mm x 55mm	<b>CAPK-QC-28</b>

## Power Max 20 / 30 / 55, Quick Change Arbor

- 14mm – 60mm (6mm pilot drill)
- Straight shank Powermax TCT arbor for use in a standard drill chuck
- Uses 20.1340 grub screws
- Use with Powermax pilot drills



Code: **CAPK-QC-AS**

## Gold Line TCT Broaching Cutter, Deep Series

- For drilling the hardest known steels
- Drilling procedures available on request
- Length: 80mm
- Full range of sizes available 12mm – 65mm diameter
- Precision cutters are ideal for difficult jobs or thick material where long reach is required



Size:	Code:
18mm	<b>CMTCT-80-18</b>
21mm	<b>CMTCT-80-21</b>
22mm	<b>CMTCT-80-22</b>
23mm	<b>CMTCT-80-23</b>
24mm	<b>CMTCT-80-24</b>
25mm	<b>CMTCT-80-25</b>
26mm	<b>CMTCT-80-26</b>
28mm	<b>CMTCT-80-28</b>
29mm	<b>CMTCT-80-29</b>
30mm	<b>CMTCT-80-30</b>
33mm	<b>CMTCT-80-33</b>
35mm	<b>CMTCT-80-35</b>
36mm	<b>CMTCT-80-36</b>
38mm	<b>CMTCT-80-38</b>
40mm	<b>CMTCT-80-40</b>
45mm	<b>CMTCT-80-45</b>
50mm	<b>CMTCT-80-50</b>

## Pilot Pin, 2 Piece (20.1427)

- Sold singly
- Pilot pin for CMTCT-80 – 2 pieces
- Length: 80mm



Code: **CMZP-80-2**

## Karnasch HSS Broaching Cutter – Long Reach

- Ideal for use in general fabrication of structural steels
- Length: 50mm
- Step-Hardened and fully ground
- Quality German technology



Size:	Code:
12mm	<b>CMXL-SL-12</b>
14mm	<b>CMXL-SL-14</b>
18mm	<b>CMXL-SL-18</b>
22mm	<b>CMXL-SL-22</b>
26mm	<b>CMXL-SL-26</b>
30mm	<b>CMXL-SL-30</b>
32mm	<b>CMXL-SL-32</b>
36mm	<b>CMXL-SL-36</b>
50mm	<b>CMXL-SL-50</b>

## Bi-Metal Holesaw Constant Pitch

- 6TPI constant pitch holesaws for improved life on thin gauge materials
- Smooth cutting and long life
- Genuine Starrett quality
- Holesaws up to 210mm held in stock



Size:	Code:
14mm	<b>CHD014-CP</b>
17mm	<b>CHD017-CP</b>
21mm	<b>CHD021-CP</b>
25mm	<b>CHD025-CP</b>

## Bi-Metal HSS-Co Holesaw Variable Pitch, 8% Cobalt

- 8% cobalt holesaw with reinforced base plate; massively improved performance to standard bi-metal holesaws
- Fits all Starrett accessories



Size:	Code:
14mm	<b>CHDK-014</b>
17mm	<b>CHDK-017</b>
20mm	<b>CHDK-020</b>
21mm	<b>CHDK-021</b>
22mm	<b>CHDK-022</b>
32mm	<b>CHDK-032</b>

## Karnasch Bi-Metal Holesaw Arbor

- Fits Starrett holesaws and accessories
- Use with 6mm pilot drill
- Supplied with pilot drill



Size:	Code:
32mm – 210mm	<b>CHDK5-210</b>
14mm – 30mm	<b>CHDK5-30</b>

## Karnasch Holesaw Arbor Spare Pilot Drill comes with Spring

- Also fits Starrett holesaws and arbors
- Comes complete with pilot spring



Code: **CHDK5-P**

## Gold Line TCT SuperLong Cutter

- Premium-quality TCT cutters for drilling the hardest known steels
- Length: 110mm
- Drilling procedures available on request



Size:	Code:
22mm	<b>CMTCT-110-22</b>
32mm	<b>CMTCT-110-32</b>

## Gold Line TCT Broaching Cutter, Long Series

- Premium-quality TCT cutters for drilling the hardest known steels
- Drilling procedures available on request
- Full range of sizes available 12mm – 65mm diameter
- Length: 55mm



Size:	Code:
14mm	<b>CMTCT-55-14</b>
18mm	<b>CMTCT-55-18</b>
22mm	<b>CMTCT-55-22</b>
26mm	<b>CMTCT-55-26</b>
32mm	<b>CMTCT-55-32</b>

## Karnasch HSS Broaching Cutter – Short Reach

- Ideal for use in general fabrication of structural steels
- Length: 25mm
- Step-hardened and fully ground
- Quality German technology



Size:	Code:
12mm	<b>CMXS-SL-12</b>
14mm	<b>CMXS-SL-14</b>
16mm	<b>CMXS-SL-16</b>
18mm	<b>CMXS-SL-18</b>
20mm	<b>CMXS-SL-20</b>
22mm	<b>CMXS-SL-22</b>
25mm	<b>CMXS-SL-25</b>
26mm	<b>CMXS-SL-26</b>
28mm	<b>CMXS-SL-28</b>
30mm	<b>CMXS-SL-30</b>
32mm	<b>CMXS-SL-32</b>
34mm	<b>CMXS-SL-34</b>
35mm	<b>CMXS-SL-35</b>
40mm	<b>CMXS-SL-40</b>
50mm	<b>CMXS-SL-50</b>
60mm	<b>CMXS-SL-60</b>

## Retractable Blade Trimming Knife

- 152mm (6")
- Retractable-blade knife with easy blade replacement



Code: **KN1B05**

## Heavy Duty Standard Knife Blades

- Box of 100
- Utility blade
- Fits all standard retractable- and fixed-blade utility knives



Code: **KN1B15**

# Cutting, grinding & drilling

## Constructor Auto Retractable Safety Knife

- Length: 60mm
- Safety, self-retracting-blade knife with ergonomic shape for comfort
- Blade retracts automatically after losing contact with the surface
- Notch for cutting tape and string
- Durable, wear-resistant plastic body
- Quick-change blade mechanism



Code: **KN1CPS1**

## Constructor Safety Knife

- With ergonomic shape for comfort
- Quick-change blade mechanism
- Spare blades storage



Code: **KN1CSS2**

## Irwin Bi-Metal Blue Safety Blades

- Pack of 5 singles
- Formed by welding high-speed steel edge and spring steel, having the benefit of both types: Safety and Longer Life
- Blades are safer since they will not break under normal working conditions, they help reduce the risk of injury from breaking or shattering blades
- Result in fewer blade changes which means fewer accidental cuts
- High-speed steel – delivers a hardened cutting edge that stay sharp 3x longer than traditional carbon blades
- Fits most knives – the two-notch blade design fits most utility knives
- Soft-snap technology – for breaking a new edge confidently



Code: **KN1IB5**

## Flat Cutting Disc For Stone

- For quick accurate cuts in stone and concrete
- Fits standard angle grinders
- Suitable for all masonry materials, asphalt and clay



Size:	Code:
300mm x 20mm	<b>AC12S34</b>
300mm x 22mm	<b>AC12S78</b>
115mm x 22mm	<b>AC45S78</b>
230mm x 22mm	<b>AC9S78</b>

## Abrasive Metal Cutting Discs

- Top-quality abrasive discs for cutting steel
- For angle grinders
- Mild steel and stainless material cutting discs
- Approx. 2.5mm thick for good cutting life



Size:	Code:
115mm x 3mm	<b>AMC115</b>
125mm x 3mm	<b>AMC125</b>
230mm x 3mm	<b>AMC230</b>
300mm x 3mm	<b>AMC300</b>
350mm x 2.5mm	<b>AMC350</b>

## Abrasive THIN Metal Cutting Discs

- Top-quality mild and stainless steel cutting discs
- The industry standard for precision cutting
- Long life and quick cut
- Cool-running and iron-free for stainless steel
- Safety accredited to 80m/sec
- Packed in 25s



Size:	Code:
115mm x 1mm	<b>AMCT115</b>
125mm x 1mm	<b>AMCT125</b>
230mm x 2mm	<b>AMCT230</b>

## Abrasive Metal Grinding Discs

- A24 grit resin for longevity and fast grinding
- For steelwork applications
- Pack of 10



Size:	Code:
115mm	<b>AMG115</b>
125mm	<b>AMG125</b>
180mm	<b>AMG180</b>
230mm	<b>AMG230</b>

## HSS Cobalt Drills

- Fully ground 5% cobalt HSS drill for unbeatable performance in hard materials including stainless steel
- 135° angle, split point
- 1mm – 16mm drill bits available in intermediate and tapping sizes



Size:	Code:
3mm	<b>CTDC030</b>
4mm	<b>CTDC040</b>
5mm	<b>CTDC050</b>
6mm	<b>CTDC060</b>
7mm	<b>CTDC070</b>
8mm	<b>CTDC080</b>
9mm	<b>CTDC095</b>
10mm	<b>CTDC100</b>
10.5mm	<b>CTDC105</b>
12mm	<b>CTDC120</b>

## Chipbreaker Oilfeed T Drill

- 22mm
- Fully-ground HSS "Oilfeed Drills" used for high-speed drilling on CNC machinery
- Suitable for structural steels
- 8mm – 50mm drill bits available
- Cobalt M42 version available



Code: **CTDA022**

## HSS Jobber Drills Boxed Set

- Convenient box set giving the complete range of drill sizes from 1mm – 13mm diameter in 0.5mm increments
- Engineering grade HSS Jobber drills
- 25 pieces



Code: **CTDJSET25**

## HSS Jobber Drills

- Engineering grade twist drills
- Fully ground flute for superb performance in standard and alloyed steels
- 135° angle, split point
- 1mm – 14mm drill bits available in intermediate and tapping sizes
- Sold individually



Size:	Pack size:	Code:
3mm x 61mm	10	<b>CTDJ030</b>
4mm x 75mm	10	<b>CTDJ040</b>
4.2mm x 75mm	10	<b>CTDJ042</b>
5mm x 86mm	10	<b>CTDJ050</b>
5.5mm x 93mm	10	<b>CTDJ055</b>
6mm x 93mm	10	<b>CTDJ060</b>
6.5mm x 101mm	10	<b>CTDJ065</b>
6.8mm x 109mm	10	<b>CTDJ068</b>
7mm x 109mm	10	<b>CTDJ070</b>
7.5mm x 109mm	10	<b>CTDJ075</b>
7.6mm x 117mm	10	<b>CTDJ076</b>
8mm x 117mm	10	<b>CTDJ080</b>
8.5mm x 117mm	10	<b>CTDJ085</b>
9mm x 125mm	10	<b>CTDJ090</b>
9.5mm x 125mm	10	<b>CTDJ095</b>
10mm x 133mm	10	<b>CTDJ100</b>
10.5mm x 133mm	5	<b>CTDJ105</b>
11mm x 142mm	5	<b>CTDJ110</b>
12mm x 151mm	5	<b>CTDJ120</b>
13mm x 151mm	5	<b>CTDJ130</b>

## Blue-Tec TCT Burr, Double Cut, Flame

- 12mm x 32mm x 6mm shank
- 77mm OAL
- Universal double cut as standard



Code: **CTCBK-F12**

## Blue-Tec TCT Burr, Double Cut, Cylinder

- 12mm x 20mm x 6mm Shank
- 64mm OAL
- Blu-Tec coated, German-quality tungsten carbide burrs for unbeatable performance
- 100% braze tested for safety
- All sizes and patterns available



Code: **CTCBK-CE12**

## SDS Plus Drill Bit

- For fast drilling of masonry
- Twinmax flute and bionic cutting edge for superior performance
- Extra-long versions available
- Suit most small rotary hammer drills with capacity of up to 26mm



Size:	Code:
5mm x 110mm	<b>CSDS05110</b>
5mm x 160mm	<b>CSDS05160</b>
5.5mm x 110mm	<b>CSDS055110</b>
5.5mm x 160mm	<b>CSDS055160</b>
6mm x 110mm	<b>CSDS06110</b>
6mm x 160mm	<b>CSDS06160</b>
7mm x 110mm	<b>CSDS07110</b>
7mm x 160mm	<b>CSDS07160</b>
8mm x 110mm	<b>CSDS08110</b>
8mm x 160mm	<b>CSDS08160</b>
10mm x 110mm	<b>CSDS10110</b>
10mm x 160mm	<b>CSDS10160</b>
12mm x 160mm	<b>CSDS12160</b>
14mm x 160mm	<b>CSDS14160</b>
14mm x 260mm	<b>CSDS14260</b>
16mm x 200mm	<b>CSDS16200</b>
18mm x 200mm	<b>CSDS18200</b>
20mm x 200mm	<b>CSDS20200</b>
20mm x 450mm	<b>CSDS20450</b>
22mm x 250mm	<b>CSDS22250</b>
22mm x 450mm	<b>CSDS22450</b>
24mm x 250mm	<b>CSDS24250</b>
25mm x 250mm	<b>CSDS25250</b>
25mm x 450mm	<b>CSDS25450</b>
26mm x 250mm	<b>CSDS26250</b>
26mm x 450mm	<b>CSDS26450</b>

## Countersink

- Made with high-alloyed HSS-XE steel for superior life and drilling performance
- 90° point as standard
- Fits into standard magnet drill arbor



Size:	Code:
25mm, M2	<b>CMZ25CS</b>
55mm	<b>CMZ55CS</b>

# Cutting, grinding & drilling

## SDS Max Drill Bit, Flat Chisel

- 25mm x 400mm
- Hardened breaker chisels for SDS Max demolition drills
- Smaller, lighter design means improved performance and less breakage
- Specially blast-hardened tools



Code: **CSDSBMC**

## GT85 Lubricant Spray

- 400ml
- Excellent multi-purpose lubricant and cleaner, also used for rust penetration
- Contains PTFE
- Many users prefer to WD40
- Non-sticky lubrication, effective penetrator, water displacer and rust proof



Code: **HGT854**

## Bright Zinc Coating Aerosol Spray Paint

- 500ml
- Resin-based paint, which contains 96% pure zinc flake and can be used as a coating on pipes and steel fabrication to reduce corrosion and as an exceptionally good primer coat



Code: **HLZ739A**

## SDS Max Hammer Drill Bit

- Superb three cutter "Y" head gives improved performance and drilling speed even in reinforced concrete
- Extra-long versions available
- Suitable for heavy-duty drilling applications in concrete, granite, marble, brickwork and stone



Size:	Code:
12mm x 540mm	<b>CSDSM1254</b>
14mm x 340mm	<b>CSDSM1434</b>
16mm x 340mm	<b>CSDSM1634</b>
16mm x 540mm	<b>CSDSM1654</b>
18mm x 540mm	<b>CSDSM1854</b>
20mm x 320mm	<b>CSDSM2032</b>
20mm x 520mm	<b>CSDSM2052</b>
22mm x 320mm	<b>CSDSM2232</b>
22mm x 520mm	<b>CSDSM2252</b>
25mm x 320mm	<b>CSDSM2532</b>
25mm x 520mm	<b>CSDSM2552</b>
28mm x 520mm	<b>CSDSM2852</b>
32mm x 520mm	<b>CSDSM3250</b>

## Karnasch Drilling & Tapping Paste

- 125g
- Viscous paste ideal for positional applications e.g. overhead
- Ideal for standard and non-ferrous steels
- Chlorine-free for health benefits



Size:	Code:
125g	<b>HOC100-125</b>
750g	<b>HOC100-750</b>

## Drill & Tap Lube Aerosol Spray

- 500ml
- 'Paste' style aerosol lubricant
- Perfect for precise drilling applications or positional work
- Minimal mess or run off
- Adheres to the cutting area



Code: **HOCBR400**

## Karnasch, Heavy Duty Cutting Oil (water soluble)

- 2.5ltr
- High-performance, water-soluble cutting fluid especially designed for ABMAG broaching and magnet drilling applications
- Pressure coolant applicator available
- Mineral oil that is not hazardous under traffic law provision



Code: **HOCMCK-25**

## Talvax Tallow

- 500g
- Monument Tub White Tallow is the best-quality, hard, white tallow used as a lubricant when threading conduit pipe and when pulling electric cables through conduit



Code: **HTZ100**

# Welding & gas cutting

## Mig Tip M6

- Standard copper Mig Tip, screws into the Mig Tip adapter
- Replace regularly to ensure best welding performance
- Fits 250A and 360A Mig Torches
- Use M6 tips with M6 Tip adapters and M8 tips with M8 Tip adapters



Size:	Code:
1mm	<b>WMT23-10</b>

## Mig Tip M8

- Standard copper Mig Tip, screws into the Mig Tip adapter
- Replace regularly to ensure best welding performance
- Fits 250A and 360A Mig Torches
- Use M6 tips with M6 Tip adapters and M8 tips with M8 Tip adapters



Size:	Code:
1mm	<b>WMT34-10</b>
1.2mm	<b>WMT34-12</b>

## Mig Tip Adaptor

- M6, 250A
- Mig Tip adapter to screw into the swan neck and take the Mig Tip, fits to MB25 or MB363 Mig Torches depending on the model
- Consumable part made from copper



Code: **WMT25-TA**

## Mig Shroud – Conical

- Outer Mig Torch shroud or nozzle to direct the flow of shielding gas to the weld pool area
- Chrome covered to prevent spatter sticking
- Fits MB 25 250A lightweight Mig Torch or MB36 Mig Torch
- Approx dimensions: 57mm x 20mm x 10mm bore or 84mm x 23mm x 16mm bore depending on model



Code: **WMT25S-C**

## Mig Torch

- Bestselling 360A Mig Torch and consumable parts
- Lightweight and flexible
- Industry standard Euro connection and flexible cable



Code: **WMT3604**

## Mig Gas Distributor, Standard

- 360A
- Ceramic-type Mig Torch gas diffuser that fits behind the Mig Tip on a MB36 torch and enables the Argon Shielding gas to evenly disperse
- Medium-duty, air-cooled torch



Code: **WMT36GD-1**

## XTL Weld Mild Steel Mig Wire

- A18 precision wound (1512)
- 15kg reel
- Moisture sealed
- Quality checked and moisture protect packaging
- Manufactured to **BS2901**



Size:	Code:
0.8mm	<b>WMM08</b>
1mm	<b>WMM10</b>

## Conarc 49C SRP Electrodes

- 450mm
- Ideal for structural welding
- Carton size: 3.2mm – 20kg; 4.0mm – 16kg
- Complies with: **E7018-4-H4R**



Size:	Code:
3.2mm	<b>WELHC49-SRP-324-8</b>
4mm	<b>WELHC49-SRP-404-8</b>

## Bohler Fox SUM Electrode – 6013

- 3.2mm x 350mm
- 20.8kg carton
- E6103 electrode with exceptional weldability in all positions except vertical down
- Soft arc and minimal spatter
- Bestseller for general mild steel



Code: **WEM-SUM-323-4**

# Welding & gas cutting

## Bohler EV50 Vac-Pack Electrode – 7018 Low Hydrogen

- Double-coated, easy restrike 7016 Electrode for high-strength welding application
- **E7018-1H4R** specification



Size:	Carton:	Pack:	Code:
3.2mm x 350mm	15.12kg	Vac	<b>WELH-EV50-323-8-V</b>
3.2mm x 450mm	21.6kg	Vac	<b>WELH-EV50-324-8-V</b>
4mm x 450mm	21.6kg	Vac	<b>WELH-EV50-404-8-V</b>
3.2mm x 450mm	21.6kg	Standard	<b>WELH-EV50-324-4</b>

## Electrode Holder, Twist Type

- 400A
- Heavy-duty, twist-type electrode holders for quick rod changes and secure grip
- Supplied with hex key and fitting kit



Code: **WAEHT40**

## TB Brush Shroud

- Genuine Tig Brush spares for the industry leading weld cleaner



Code: **ATB-6456**

## TB Spare Wand – Std

- 100mm
- Genuine Tig Brush spares for the industry leading weld cleaner



Code: **ATB-6460**

## TB TB-40 Neutraliser

- 5ltr
- Genuine Tig Brush spares for the industry leading weld cleaner
- Blue



Code: **ATB-6462**

## Tungstens Ceriated

- Ceriated (grey tip) tungsten for tig welding all common metals including mild and stainless
- Handy dispenser pack of 10



Size:	Code:
1.6mm x 150mm	<b>WTUC16</b>
2.4mm x 150mm	<b>WTUC24</b>

## Tungstens 2% Thoriated

- 2.4mm x 150mm
- 2% Thoriated (red tip) tungsten for stainless and mild steel
- Handy dispenser pack of 10



Code: **WTUT24**

## Tungsten Zirconiated

- 2.4mm x 150mm
- White tip
- Normally the electrode of choice for AC welding of aluminium and magnesium alloys
- Handy dispenser pack of 10
- **EN26848**



Code: **WTUZ24**

## Earth Clamp, Crocodile Type

- 400A
- Standard replacement earth clamps to fit onto all weld earth leads
- Powerful jaw grip for superior earth



Code: **WAEC400**

## Combination Bottle Spanner & Cylinder Key

- Strong drop-forged spanner and cylinder key for hose nuts, regulator nuts and opening or closing of gas bottles
- Standard Euro sizes



Code: **WGACS**

## 3 Flint Gas Lighter

- Reliable spark lighters for safe and easy ignition of gas torches
- Three flint design for quick, easy changing of flints
- Replacement spark flints available



Code: **WGAL3**

## Mild Steel TIG Filler Wire A15

- 1.2mm
- 5kg pack
- Popular A15 triple-deoxidised coppercoated tig wire for precision welding of all mild steel
- Handy 5kg plastic tube packs



Code: **WTMA15-12**

## TB TB-25 Weld Cleaning & Polishing Fluid

- NSF registered, ultra-performance premium stainless steel weld cleaning fluid
- Highest-quality components at high concentrations
- For best results neutralise with TB-40 after cleaning



Size:	Code:
1ltr	<b>ATB-6449</b>
5ltr	<b>ATB-6450</b>

## Tig Brush – Spare Brush

- Original replacement brush tip for the Propel Torch wth copper ferrule



Code: **ATB-6451**

## Compressor Hose – Claw Couplings

- 3/4"
- With quick-release couplings and safety claw clamps
- Heavy-duty, abrasion and crush resistant
- Extreme flexibility
- High working pressure: 300psi
- Temperature range: -20°C – +80°C
- Pressure range: 20bar
- Length: 15m
- Yellow



Code: **HO6CH15**

## Air Hose Whip Checks

- 1/2" – 1 1/4"
- Used for many years on air compressor hoses to prevent hose ends from "whipping" if the coupling blows out of the hose
- Steel cables and plated springs, with aluminium ferrules are standard for hose to hose "Whipcheck"



Code: **HO6CWC1**

## Heavy-Duty Propane Heating Torch

- Single head
- 600mm long powerful propane torches for general purpose burning, heating, and preheating for welders
- 5m hose
- Ideal for preheating and burning



Code: **HPROT5M-1**

# Welding & gas cutting

## Oxy Propane Double Gas Bottle Trolley, Solid Tyre

- Large
- Sturdy gas trolley
- Welded connections and large wheels for easy site use
- Designed to take a full size oxygen bottle weighing 80kg (gross) and a 47kg propane bottle



Code: **WGATOP-L**

## Hose Coupler – Left Hand (Fuel Gas)

- 3/8"



Code: **WGBHC-10L**

## Hose Coupler – Right Hand, (Oxygen/Argon)

- 3/8"



Code: **WGBHC-10R**

## Hose O-Clip

- Industrial O-Clips for crimping over the end of hose tails, splicers, etc.
- WGBCOC-18 fits 10mm dia. hose



Size: Code:  
 5/16", 7mm – 9mm **WGBOC-08**  
 9/16", 13mm – 15mm **WGBOC-13**  
 3/4", 15mm – 18mm **WGBOC-18**

## Flash Back Arrestor

- Features include flame arrestor, filter and thermal cutoff valve
- Will auto-reset from minor flashbacks
- Economical auto reset flashbacks



Product: Code:  
 Fuel gas **WGFBRM-F**  
 Oxygen **WGFBRM-O**

## Oxygen Hose

- 10mm x 20m
- High-quality hose sets fitted with 3/8" BSP connectors and hose check valves
- Blue coded for oxygen
- Fully compliant to **BSEN559** specification



Code: **WGHO10-20**

## Propane Hose

- High-quality hose sets fitted with 3/8" BSP connectors and hose check valves
- Orange colour coded for propane
- Fully compliant to **BSEN559** specification



Size: Code:  
 10mm x 10m **WGHP10-10**  
 10mm x 20m **WGHP10-20**

## Propane Nozzle Mix Cutting Nozzle

- Heavy-duty oxygen/propane cutting nozzles to use with nozzle mix torch
- Cuts from thin plate to 300mm



Size: Code:  
 1/16", up to 75mm cut **WGNPNM-116**  
 1/32", up to 6mm cut **WGNPNM-132**  
 3/32", up to 150mm cut **WGNPNM-332**

## Acetylene Nozzle Mix Cutting

- 1/16"
- Up To 75mm cut
- Heavy-duty oxygen/acetylene cutting nozzles to use with nozzle mix torch
- Cuts from thin plate to 300mm



Code: **WGNANM-116**

## Oxygen Regulator, Single Stage – 2 Gauge

- Precision-engineered single stage regulators
- Accurate outlet adjustment knob, outlet gauge, and bottle contents gauge
- **BSEN1502503**



Code: **WGROX-2**

## Oxygen Regulator, Single Stage – Plugged, 10.0 Bar

- No-gauge design makes these regulators ideal for site work and mobile use
- Pressure is set by markings around adjustment knob
- **BSEN1502503**



Code: **WGROX-P**

## Propane Regulator, Single Stage – Plugged, 3.5 Bar

- No-gauge design makes these regulators ideal for site work and mobile use
- Pressure is set by markings around adjustment knob
- Fits all standard cylinders



Code: **WGRPP-O**

## Argon/Argon-Mix Regulator, Single Stage, 2 Gauge

- High-performance regulator for argon, argon-mix, and similar inert shielding gases for welding
- Gauges show bottle contents and flow rate
- Fits all standard cylinders




Code: **WGRSG-2**

## Gas Cutting Torch

- Well-balanced cutting torch made to **BS6503**
- Use with a range of nozzles to cut mild steel
- Secure-grip handle, pressure adjustment valves, and cutting lever
- Longer lengths up to 1.5m available



Size: Code:  
 18", 90° **WGT1890**  
 36", 75° **WGT3690**



For advice on the best products, call our customer support team on **01293 744 444**

## Some Of Our Team



### Richard Lynes – CEO

The founder and Chief Executive of OnSite Support, Richard has led the business for over 40 years, and can still be found in the office most days providing support for the leadership and wider team. He spends time assisting the community and devotes time to helping the disadvantaged – which is an area close to his heart. Richard also enjoys a game of cricket with the family. At the end of a busy day, a great treat is a good fillet steak.



### Warren Lynes – Managing Director

Warren joined the business in 1988 and now heads up the running of the business under the watchful eye of his dad. Like the rest of his family, Warren believes strongly in serving his community as well as the business, and plays an active role in OnSite Support's regular CSR initiatives. Don't tell anyone, but Warren hates public speaking; he'd far rather enjoy a good old Nando's and a few drinks with his family and friends!




### Damian Lynes – Sales Director

Having been with the company over 25 years, Damian says he still really loves the challenge of his job. He most enjoys the strategic aspects, helping his team identify where we can best support our clients, building partnerships and growing our businesses together. In the little time that is left outside work Damian dedicates his time to his family and friends, the great things in life and a great curry!



### Vincent Jenkins – Head of Operations

Vincent has been with the company for six years, and loves the daily challenges of his role, overseeing a number of critical functions and ensuring that both our own staff and clients are properly looked after. Vincent also wins the prize for the most impressive fact about his life outside work: he represented England in the 2006 Carp Angling World Cup! He now really enjoys passing on his passion for angling to his 5-year-old son.



### Patrick Wantenaar – Customer Support Team Leader

Patrick has been with the business for almost four years, supporting his team and making sure they have the tools and resources they need to provide exceptional client service. He loves building strong relationships with his clients, and finds the process of delivering for them hugely rewarding. When asked what super-power he wishes he had, he says "super speed would be really helpful to find time to get everything done!"



### Humphrey Byng – Sales Executive

Humphrey has been with the company for almost 20 years, and loves using his vast experience and expertise to come up with the right solutions for his clients, always going the extra mile when necessary. Outside of work Humphrey loves spending time with his four daughters, and is also known for his deadly right foot on the football pitch...



### Christopher Wellgreen – Key Account Team Leader

Chris has been with OnSite Support for four and a half years, and leads our Key Account Team. He sees his role as that of an enabler – he's there to help his team and clients alike clear road-blocks and improve processes to ensure that the best possible results are achieved. A strategist to the core, Chris is a keen chess player.



### Cara Woodley – Key Account Manager

Cara has been with the company for nearly five years. A hugely energetic member of the team, she loves getting to know her clients well, and likes to try and make their day a little bit easier. Cara spends a lot of her spare time on two wheels, being a keen motorcyclist and mountain biker, and in her own words loves "anything adventurous!"



### Charlton Latimer – Key Account Manager

Charlton performs a critical role within the company as one of our Key Account Managers. He's been with OnSite Support for nearly three years, and says what he most enjoys about the role is innovation and problem solving. When he's not looking after our clients you'll usually find Charlton looking after his two children!



### Roy Brown – Key Account Manager

Roy is one of our most experienced Key Account Managers, having been with the company for over eight years. He manages some of OnSite's largest accounts, in his own words "ensuring they get the attention, service and care they deserve". Like many of our staff, Roy is a true people person and loves to get to know his clients well, particularly enjoying the chance to introduce new innovations or solutions to them.

## Client Testimonials

We're always keen to hear feedback from customers; here are some of the things we've heard recently from them that we're especially proud of.

"OnSite is an extremely forward thinking and proactive business that are always interested in expanding and growth be it in new sectors or via new technology. The support and effort that they provided during the introduction of purchase card was exceptional. The fruits of this effort are now clearly seen in the growth of the JMS account, with further plans in place to ensure continued growth. Next stages are early engagement at tender stage and working closely with our key operational stakeholders."

– J Murphy & Sons




"OnSite has been a great help on site and also on the phone. They have provided very knowledgeable on-site training, bringing with them lots of examples of possible solutions for tool tethering. They ask pertinent questions before arriving to ensure that they can tailor the training to any issues that you might be having on site. The technical knowledge and information from the web site and the operatives at OnSite is also a great benefit and easily accessible."

– Kier Group



"I have been extremely happy with the service and support from OnSite Support. The team are really friendly and happy to help with anything I ask. Returns due to incorrect size have run smoothly without issues, alongside re-ordering of the correct sizes. Even though the products are cheaper they are still of a high quality and I have had no complaints about PPE from the lads here on site. Deliveries are usually next day unless they need to be branded (which is completely understandable). Here at Snowhill we look forward to future purchases and working with the OnSite team."

– BAM Construction



"I just wanted you to know how happy I am with the service I receive from Darren Oliver in your Customer Support Team. Darren's customer service is impeccable. When I request a quote I always receive it within an hour of asking (in most cases, it is within half an hour). The whole process from quote through to ordering runs smoothly. Darren is extremely helpful and if I do encounter a problem with a delivery I know that he will sort the problem out for me. Because of the good service that I receive, I am more than happy to keep placing orders with OnSite."

– BAM Nuttall

## A

Abrasive belts **294**  
 Abrasive roll **296**  
 Absorbent liner **203**  
 Absorbent pads **203**  
 Absorbent socks **203**  
 Absorbent wipes **204**  
 Accident book **134**  
 Adhesive **211**  
 Aerosol spray **302**  
 Airbag **289**  
 Air conditioning **173**  
 Air freshener **144**  
 Air horn **180**  
 Anchor **114**  
 Anemometer **243**  
 Angle grinder **267**  
 Antiseptic cleaning wipes **134**  
 Applicator gun **212**  
 Argon regulator **307**  
 Automatic level **268**  
 Axe **280**

## B

Backpack **131**  
 Backpack sprayer **238**  
 Bag **130–131**  
 Bar **273**  
 Barrier  
   Barrier fencing **186**  
   Barrier marker **210**  
   Buddha barrier **184, 198**  
   Expanding barrier **184**  
   Height barrier **198**  
   Pedestrian barrier **183**  
   Walkway barrier **184–185**  
 Battery **248**  
 Battery charging bank **231**  
 Beacon **187**  
 Belt adapter **125**  
 Bin **230**  
 Bin liners **157**  
 Blade trimming knife **299**  
 Boat level **278, 291**  
 Boilersuit **92**  
 Bolster **273**  
 Bolt cutter **270**  
 Boots **96–101**  
 Bowl **161, 168**

Broom  
   Broom **159**  
   Broom clamp **158**  
   Broom handle **158, 163**  
   Broom head **158**  
   Broom socket **158**  
   Broom stay **158**  
 Brush **159–161, 296**  
 Bubble wrap **225**  
 Bucket **229**

## C

Cable hook **249**  
 Cable layer **284**  
 Cable protection **249**  
 Cable reel **241–242**  
 Cable stand **249**  
 Cable ties **249**  
 Carabiner **114, 116**  
 Carborundum blocks **293**  
 Cargo bag **207**  
 Carpet protection **222**  
 Chain  
   Plastic chain **187**  
   Security chain **236–237**  
 Chair **165, 173**  
 Chalk **208**  
 Chisel **273–274**  
 Cigarette bin **175**  
 Cleaner  
   Biological cleaner **145**  
   Bleach **142**  
   Brick cleaner **144**  
   Cleaner **140–145**  
   Disinfectant **140**  
   Drain cleaner **142**  
   General purpose cleaner **144**  
   Greener cleaner **145**  
   Polish **140**  
   Polishing fluid **304**  
   Toilet blocks **143, 145**  
   Toilet brush **160**  
   Toilet cleaner **143, 145**  
   Window cleaner **144**  
 Clipboard – aluminium **129**  
 Cloths **146, 147**  
 Coat **79–80, 84–85**  
 Coat hook **174**  
 Coffee  
   Coffee **170–171**  
   Coffee beans **170**  
   Decaf coffee **171**  
   Instant coffee **170**  
 Combs **274**  
 Conditioning belts **294–295**  
 Conduit bender **290**  
 Cone **187**

Cone lamp bracket **197**  
 Copier paper **175**  
 Countersink **301**  
 Coverall **83, 104**  
 Crowbar **272, 273**  
 Cup brush **294**  
 Cups  
   Biodegradable cups **169**  
   Plastic cups **169**  
   Polystyrene cups **169**  
 Curing tank **286**  
 Cut file **278**  
 Cutlery  
   Forks **168**  
   Knives **168**  
   Spoons **168**  
 Cutter **298, 299**  
 Cutting station **240**

## D

Defibrillator **135–136**  
 De-icer **262**  
 Desk **175**  
 Detergent **141**  
 Dewatering filter **205**  
 Digging fork **282**  
 Digital level **278**  
 Digital lock **235**  
 Discs  
   Cutting discs **300**  
   Diamond discs **297**  
   Flap discs **294**  
   Grinding discs **300**  
   Sanding discs **294**  
 Dishwasher **166**  
 Dishwasher tablets **141**  
 Dispenser **151–156**  
 Disposable coverall **104**  
 Door guard **224**  
 Door mat **163**  
 Drainer **284**  
 Drainguard **205**  
 Drain rod **288**  
 Drain test plug **288**  
 Drain test plug nipple **288**  
 Drain tracing dye **289**  
 Drill **266–267**  
 Drill bit **301–302**  
 Drive socket sets **271**  
 Drum sleeve **295**  
 Duct conduit rod **289**  
 Dustpan **160**  
 Dustsheets **257**

## E

Ear defenders **63, 67**  
 Ear plugs **68**  
 Earth clamp **305**  
 Easy float **286**  
 Electrode **304**  
 Emergency station **178–179**  
 Expanding foam **211**  
 Extension lead **241**  
 Eyebolt **127**  
 Eye pad **135**  
 Eye wash **135**

## F

Face fit test kit **112**  
 Faceshield **53**  
 Fall arrest block **114**  
 Fan **173**  
 Fence panel **185**  
 Fencing pins **186**  
 Filler wire **304**  
 Film protection **223**  
 Fire alarm **180**  
 Fire bell **180**  
 Fire blanket **180, 182**  
 Fire bucket **180**  
 Fire extinguisher **180–181**  
 First aid kit **132–133**  
 Fixing bolts **199**  
 Fixing plugs **214**  
 Fleece **89**  
 Fleece band **295**  
 Fleece wheel **296**  
 Flexible hose **290**  
 Flexi trays **204**  
 Floor protection **222**  
 Floor scraper **293**  
 Fly & wasp killer **175**  
 Foil blanket **135**  
 Fridge **166**  
 Fuel can **238**  
 Funnel – plastic **238**

## G

Gas bottle trolley **306**  
 Gas cage **231**  
 Gas cutting torch **307**  
 Gas lighter **305**

Gauntlets  
   Chemical resistant gauntlets **41**  
   Nitrile gauntlets **41**  
   PVC gauntlets **41**  
   Welders' gauntlets **40**  
 Gin wheel **293**  
 Glass lifter **292**  
 Gloves  
   Cut 1 gloves **32–34**  
   Cut 3 gloves **35–36**  
   Cut 5 gloves **30–31, 34–35, 37–39**  
   Glove liners **35, 40**  
   Gloves **29–42**  
   Overgloves **39**  
   Rigger gloves **40**  
 Graffiti remover **144**  
 Grease gun **290**  
 Grit band **295**  
 Grit bin **263**  
 Gun cleaner **212**  
 Gun dispenser **212**

## H

Hacksaw **280**  
 Hammer **274–275, 291**  
 Hand cleaner  
   Barrier cream **151**  
   Conditioning cream **152**  
   Hand cleanser **151**  
   Hand cream **153**  
   Hand sanitiser **151–153**  
   Hand scrub **151**  
   Hand soap **152**  
   Handwash **149**  
   Sanitiser **149**  
 Handle **283**  
 Hand pad **296**  
 Handrail protector **224**  
 Hand scoop **285**  
 Hand towels **155**  
 Harness **113, 116–117**  
 Hat **130**  
 Head punner **283**  
 Health & safety poster **219**  
 Heater **167**  
 Heat gun **129**  
 Heating torch **305**  
 Helmet  
   Chinstrap **64**  
   Helmet **60–62**  
   Helmet light **63**  
   Helmet liner **62–63**  
   Helmet sticker **64**  
   Welding helmet **53**  
 Hessian roll **222**  
 Hex keys **272**

Hi-Vis  
   Hi-Vis bib & brace **87**  
   Hi-Vis bodywarmer **76**  
   Hi-Vis bomber jacket **71, 73, 80**  
   Hi-Vis coverall **83, 85, 93**  
   Hi-Vis fleece jacket **80**  
   Hi-Vis jacket **71, 77, 79, 84, 88**  
   Hi-Vis jacket & trouser **85**  
   Hi-Vis overalls **83**  
   Hi-Vis overtrousers **78, 82, 86–87**  
   Hi-Vis polo shirt **74, 77, 81**  
   Hi-Vis sleeved waistcoat **76**  
   Hi-Vis storm coat **79**  
   Hi-Vis sweatshirt **81**  
   Hi-Vis trousers **73, 77–78, 82–83, 93**  
   Hi-Vis t-shirt **74**  
   Hi-Vis waistcoat **75, 81**  
   Hi-Vis waterproof bomber jacket **80**  
   Hi-Vis waterproof jacket **85**  
   Hi-Vis waterproof overtrousers **86**  
   Hi-Vis waterproof storm coat **79–80, 84**  
   Hi-Vis waterproof trousers **82**

Holdall **130**

Holesaw **298**

Hose

  Compressor hose **305**  
   Garden hose **260**  
   Heavy-duty hose **260**  
   Hose connector **260, 261**  
   Hose coupler **306**  
   Oxygen hose **306**  
   Propane hose **306**

## I

Ice scraper **262**  
 Impact socket **271**  
 Inflator pump **289**

## J

Jacket  
   Bomber jacket **88**  
   Rain jacket **84**  
   Softshell jacket **89**  
   Waterproof jacket **84**  
 Jerry can **238**  
 Jobber drills **301**  
 Joint drop scraper **289**  
 Joint rubber plunger **288**  
 Jubilee clip **260**

# Index

## K

Kettle 165  
Key cabinet 236  
Keys 233  
Key tags 236  
Kitchen roll 155  
Knee pads 92  
Knife blades 299

## L

Ladder 251–252  
Ladder clamp 250  
Laddertag 253  
Laminating pouches 174  
Lanyard  
  Hard hat lanyard 124  
  Lanyard 115–117  
  Lanyard attachment loop 127  
  Lanyard attachment rings 126  
  Lanyard ring 127  
  Tool lanyard 120–122  
Laser level  
  Laser distance measurer 269  
  Laser level 268–269  
  Tripod 268–269

Leather sleeves 39

LED light  
  LED festoon kit 242  
  LED head torch 247  
  LED Hi-Vis 76  
  LED light 244–246  
  LED torch 247–248

Lens cleaning station 55–56

Lifejacket 137

Lifting bucket 129

Lifting sling 207

Light  
  Floodlight 245–246  
  Fluorescent tubes 244  
  Light bulb 244  
  Uplight 244

Line marking 209

Litter picker 230

Locker 174

Lubricant spray 302

## M

Manhole key 287

Masks  
  FFP2 valved masks 107  
  FFP3 valved masks 107  
  Filters 109, 111–112  
  Full face mask 109  
  Half mask 108  
  Half-mask respirator 111  
  Powered-air respirator 110

Mattock head 282

Maul 274

Measuring wheel 279

Microwave 166

Mig Tip 303

Mig torch 303

Mig wire 303

Milk 172

Mix wheel 296

Mop  
  Mop 163–164  
  Mop bucket 163–164  
  Mop handle 163–164  
  Mop head 163–164

Mould oil 286

Mug 169

## N

Nail brush 160

Nailer 213

Nails 213

Netting 228

## O

Oil pads 204

Overalls 92–93

Overshoes  
  Disposable overshoes 104  
  Reusable overshoes 103

Oxygen regulator 307

## P

Packers 214

Padlock 233–235, 237

Paint brush 255

Painters steps 252

Paint kettle 255

Paint marker 290

Paint roller 255

Paint roller frame 255–256

Paint roller refill 256

Paint roller tray 255

Paint scraper 256

Paint scuttle 256

Paper towels 155

Pegs 210

Pen 254

Pick axe 282

Pilot drill 298

Pilot pin 299

Pipe vice jaws 289

Plan hanger 173

Plant nappy 206

Plasterers mixing whisk 293

Plasters 134

Plates 168

Pliers 270, 291

Plug 242

Podger 290

Podium platform 252

Polo shirt 90

Poly float 277

Polythene protection 223

Post digger 283

Pouch  
  Canvas bolt bag 125  
  Canvas parts pouch 125  
  iPad pouch 125  
  Tool pouch 126

Power tool wrap 129

Pressure sprayer 260

Pressurised dust suppression 293

Propane regulator 307

Protection polythene 223

Protection sheeting 222

Protection sleeve 35

## R

Radios 261

Rail apron 123

Rainsuit 85

Rain trousers 86

Rake 281

Ramp 198, 199

Ratchet handle 271

Ratchet strap 207

Rings  
  D-Ring 127  
  Split ring 127  
  Tethering ring 128

Road lamp 186

Rock salt 262

Rope 208

Rubber mallet 274

## S

Sacks  
  Asbestos removal sacks 228  
  Sacks 228

Sack truck 259

Safe step 250

Safety blades 300

Safety check book 253

Safety glasses  
  Overglasses 47–48  
  Safety glasses 46–48, 50  
  Safety goggles 49, 51–52  
  Safety spectacles 48–50  
  Welders' goggles 52

Safety knife 300

Safety netting 227

Safety shoes 96

Salt spreader 263

Sandbags 228

Saw 280

Saw blades 297

Scaffold fender 224

Scaffold sheeting 228

Scourers 146

Scraper 257

Screen prop 224

Screenwash 262

Screwdriver  
  Screwdriver 266  
  Screwdriver bit set 292  
  Screwdriver set 292

Security box 231–233

Security mirror 237

Sewer grab 287

Sharps bin 134

Shears 280

Shirt 91

Shock absorber 114–115

Shoe & helmet sanitiser 175

Shovel 284, 285

Shovel holer 283

Signs  
  Cone sign 197  
  Road sign 188–196  
  Site sign 215–221  
  Standing sign 219

Silicone 211

Site board 216–217

Site transformer 242

Sledge hammer 274–275

Slump cone 286

Smoke detector 175

Snow shovel 263

Socket 242

Socks 103

Sound level meter 67

Spade 283–284

Spanner 272, 291, 305

Spectacle hanging cord 56

Spill catcher 206

Spill container 204

Spill granules 205

Spill kit 201–203

Spirit level 278

Sponge 257

Spray gun 260

Spray paint 302

Sprinkler 260

Squash 172

Squeegee 160

Stand pipe 287

Standpipe key 287

Staple gun 292

Staples 292

Straightedge 278

String line 208

Sugar 172

Suncream 154

Sweatshirt 89

Sweetener 172

Switch & dock set 123

Switch tape pocket 123

## T

Table 165

Tack mats 224

Tag system 253, 254

Tallow 302

Tape  
  Barrier tape 210  
  Tape 225–226  
  Warning tape 210

Tape measure 278–279, 291

Tape measure holder 126

Tarmac lute 281

Tarpaulin 222, 227

Tea bags 170

Tea towels 146

Tea urn 165

Tether  
  Mobile phone tether 124  
  Radio tether 123  
  Tether loop attachments 128  
  Tie off loops 128  
  Tool choke 128  
  Tool end cap tether 129  
  Wrist tether point 129

Tether loops 123

Thermometer 287

Tig brush 304

Toaster 166

Toilet roll 155–156

Toilet seat 175

Tool belt 125

Tool collar 128

Tool pocket 123

Torch 248

Trench cover 199

Trenching fork 282

Trenching shovel 285

Tripod 116

Trolley 259

Trousers 91–93

Trowel 276, 277

T-Shirt 90

Tub 229

Tube stops 289

Tungstens 304

Tying toggles 227

## V

Vacuum  
  Vacuum 161–162  
  Vacuum bags 161–162

Visor 51, 53, 62

Visor carrier 62

## W

Washing-up bowl 161

Washing-up brush 161

Washing up liquid 141

Water 172

Water butt 239

Water container 239

Watering can 261

Welding curtain 182

Welding lens 53

Wellington boots 102

Wet wipes 149

Wheelbarrow  
  Wheelbarrow 258–259  
  Wheelbarrow tyre 259

Whistle 175

White board 174

White spirit 257

Woodscrew 213

Workbench 240

Work platform 250

Worm screw 287

Wrench 270, 271

# Online ordering made simple

To support a fast and efficient delivery of safety, welfare and site equipment to your sites, our Support Hub is the service we provide when you sign up to an online account with us.

Our website allows simple navigation to find the products you need and offers a one-stop-shop to review all your orders, invoices and proof of delivery documents in one place.



## Personal service

- Create a centralised portal to approve site requisitions
- View company specific and bespoke branded products
- Allows company to access agreed discounted price lists
- Add company favourite products to a specific account to promote certain products
- Access to personal documents such as bespoke brochures and order forms
- View your order history to identify trends in spending



## Easy ordering

- Simple website navigation to find relevant products to purchase or place requisitions
- Review all your orders, requisitions and invoices in one place
- All Proof of Delivery links available for download, saving time for your finance team
- In addition to company favourites, add individual favourite products for quick, easy and repeat ordering
- Search and sort function on invoices allows easy access to invoices by date, cost and invoice number
- Add any extra details for delivery via our special instruction box



## Full support

- Details of your dedicated account manager
- Our customer support team will check and verify your order

Register an account at [onsite-support.co.uk](https://onsite-support.co.uk)

Or contact us for more information on **01293 744 444**



**everybody matters**

OnSite Support  
Stephenson Way  
Three Bridges, Crawley  
West Sussex RH10 1TN

01293 744 444  
[sales.support@onsite-support.co.uk](mailto:sales.support@onsite-support.co.uk)

