


Making your Site COVID-Secure

This guide is designed to help you adopt the latest construction Site Operating Procedures, to work safely and help control the spread of COVID-19.



Written in accordance with the Construction Leadership Council (CLC) Standard Operating Procedures v.5 issued 1st July 2020.

Intended for guidance only.

Embracing the 'new normal'


Selecting the correct equipment, PPE and hygiene supplies is more important than ever. We have already seen that adjustments to work practices in accordance with revised site operating procedures, and adherence to social distancing guidelines will determine how fast a construction site gets back to operation - and how productive it will be during outbreaks of the Coronavirus pandemic.

As specialist suppliers to the construction industry, we want to reassure our customers that we are constantly monitoring and adapting to the supply of PPE and hygiene goods in every way we can.

We have reviewed our products and services against the Construction Leadership Council (CLC) Site Operating Procedures v.5 issued 1st July 2020, and the Government guidance, Working safely during COVID-19 in construction and other outdoor work., and offer you our recommendations in this document.

The 'one metre plus' social distancing guidelines require workers to stay two metres apart, or one metre with risk mitigation where two metres is not viable, and it is expected that sites will maintain the social distancing measures in place.

Working safely during COVID-19 in construction and other outdoor work




At OnSite Support, we don't just supply PPE, welfare and safety equipment. We want to support you the best we possibly can. We can advise on Best Practice and product selection for all areas of site and at each stage of construction.

Construction Sector - Site Operating Procedures

Protecting Your Workforce during Coronavirus (Covid-19)

The SOP guidelines take a deep dive into different work elements around site and highlights the areas and activities below which will need assessment prior to work commencing.

- ☐ When to Travel to Work
- ☐ Travel to Work
- ☐ Driving at Work
- ☐ Site Access and Egress Points
- ☐ Hand Washing
- ☐ Toilet Facilities
- ☐ Canteens and Rest Areas
- ☐ Changing Facilities, Showers and Drying Rooms
- ☐ Work Planning to Avoid Close Working
- ☐ First Aid and Emergency Service Response
- ☐ Cleaning



SOPs in Practice

❑ When to Travel to Work

It is important to understand the guidelines by which workers should or should not travel to work as outlined in the SOPs

- Social distancing – *updated guidance on Staying Alert and Safe*
- Self-isolation – *updated to include NHS Test and Trace Service*
- Persons at higher risk
- Persons defined on medical grounds as clinically extremely vulnerable
- Living with a person in one of the above groups
- If someone falls ill – *updated to include COVID-19 test*

Don't forget to communicate to your workforce about any changes to [Government advice](#) during the Coronavirus pandemic.

Promote good practice and educate site workers with COVID-19 specific Signage >>>

We can help you with signage bundles to promote awareness of the latest Government advice and reassure workers that suitable procedures are in place.



□ Travel to Work

Wherever possible workers should travel to site alone using their own transport.

If workers have no option but to share transport:

- Journeys should be shared with the same individuals and with the minimum number of people at any one time
- Good ventilation (i.e. keeping the windows open) and facing away from each other may help to reduce the risk of transmission
- The vehicle should be cleaned regularly using gloves and standard cleaning products, with particular emphasis on handles and other areas where passengers may touch surfaces



Providing basic PPE and sanitiser to workers travelling on Public Transport could reduce sickness absence as well as prevent the spread of infection >>

Washable, reusable masks and disposable gloves could help protect your workforce when travelling to and from work >> page 43

Keep 60% alcohol sanitiser in all vehicles for when handwashing facilities are not available. Various size bottles + refills stocked >> page 33

Sites should consider:

- Parking arrangements for additional vehicles and bicycles
- Providing facilities such as lockers and showers for workers using other means of transport to avoid public transport e.g. cycling
- Providing hand cleaning facilities at entrances and exits. This should be soap and water wherever possible or hand sanitiser if soap and water are not available
- How someone taken ill would get home
- Where public transport is the only option for workers, you should consider:
 - Changing and staggering site hours to reduce congestion on public transport
 - Avoid using public transport during peak times (05:45 - 8:15 and 16:00 - 17:30)
 - Reminding workers that face coverings are mandatory on all types of public transport.



Demarcation kit can be useful to create and segregate new site areas. What will you need? >>

Encourage change of transport methods for your workers by providing adequate parking facilities and security. Demarcation tape, cones, barriers and signage can help create new areas. See more products on page 25.

The **Armorgard-FormaStor** is a mobile fire-resistant storage unit with 5-lever deadlocks and jemmy-proof joins to protect valuable items on site. Available in four sizes 220L – 680L. See product on page 27.



Security needs are changing, do you have sufficient storage and protection? >>

What additional storage and security requirements will your site need? Padlocks, chains and bolts and other essential security items on page 27

Security personnel have been identified as "more at risk" to contracting Coronavirus. Make sure they are protected by adding equipment such as telescopic barriers, sneeze screens, and always providing adequate cleaning equipment, sanitiser and hand washing facilities

Deliveries

- Where loading and offloading arrangements on site will allow it, drivers should remain in their vehicles
- Where drivers are required to exit their vehicle, they should wash or sanitise their hands before handling any materials



Looking out
for vulnerable
road users



We now offer a non-contact delivery service as standard

Vehicle mounted hand washing stations such as the **H-Wash vehicle** are recommended for drivers in larger vehicles who handle goods and materials frequently – page 37. Alternatively a fixed **sanitiser dispenser** can be mounted in-vehicle to ensure quick and easy access to sanitiser for drivers. Ask us for information on the latest options.



In London and the South East we can schedule delivery hours to suit staggered working times and extended site opening hours.

We can also work with you to organise consolidated delivery schedules to help reduce the number of deliveries to site and, by limiting the delivery frequency, we can also reduce the risk of virus transmission.



Consolidating deliveries will also reduce your carbon emissions, helping you meet sustainability targets



□ Driving at Work

If workers have no option but to share transport:

- Journeys should be shared with the same individuals and with the minimum number of people at any one time
- Good ventilation (i.e. keeping the windows open) and facing away from each other may help to reduce the risk of transmission
- The vehicle should be cleaned regularly using gloves and standard cleaning products, with particular emphasis on handles and other areas where passengers may touch surfaces



Plan a routine sanitisation schedule for your site vehicles >>

Keep site vehicles, plant and equipment virus free in an instant with **Zapptizer Viricidal Sanitiser Canister – 22ltr.** Apply with **Gun & Hose Kit with Fogging Mist Nozzle.** A highly versatile sanitiser, Zapptizer can be used on plant, equipment, walls, floors, in hot and cold temperatures. See page 34.

***Food Safe. It is completely safe to use on all surfaces, including hands 22L surface coverage \approx 700-750 sq m**

Fast, effective sanitisation is critical in order to maintain normal work schedules whilst complying with hygiene standards



Supply a cleaning and sanitiser kit to all vehicles for easy, on-the-go hygiene and sanitisation >>

To help you comply with new stringent cleaning regimes, we have added new sanitiser products and equipment to our range so you can safely clean and disinfect all surfaces, site equipment and facilities. View our recommended cleaning essentials and sanitising solutions on pages 32 to 34. See all sanitising systems, portable and vehicle hand washing stations for your visitors and workers on pages 37 and 38.



Don't compromise the environment for safety this summer. Try the Eco-Viz safety clothing range >>

Eco-viz clothing is crafted from recycled polyester, quick drying and comfortable for the wearer with sun protection to UPF 40+ it is suitable for warmer weather conditions.

**Safety clothing certified
to EN20471 Class 2 Rail
Standard compliant**



View our **Hi-Viz clothing** recommendations on pages 40 to 42. Hi-Viz polo shirts, waistcoats, jackets, trousers and coveralls.

Travelling to Work and Driving at Work SOPs will require fundamental changes of routine and hygiene practice on a day-to-day basis.

Maintain your productivity by being prepared with the right equipment and PPE.

❑ Site Access and Egress Points

Stop all non-essential visitors

- Consider introducing staggered start and finish times to reduce congestion and contact at all times
- Plan site access and egress points to enable social distancing – you may need to change the number of access points, either increase to reduce congestion or decrease to enable monitoring, including in the case of emergencies
- Introduce one-way systems
- Allow plenty of space between people waiting to enter site
- Use signage:
 - such as floor markings, to ensure two metre distance, or one metre with risk mitigation where two metres is not viable, is maintained between people when queuing
 - reminding workers not to attend if they have symptoms of Coronavirus (Covid-19) and to follow guidelines



With many new procedures in place which can vary according to location, visual communications to suit different areas and activities help remind your workers of what they need to do, and help you comply with new regulations.



Boards, posters, banners, tape, floor markings are all good ways to communicate with workers and the general public >>

Site entry and 'area of safety' points must be coordinated, planned and visually marked out to reduce crowding and maintain social distancing requirements. See more on signage and marking – page 24.



Adapting to new ways of work could require new or alternative equipment. Depending on the season and weather conditions, extending delivery slots and site working hours could affect work capability due to low light conditions.



Maintain safety and productivity with sufficient lighting provision



Are you considering changes to site working hours? LED lighting offers cost benefits for extended operations >>


Our LED lighting range includes **LED Festoon Kits**, **LED Globe lights** and work lamps for all activities. Adopting LED lights can help reduce the risk of accidents and hazards at construction sites, especially during low light hours. Using LED lights increases the visibility in the work area and ensures that worker safety while moving the lights. See more on pages 30 and 31.

Equip delivery drivers and security personnel with LED head torches to facilitate work during extended hours of operations

Benefits of LED lighting:

1. LED products are lead and mercury-free, which contributes to environmental sustainability.
2. LED's can last longer than incandescent lamps, of up to 50,000-70,000 hours.
4. LED lights perform better than traditional alternatives in low temperatures, allowing for wider span of usage.
5. These lights have an extremely low UV and IR, which helps the environment.
6. Energy saving; these lights consume less electricity than traditional forms of lighting and are around 90-95% more efficient.

- Regularly clean common contact surfaces in reception, office, access control and delivery areas e.g. entry systems, scanners, turnstiles, screens, telephone handsets and desks, particularly during peak flow times
- Require all workers to wash their hands for 20 seconds using soap and water when entering and leaving the site




Hand cleaning facilities at entrances are strictly necessary to comply with SOPs >>

The **Clarisafe Sanitising Entry System** is ideal for areas with high footfall, such as site gates, turnstiles etc. The rapid spray system doses both sides of both hands and can process 30 people per minute. Page 39.

No cleansing, no entry guaranteed!

Improved hygiene standards can reduce sickness absence.
One system user reported a drop in the rate of absenteeism from 2.2% - 0.5%

Pedestal Sanitiser Dispensers offer a portable and economical solution to necessary sanitisation regimes, particularly at warehouses, delivery depots factories and many areas around site. Secure and robust but easily relocated. Holds 500ml bottles. Available in stainless steel or durable plastic. Page 35.



Hand-washing for 20 seconds is still the most effective barrier against virus transmission. Sanitiser Gel should be used only when hand washing facilities are not available, and should always contain a minimum of 60% alcohol

- Reduce the number of people in attendance at site inductions and consider holding them outdoors wherever possible
- Where loading and offloading arrangements on site will allow it, drivers should remain in their vehicles.
- Where drivers are required to exit their vehicle, they should wash or sanitise their hands before handling any materials and **MUST** have access to welfare facilities
- Consider arrangements for monitoring compliance.



A Thermal Monitoring System could be a worthwhile investment to help you monitor compliance on entry >>

The medical grade thermal imaging system that detects temperature changes in the human body, identifies individuals with a fever and provides early diagnosis for certain types of virus. With facial recognition and a live alert function, it can be connected to various access-entry systems.

Developed to identify people with a risk of coronavirus-type fever, such as SARS-CoV, MERS-CoV & Covid-19, in locations with high entry and exit densities, such as construction sites. View more on page 39.



Keep your sites safe and running efficiently. Check everyone's temperature as they access site, ensure they are fit for work and identify workers who have a fever or temperature.

OnSite Support are committed to innovation and improvement in our sector through product technology and data management

□ Hand-Washing

Hand-washing for 20 seconds using soap and water is recommended as the most effective action against the COVID-19 infection.



- Allow regular breaks to wash hands
- Provide additional hand-washing facilities (e.g. pop ups) to the usual welfare facilities, particularly on a large spread out site or where there are significant numbers of personnel on site, including plant operators
- Ensure adequate supplies of soap and fresh water are readily available and kept topped up at all times
- Provide hand sanitiser (minimum 60% alcohol based) where hand-washing facilities are unavailable
- Regularly clean the hand-washing facilities
- Provide suitable and sufficient rubbish bins for hand towels with regular removal and disposal.



Pop-up Hand-Wash stations are well suited to construction and infrastructure sites which may be spread over a large area, with many work zones >>

Hand-Wash stations suited to different applications. Choose from the **H-Wash-45 free-standing** model, or the **H-Wash-5 vehicle** mounted option. Premium **Armorgard mobile Hand-Wash** stations also available with either **mains-water** or **self-contained water fed** configuration. Full details of all stations can be seen on pages 37 and 38.

Supply adequate welfare supplies for your Hand-Wash stations – soap, 60% alcohol sanitiser and hand towels. Waste disposal and recycling bins.




Increasing consumption of welfare items such as soap hand towels and disposable goods could harm the environment and affect our sustainability credentials. Talk to us if you want to know more

☐ Toilet Facilities



Social distancing should be strictly adhered to, and facilities monitored or attended to ensure compliance.

- Restrict the number of people using toilet facilities at any one time (e.g. use a welfare attendant) and use signage, such as floor markings, to ensure 2 metre distance is maintained between people when queuing
- Wash or sanitise hands before and after using the facilities
- Enhance the cleaning regimes for toilet facilities, particularly door handles, locks and the toilet flush
- Portable toilets should be avoided wherever possible, but where in use these should be cleaned and emptied more frequently
- Provide suitable and sufficient rubbish bins for hand towels with regular removal and disposal



Reduce time spent on enhanced cleaning regimes by investing in a surface sanitiser and sprayer >>

Viricidal Sanitiser is certified to EN 14476 (1-minute contact time) against Bovine Coronavirus. Available in 750ml spray bottle or 5L refill for pressure sprayers. See all surface sanitisers on page 34.

Will you need additional cones and barriers to create sectioned areas or one-way systems? Demarcation pages 25-26

Use a COVID 19 Stenciling kit and floor markings to economically display social distancing measures and new guidance on using facilities. More info on page 24

Site Welfare and Hygiene Standards are evolving. We can advise you how to keep up to date with Best Practice and recommend quality certified products.

❑ Canteens and Rest Areas

Canteens that have been closed or offered a restricted service may now open and should follow the Government guidance on [Keeping workers and customers safe during Covid-19 in restaurants](#) and use this [Food Standards Agency checklist](#).

- Consider increasing the number or size of facilities available on site if possible
- The capacity of each canteen or rest area should be clearly identified at the entry to each facility, and where necessary attendants provided to supervise compliance with social distancing measures
- Break times should be staggered to reduce congestion and contact at all times
- Drinking water should be provided with enhanced cleaning measures of the tap mechanism introduced
- Frequently clean surfaces that are touched regularly, using standard cleaning products e.g. kettles, refrigerators, microwaves
- Hand cleaning facilities or hand sanitiser should be available at the entrance to any room where people eat and should be used by workers when entering and leaving the area



Eating areas carry a high risk of transmission.
Ensure you hold adequate cleaning and welfare supplies >>

Zapptizer Viricidal Sanitiser is a highly versatile sanitiser, Zapptizer can be used on plant, equipment, walls, floors, and hands, in hot and cold temperatures. Suitable for canteens and eating areas. See page 34 for full details

'Keep 2m Apart Transfers' can be applied to your branded hi-vis waistcoats and jackets as a constant visual reminder of social distancing
>> page 24

Additional waste bins will be required for extra pre-packaged food waste and disposable items. Talk to us about eco-friendly alternatives
>> page 51

- A distance of two metres, or one metre with risk mitigation where two metres is not viable, should be maintained between users. Seating and tables should be reconfigured to reduce face to face interactions
- All rubbish should be put straight in the bin and not left for someone else to clear up
- Tables should be cleaned between each use
- Crockery, eating utensils, cups etc. should not be used unless they are disposable or are washed and dried between use
- Payments should be taken by contactless card wherever possible
- Canteen staff should wash their hands often with soap and water for at least 20 seconds before and after handling food
- Canteen staff and workers may use rest areas if they apply the same social distancing measures
- Consider arrangements for monitoring compliance.



Temporary and modular Partition Wall systems can be used to separate interior spaces within an area >>

SpeedyWall is a modular system which comes in kit form. Easy to install and re-configure for temporary facilities and segregated work-space. See page 29 for more information. Starter and Standard kits available.

Sneeze screens can add virus defence to receptions, security huts, canteens and site offices. Sizes available >> page 28

Hand-washing facilities, sanitiser dispensers, cleaning and hygiene supplies >> pages 32 and 35

Talk to us about other modular furniture options, tables, seating, tents and other shelters and all other site welfare needs >>

❑ Changing Facilities, Showers and Drying Rooms

- Consider increasing the number or size of facilities available on site if possible
- Based on the size of each facility, determine how many people can use it at any one time to maintain a distance of two metres, or one metre with risk mitigation where two metres is not viable.
- Restrict the number of people using these facilities at any one time e.g. use a welfare attendant
- Introduce staggered start and finish times to reduce congestion and contact at all times
- Introduce enhanced cleaning of all facilities throughout the day and at the end of each day
- Provide suitable and sufficient rubbish bins in these areas with regular removal and disposal



Ask us about our PPE Recycling Service including recycling bins, stickers, signage and collection >>

Regular waste and recycling collections will be essential to maintain levels of hygiene on site. More information >> page 51



Workers should be trained on how to remove and dispose of single-use PPE correctly >>

❑ Work Planning to Avoid Close Working

Hierarchy of Controls

The Government's guidelines on social distancing refer to 'one metre plus' which is defined in [Working safely during Coronavirus \(Covid-19\) – Construction and other outdoor work](#) as *"two metres or one metre with risk mitigation where two metres is not viable"*.

Mitigations could include installing screens, making sure people face away from each other, handwashing facilities, minimising the amount of time spent with people outside your household or bubble, and being outdoors.

If you are not able to work whilst maintaining a two metre distance, or one metre with risk mitigation where two metres is not viable, you should consider whether the activity should continue and, if so, risk assess it using the hierarchy of controls below and against any sector-specific guidance. The results of risk assessments should be shared with the workforce and this [poster displayed in the workplace](#).



With 40 years of trading experience, we understand that areas of activity in construction have different needs relating to the specific tools, equipment and engineering needs.



Talk to us about your job specific requirements to see if we can help? >>

Ways of working

Sites and work need to be planned and organised to avoid crowding and minimise the risk of spread of infection by following Government guidance and the advice within these Site Operating Procedures.

Sites should remind the workforce (e.g. at daily briefings) of the specific control measures necessary to protect them, their colleagues, families and the UK population.



We can help with coloured tabards and garment transfers to distinguish working teams >>



Have you considered re-usable PPE options? >>

Disposable PPE items create additional demand on waste removal resources. We continually look to improve our range of re-usable PPE items, such as the Traffiglove LXT range, fully washable and re-usable, and JSP Face Masks with *press-to-check filters. See our full PPE range, including masks, visors, gloves and coveralls on pages 43 to 48.


[Download the Government advice on the use of PPE during the pandemic here](#)

Ask us about our PPE Recycling Service including recycling bins, stickers, signage and collection >>

❏ First Aid and Emergency Services Planning

The primary responsibility is to preserve life and first aid should be administered if required, and until the emergency services attend.

- When planning site activities, the provision of adequate first aid resources must be agreed between the relevant parties on site
- Emergency plans including contact details should be kept up to date
- Consideration must also be given to potential delays in emergency services response, due to the current pressure on resources
- Consider preventing or rescheduling high-risk work or providing additional competent first aid or trauma resources.



Have you reviewed your site First Aid and Medical Supplies? >>

We stock HSE approved **First Aid** kits, **Defibrillators**, mobile **Medical Stations** and medical supplies. >> page 49


□ Cleaning

Enhanced cleaning procedures should be in place across the site, particularly in communal areas and at touch points including:

- Taps and washing facilities
- Toilet flush and seats
- Door handles and push plates
- Hand-rails on staircases and corridors
- Lift and hoist controls
- Machinery and equipment controls
- All areas used for eating must be thoroughly cleaned at the end of each break and shift, including chairs, door handles, vending machines and payment devices
- Telephone equipment
- Key-boards, photocopiers and other office equipment
- Rubbish collection and storage points should be increased and emptied regularly throughout and at the end of each day



To help you comply with new stringent cleaning regimes, we have added new welfare, hygiene, sanitiser products and accessories to our range so you can safely clean and disinfectant all surfaces, site equipment and facilities to help prevent the spread of coronavirus.



Consider cleaning procedures for the parts of shared equipment you touch after each use, thinking about equipment, tools and vehicles, for example, pallet trucks and forklift trucks

Everything you need to get back to site safely

Signage, Transfers and Markings
Demarcation
Security and Storage
Screens/Hygiene Barriers
Modular Partition Wall Systems
LED Lighting
Cleaning Essentials
Hand Sanitisers
Surface Sanitisers
Sanitiser Systems
Hand-Wash Stations
Site Access
Hi-Vis Clothing (Ladies PPE)
Face Masks
Shields, Goggles and Visors
Gloves
Disposables
First Aid and Emergency Equipment
Canteen Consumables
Waste and Recycling
Physical Distancing Devices


>> Signage and Markings and Transfers

COVID-19 Signage Catalogue

Click image to download pdf and view the full range of signs



1st July - updated signage catalogue to include the latest social distancing advice



Floor Distance Marking Tape

Yellow with Black Text

Roll size 33m



IMAGE NOT TO SCALE

STOCK CODE : SP-72707-CV19

Branded Garments

KEEP 2M APART !!

Add the new **Social Distancing** guidelines to your bespoke branded hi-vis garments

Black - 300 x 46mm text

STOCK CODE : OSS-T-03RE



>> Demarcation

Pedestrian Barriers

Orange, Blue or Green
Standard swivel feet or anti-trip feet
Heavy duty

STOCK CODE : RE4CB20 – 1m x 2m Red



Demarcation Boss Barrier

Free standing with 360° swivel feet
Information sign can be attached
100% Recyclable

STOCK CODE : RE4CCB4



Barrier Fencing

Lightweight and economical
1m x 50m rolls
Ideal for establishing cordons and barriers

STOCK CODE : RE9B50 - 1 x 50m - Blue



Adhesive Warning Tape

Mark out hazardous and safety areas
Box of 24 rolls 50mm x 33m

STOCK CODE : TA3HR1-CV19



Buddha Barrier

- 800 mm in height
- Chapter 8 compliant reflective strips on both sides
- 5 kg when empty but over 27 kg when filled with water
- Concave areas can be used for storage of spoil
- Easily stacked, easily lifted (forkliftable), easy to fill and easy to empty



Buddha Barrier – Double Top

Double top may be added to raise height to 1.8m for added security

STOCK CODE : RE4BB2T-RED/WHT



STOCK CODE : RE4BB2 – RED/WHT

>> Demarcation

Expander Barrier

- Easy to transport and durable
- Flexible width, ideal for fencing off a variety of areas
- Fully compatible, easily integrated into a Titan barrier system
- Weight: 10.5kg

STOCK CODE : RE4XBR

3-Gate Manhole Barrier System

- Easily deploys and folds
- Length single gate 750mm
- 2.25m(L) x 1m(H)
- Weight: 6kg

STOCK CODE : RE4WG3R



Crowd Control Walkway with Gate


- 2m(H) x 2.3m(W) with 990mm gap for pedestrian crossing point
- Weight: 22kg
- Finish: powder-coated red

STOCK CODE : RE4TCCBWG7

Crowd Control Barrier

- Metal construction barrier that can be linked together
- Very robust and durable

STOCK CODE : RE4TCCB1



Cones

STOCK CODE : RE4C18 – 20" Road Cone

STOCK CODE : RE4NW18 – No Waiting Cone

STOCK CODE : RE4C35 – Heavy Duty Road Cone

Retractable Barrier System

to fit Road Cone

- For easy cordoning off areas
- Can connect multiple units
- Orange with 9m red/white tape

STOCK CODE : RE7SK09



>> Security and Storage

Armorgard Forma-Stor

- COSHH compliant vented/bunded
- 220L sump - White/Red
- 2075x1120x2255mm
- 326kg

30-min fire resistance, air vents and a fully welded sump to prevent leaks into the environment are included as standard

Security features also include 5-lever deadlocks and jemmy-proof joins to protect valuable items on site.

STOCK CODE : FB5FS1



Other sizes available

Bike Storage Racks

Galvanised Steel for extra corrosion resistance
Floor or Wall Mounted
Single or Dual Height



STOCK CODE : Contact OnSite Support



Other styles and sizes available



Chains

Plastic Sleeved, Square Link, High Security Chain
Thermic-treated, zinc-plated,
Use with shutter-locks and chrome-plated padlocks



STOCK CODE : CH4S08 (8mm x 1.0m), CH4S101 (10mm x 1.0m), CH4S102 (10mm x 2.0m)

Squire Combination Padlock

Tough die cast alloy lock body
Highly resistant to corrosion
Dual compound body cover for comfortable handling
4 combination wheels spaced comfortably apart

STOCK CODE : PL9SCP6

Body width 26mm
Length 50mm
Shackle height 26mm
Shackle length 22.6mm
Shackle width 8mm



>> Hygiene Screens - Barriers

RapidSan Screens

The RapidSan screen is a simple, effective solution for canteen social distancing on site. It is low cost, fast to deploy, and easy to clean. It can be made to any size and will help keep your workforce safe.

- Rapidsan Screen Single + Screen Single add-on
- Rapidsan Screen Double + Screen Double add-on
- Custom and bespoke options

STOCK CODE : Contact OnSite Support



Single units

Add-on units

Rhinoguard Sneeze Screens

Standard Screen 6600 Series


5mm Clear Acrylic with Desk/Counter-Top Fixing Bracket (Screw Holes in Bracket for Mounting)

STOCK CODE : SS-72749-CV19 - 1000x1000mm

Premium Counter Screen 6700 Series

5mm Clear Acrylic Self Mounting with Flaps for VHB Tape or Screws

STOCK CODE : SP-73161-CV19 – Sneeze Screen TM6762



Other sizes available

Rhinoguard Sneeze Screens


Premium Modular Screen 6900 Series

5mm Clear Acrylic Self Mounting with Flaps for VHB Tape or Screws. Can be mounted together to make one continuous run by joining the side flaps

Other sizes available

STOCK CODE : SP-72887-CV19 - Sneeze Screen TM6924

STOCK CODE : SP-72887-CV19 - Sneeze Screen TM6972



>> Modular Partition Wall Systems

Speedywall Kit

Pack includes:

65 x Speedywall Panels

1.2m x 2m x 8mm thick

65 x Foot for Panel

10 x Header to create doorways

500 x Mixed connectors – 4 types – cross, T-junction, right angle & straight



STOCK CODE : PO5SW1-CV19

Speedywall Starter Kit

26 x Speedywall Panels – 1.2m x 2m x 8mm thick

The main component to create the spaces you require which includes cutouts for cables

26 x Wall Base – 190mm x 1.2m

Fixes neatly into the bottom of the wall panel to create a standing base

12 x Wall Support

Create extra stability when creating longer straight walls. Use with 3 Tee or Cross connectors to give a straight wall extra support.

6 x Door Support

Simply bridge the door opening to give greater stability. Use with 2 straight connectors to bridge across the door opening.

326 x Assorted Fixings

The configurations are endless with the abundance of fixings provided:

Straight Connector

Used whenever you are running straight walls or for joining the door supports to the top of the wall panels.

Tee Connector

Use 3 Tee Connectors any time you need to join a panel to a straight wall or to add in a wall support for extra stability.

Cross Connector

Use 3 Cross Connectors any time you need to connect 4 panels together.

Kit is supplied in sheet format on a pallet and consists of 30 assorted sheets

STOCK CODE : PO5WSK-CV19

>> LED Lighting

LED Festoon Lighting Kit - Linkable

110V LED – 12m, 6 Bulbs

- energy-saving
- increased light output

STOCK CODE : LG6LFK4

STOCK CODE : LG6LFK4S – 30cm Splitter Cable

LED Festoon Lighting Kit

- 110V LED 22m, 10 bulbs

STOCK CODE : LG6LFK2

Link up to
20 fittings



LED Globe Light with 5m 16A cable

- Long Life Expectancy: 35,000 Hours
- 2 Years product guarantee
- Perfect for indoor (75pcs of SMD 2835)

STOCK CODE : LG5G30



BC 10W LED Light Bulb

- Energy efficient
- Perfect for indoor (10W and 860 – 900 lumen)

STOCK CODE : LG2LED2



>> LED Lighting

LED Varta Head Torch

Pivoting water-repellent head, with three-position slide switch

- Three white LEDs, one red LED
- 22 lumen output
- 30hr run time on white LEDs
- 38hr run time on red LEDs
- (3 x AAA batteries included)

STOCK CODE : LA1VART1



CREE LED Head Torch

- Splash resistant to IPX4
- Three band fitting – over and around the head
- 180 lumen with 50m beam
- CREE LED technology and 5yr guarantee
- Tilt adjustment
- Non-contact infrared on/off switch (3 x AAA batteries included)

STOCK CODE : LA1HT4I



LED Head Torch

with White and Red-light Modes

Fully-adjustable elasticated strap, with tilt-adjustable body

- Four operating modes: 1 LED @ 100%, 1 LED @ 50%, 2 Red LED solid and 2 Red LED
- Flashing 100 lumen and 57m beam
- Battery life: 8hrs
- Three ultra-bright LED (3 x AAA batteries included)

STOCK CODE : LA1HT2I



>> Cleaning Essentials

Spray and Wipe

750ml
6 per pack

STOCK CODE : CJ2SWS1

J Cloths

50/pk
colours available



STOCK CODE : CJ1JC1



Multi-Purpose Cleaner

750ml
6 per pack

STOCK CODE : CJ2MP7



Multi-Surface Disinfectant Wipes

100/pk,

STOCK CODE : CJ3DW1-CV19

Surface Disinfectant Wipes

70% Alcohol

STOCK CODE : CJ1DW20-CV19



Antibacterial Wet Wipes

Kills 99.99% germs

120/pk,

24 pk in carton

STOCK CODE : CJ3CW12-CV19



>> Hand Sanitisers

Alcohol Hand Sanitiser

Hand pump operation
500ml
60% alcohol
24/pk

STOCK CODE : CJ3LDP5-CV19



Alcohol Hand Sanitiser

100ml travel size
60% alcohol

STOCK CODE : CJ3LDP10-CV19



Alcohol Hand Sanitising Gel

Clean, care and protect your hands with Sanitising Hand Gel, with 60% ethanol formulation.

5L Refill

STOCK CODE : CJ3LDP50P-CV19 – 60% Alcohol

STOCK CODE : CJ3LDP5070-CV19 – 70% Alcohol

Available to order

STOCK CODE : CJ3LDP5080-CV19 – 80% Alcohol

Available to order



>> Surface Sanitisers

Viricidal Cleaner

EN14476 certified (1-minute contact time) against Bovine Coronavirus (BCOV) as a surrogate for other members of the Coronavirus family including MERS-CoV

STOCK CODE : 750ml Spray - CJ2SWU1-CV19

STOCK CODE : 5L Refill - CJ2SWU5-CV19

STOCK CODE : Backpack – WC3BPS15

STOCK CODE : Pressure Sprayer – WC3S08



Zapptizer Instant Sanitisation

A highly versatile sanitiser, Zapptizer can be used on plant, equipment, walls, floors, in both hot and cold applications.

*Food Safe. It is completely safe to use on all surfaces, is non-toxic, non-corrosive and emits a pleasant berry odour.

Zapptizer deals rapidly and effectively with a wide range of bacteria, viruses, fungi, moulds, etc.

STOCK CODE : CJ3ZG1 – Gun & Hose Kit

STOCK CODE : CJ3ZC1 – 22ltr Canister



STOCK CODE : CJ3ZCT1-CV19 – Trolley

>> Sanitiser Systems

RapidSan Tough Hand Sanitisation Unit

A convenient, durable hand sanitation unit for high foot fall areas. Manufactured from highly durable compact laminate for exterior use. It is weather-proof with a security fixing option. This product is the ultimate solution for high footfall environments. Available on heavy duty castors or a plastic pallet.

STOCK CODE : Contact OnSite Support

- No mess- Highly effective mist spray
- Position and go, no services required
- Long-lasting refills for high traffic areas
- 12,000 rapid applications per canister
- Suitable for all weather
- Custom graphics and finishes available option
- Pallet/mobile option



Stainless Steel Pedestal Dispenser

- Pedal Activated
- Hands free operation
- 100% mechanical
- No installation required
- Durable and robust
- Holds 500ml bottle
- Anti-theft

STOCK CODE : CJ3SS1-CV19



Plastic Pedestal Dispenser

- Plastic Base – Aluminium Tube
- Pedal Activated
- Hands free operation
- 100% mechanical
- No installation required
- Durable and robust
- Anti-theft

STOCK CODE : CJ3PS2-CV19



>> Sanitiser Systems

Sanistation Mini

Easily relocatable with two wheels
Both sides can be utilised
Sealed lockable compartment, with padlock facility
Complies with EN 1276, EN 13704, EN 14476 and EN 1500
Suitable for external use

Includes as standard:

- 1 x pump dispenser
- 1 x 750ml hand sanitiser
- Relevant sanitising signage

Dimensions: 700mm x 600mm x 1725mm

STOCK CODE : IH2SS-CV19



>> Hand-Wash Stations

H-WASH 45 Hand-Wash Station

- Portable and self-contained. Units require no plumbing or electrics and can be installed anywhere
- Lightweight and suitable for use in high footfall environments
- Hands-free water supply with foot operated tap
- Self-contained unit with easy-fill 45L storage tank, providing enough water for up to 225x 20s hand-washes
- Grey water is drained into a removeable collection drum
- Unit includes soap dispenser, paper towel dispenser, 25L grey/waste-water collection drum and waste bin

H-WASH 45 Weight: 25kg (unit only)
Dimensions: 620(W) x 1450(H) x 560(D)mm

STOCK CODE : CJ3HW45V-CV19



H-WASH 45V Vehicle-Wash Station

- Slimline and compact making it suitable for delivery vehicles
- Hands-free water supply with foot operated tap
- Self-contained unit with easy-fill 45L storage tank, providing enough water for up to 225x 20s hand-washes
- Grey water is drained into a removeable collection drum
- Unit includes soap dispenser, paper towel dispenser, 25L grey/waste-water collection drum and waste bin

H-WASH 45V Weight: 20kg (unit only)
Dimensions: 720(W) x 1320(H) x 220(D)mm

STOCK CODE : CJ3HW45V-CV19



H-WASH 5 Mini Hand-Wash Station

- Slimline and compact making it suitable for delivery vehicles and small spaces
- Hands-free water supply with foot operated tap
- Self-contained unit with easy-fill 5L storage tank, providing enough water for up to 25x 20s hand-washes
- Grey water is drained into a removeable collection drum
- Unit includes soap dispenser, paper towel dispenser, 25L grey/waste-water collection drum and waste bin

H-WASH 5 Mini Weight: 8kg (unit only)
Dimensions: 483(W) x 660(H) x 148(D)mm

STOCK CODE : CJ3HW5V-CV19



>> Hand-Wash Stations

H-Wash ShoulderSink

- All in one unit contains clean water, soap, paper towels, hand gel & waste bin
- Capable of up to 20 hand washes
- Shoulder strap allows you to take the unit anywhere you need it
- Alternatively you can fix it to a wall or in a vehicle with the wall bracket provided



STOCK CODE: CJ3HWSH1-CV19

Sanistation Pro – Mains Fed Self-Contained Mobile Wash Station

Mains Water Feed & Waste Pipe Connection Points
Customisable Dispensing Space for Signage and: Soap, Gel, Foam, Wipes, Towels, Cream
2x Pivot Kick Bins
Foot Operated Tap Pedal
Castors and Forklift Pockets
Locking Cabinet



STOCK CODE : IH2SSPM-CV19

Sanistation Pro – Tank Fed Self-Contained Mobile Wash Station

Self-contained Fresh and Waste-Water Containers
Customisable Dispensing Space for Signage and: Soap, Gel, Foam, Wipes, Towels, Cream
2x Pivot Kick Bins
Pump Operated Tap Pedal
Castors and Forklift Pockets
Locking Cabinet



STOCK CODE : IH2SSPT-CV19

>> Site Access

Clarisafe Access System

Simple - rapidly doses both sides of both hands

Guaranteed - no cleansing, no entry

Fast - can process 30 people per minute

Visual guidance - clear, simple guidance for ease of use

Multiple applications - can be used in factories, receptions - anywhere

Affordable - reduced sick days - one user reported a drop in the rate of absenteeism from 2.2% - 0.5%

Wall Mounted or Floor Standing

STOCK CODE : Contact OnSite

Sanitising Entry System: the unit will only allow access after the individual's hands have been sanitised



Thermal Monitoring Solutions

The medical grade thermal imaging device is an imaging system that detects temperature changes in the human body, identifies individuals with a fever and provides early diagnosis for certain types of virus.

It has been developed to identify people with a risk of coronavirus-based fever, such as SARS-CoV, MERS-CoV & Covid-19, in locations with large entry and exit densities, such as airports & construction sites.

STOCK CODE : Contact OnSite Support




Keep your site safe and running efficiently.
Check individual's temperature as they access site and ensure they are fit for work.

Temperature Monitoring Device with Facial Recognition and Access Control

Key features:

- Sensitive to +/- 0.3C
- Working range - Between -5C and +30C
- Up to 30 targets detected at the same time
- Provides real time audible and visual alerts
- Audible alarm as standard. Email alerts with a network connection.
- Collects and stores historical data to allow easy proof of monitoring/compliance
- Scalable & futureproof – Attach up to 4 cameras
- Minimises risk and avoids the need to break social distancing rules by using a hand-held solution.



>> Hi-Vis Clothing

Hi-Vis Waistcoat

- Polyester hi-vis waistcoat with velcro front fastening
- Fabric: 100% polyester
- EN20471 Class 2

STOCK CODE : VS2W20-03- S/M/L/XL/2XL/3XL/4XL Yellow

STOCK CODE : VS2O20-04-S/M/L/XL/2XL/3XL/4XL Orange

Add branding and social distancing reminders to your Hi-Vis clothing using our Garment Transfer service



Hi-Vis EcoViz Polo Shirt

100% Recycled Polyester Short Sleeve Polo Shirt

- Crafted from recycled polyester
- Suitable for warmer weather conditions
- Wicking polyester fibres channel moisture away from the body
- Quick drying and comfortable for the wearer
- Sun protection to UPF 40+
- Strategically positioned reflective tape allows optimal wearer movement

STOCK CODE : VS2EVP2-03-S/M/L/XL/2XL/3XL/4XL Yellow

STOCK CODE : VS2EVPO-03-S/M/L/XL/2XL/3XL/4XL Orange



Long Sleeve
also available

Light-weight Hi-Vis Polycotton Trousers

- Lightweight and comfortable at only 210GSM fabric weight yet still water-repellent and stain-resistant.
- Side waist elasticsation ensures comfortable fit.
- Two cargo pockets and back pocket with reflective piping
- Fabric: 80% cotton, 20% polyester, 210gsm
- Triple-needle stitching on all main seams
- YKK brass zipper
- Seven belt loops
- Class 1 EN20471 compliance

STOCK CODE : VS3WCY30-03- 28-46 (R/S/T) Yellow



Also available
in Orange

>> Hi-Vis Clothing

Hi-Vis 3-Part Orange Waistcoat

- Rail Standard compliant
- Adjustable stud front fastening
- Quick-release velcro shoulder and side seams
- Fabric: 100% Polyester
- EN20471 Class 2

STOCK CODE : VS1WLU-04-S/M/L/XL/2XL/3XL Orange



ProGarm 4617 FR AS Hi-Vis Trouser

- Rail Standard compliant
- Great comfort: breathable, soft to wear, fantastic touch
- ProGarm® VXS+ HVO 360W inherent fabric
- Highly durable: colour fast with less than 3% washing shrinkage
- Two hip pockets with flaps, combat pocket on leg with phone pocket and rear pocket with flap
- 50mm FR AS reflective tape with double stitching
- Triple-stitched side seams
- EN11612, EN1149, EN471 compliant

STOCK CODE : VS4FRT10-04-30R/30S/32R/32T/34-46 (R/S/T)



Heavy-weight Hi-Vis Polycotton Trousers

- Rail Standard compliant
- Built-in kneepad
- With water-repellent and stain-resistant finish
- Two cargo pockets with reflective piping
- Back pocket with reflective piping, two waist pockets and internal knee pad pockets
- Triple-needle stitching on all main seams
- YKK brass zipper
 - Side waist elasticsation
 - Five belt loops
 - Fabric: 80% polyester, 20% cotton, 280gsm
 - Orange
 - Level 2 reflective tape
- EN20471 Class 2

STOCK CODE : VS4WCO10-04- 28-46 (R/S/T) Orange



Also available
in Yellow

>> Hi-Vis Clothing

Hi-Vis PVC Rain Jacket & Trousers

- Waterproof (Nylon/PVC rainwear)
- Elasticated waisted trousers
- Heavy-duty zip fastening front
- Front flap pockets
- Concealed hood

STOCK CODE : VS3LW25-04- S/M/L/XL/2XL/3XL Orange



Also available
in Yellow

CR2 Reflective Decal Sticker Set to suit Evo 2/3 Helmets

- Pack of 10 in Green (Also comes in Silver)
- Allows you to add extra visibility to your head protection
- On average 60% more reflectivity than standard reflective clothing material

STOCK CODE : HM1CR3-FIRSTAID



LED High Vis Exec Waistcoat

Integrated LEDs to front and rear to maximise visibility

- 16 LED lights to front and rear with 3 modes
- Multiple pockets offer excellent personal security
- Clear ID pocket for security passes and cards

STOCK CODE : VS7LW1-04-S/M/L/XL/2XL/3XL



>> Hi-Vis Clothing (Ladies PPE)

Ladies Hi-vis Starcross Class 2 Stretch work trouser

- Specifically designed to fit the female wearer
- Stretch fabric aids freedom of movement
- Soft polar fleece against the skin
- Contoured waistband and articulated knees for improved freedom of movement

NOTE Hi-vis Orange trouser conforms with Rail standards RIS-3279-TOM

STOCK CODE: VS4WLT01-04 (Orange)

STOCK CODE: VS4WLT01-03 (Yellow)



Class 3 Ladies Breathable Jacket

- Polyester mesh-lined body and sleeves
- Full length hook and loop fastening storm flap with a detachable hood
- Zipped hand warmer front pockets, two internal drop pockets and nelson pocket cuff adjusters
- Waterproof and fully breathable

STOCK CODE: VS5LBJ-04



>> Hi-Vis Clothing (Ladies PPE)

Class 2 Ladies Breathable Overtrousers

- Elasticated waist with shock code adjuster
- Waterproof and breathable with half leg side opening with YKK Zip hook and loop ankle adjuster tabs
- Side pocket access
- Fuchsia detailing
- Breathable LTEC 10,000 two-layer laminated polyester

Also available
in Orange



STOCK CODE: VS5LT1-04 (Orange)

STOCK CODE: VS5LT1-03 (Yellow)

Ladies Superior Hi-vis Coolviz Polo shirt

- Segmented reflective tape
- Mesh ventilated underarms and side arms
- Rail standard compliant
- EN20471 Class 2



STOCK CODE: VS3LCP3-03 (Yellow)

STOCK CODE: VS3LCP3-04 (Orange)

>> Hi-Vis Clothing (Ladies PPE)

Ladies Superior Waistcoat

- Scooped side allowing free pocket access
- 2 front bellowed multi-functional storage pockets
- 100% knitted polyester
- ID Pocket with D ring
- Zip fastener
- Retromax reflective tape



STOCK CODE: WL11-04

Pulsarail Ladies Teflon Coated Trousers

- Teflon coating ensures unrivalled resistance to dirt and grease, whilst offering water repellence in light showers
- Bellowed combat style pockets to both thighs offering excellent storage
- Knee pad pockets with a unique double belt loop design allowing two belts to be worn at one time
- Partially elasticated waistband for extra comfort



STOCK CODE: VS3PR336LDS-04

>> Face Masks

Disposable Protective Face Mask

3-Ply Protective Mask

Earloop fastenings

50/pk

STOCK CODE : MA13P1-CV19



Basic Washable Cotton Mask

- 100% Cotton
- Nose support integrated in the upper part
- Washable at 60 degrees up to 25 washes

STOCK CODE : MA1WM5-CV19



Premium Washable Reusable Hygiene Mask

25/pk

STOCK CODE : MA1WM1-CV19



FFP2 Fold Flat Mask

20 per box

STOCK CODE : MA1MF2-CV19



OnSite Premium Rewashable Mask

- Water Repellent outer made from Microban materials
- Made from 100% recycled polyester
- UPF50+ protection
- Inner layer made with PET polyester tricot mesh with anti-bacterial lining protecting the user
- Two elastic bands designed to encircle the head maximizing wearer comfort

STOCK CODE: MA1WM2



>> Face Masks

JSP Force8™ Half Mask (excluding filters)

- Typhoon™ valve offers superior low breathing resistance and a four-point suspension harness with quick-release buckles
- Made with a durable thermoplastic rubber offering a superior fit to most face shapes
- Accepts the full range of low-profile Force8™ filters, providing filtering protection against particulates, many gases and vapours
- Winner of the BSIF Product Innovation Award
- Conforms to EN140 (face piece), EN14387:2004 (filter performance), EN143:200 (filter performance)
- Will be particularly helpful against pandemic



STOCK CODE : MA2JF8-M-CV19 MA2JF8-L-CV19

JSP Force8™ and Force10™ PressToCheck Filters

- Press2check offers daily face-fit reassurance and the design produces high-efficiency dust protection
- Passes dolomite and the closed design provides for improved hygiene
- Low profile and fully EN143 compliant
- Priced and sold in a pair (always replace filters as pairs and follow manufacturer's maintenance instructions)

Please note that these filters will not protect against the following:
Organic vapours and gases with boiling points below 65°C
Mercury
oxides of nitrogen
carbon monoxide

Specialist filters are available on request to protect against these.



STOCK CODE : MA2PTC5-CV19

OnSite Premium Rewashable Snood Mask

- Mechanical stretch recycled polyester with Microban Anti-bacterial AATCC 100
- UPF50+ protection
- Water repellent outer
- Fixed meltblown Felt Filter EN/ISO 20743
- Binding, cord adjuster and stopper, woven label



STOCK CODE: MA1SN1

>> Shields, Goggles and Visors

JSP Force 8 Splash Guard

- Easy fit onto JSP's Force™8 half masks
- Provides a layer of protection to block aerosols and droplets.
- Prevents from touching your eyes
- Easy to clean with soap water

The Force™8 Splash Guard can be fitted to a Force™8 half mask to reduce the likelihood of exhaled bacteria/virus hitting the wearers face. This product does not meet the requirements of EN166 (including splash protection or impact protection)

STOCK CODE : MA2F8SG



This product is not a PPE as defined by the EU PPE Regulation 2016/425.



Shakoshield Face Visor

Splashguard Clip-On Visor

- Clips onto any plastic hard hat or bump hat, where traditional head-band visors cannot be worn
- Lightweight and suitable to be worn for prolonged periods
- Non-claustrophobic and well vented
- Masks, safety goggles, prescription lenses or beard snoods can be worn underneath
- Patented non-return clips and non-release elastic for absolute safety

STOCK CODE : HA2SKS-CV19

* Not certified or tested for impact protection

Pack Quantity: 12 /pk 144 /case



Visor: Food-Safe PET 400 mic, suitable for freezing
Clips: Nylon and PLA
Strap: Silicone



Shield Height: 205mm
Shield Width: 325mm
Field of use: Splash protection from droplets and small liquid particles
Storage conditions: -10 to 30 degrees c
Application: Clip onto front brim of plastic hats.

>> Shields, Goggles and Visors

Disposable Face Shields

Medical Grade with Anti-fog protection
Optically clear visor for maximum visibility
PU foam headband for long term comfort
Soft elasticated strap
Lightweight design
Protects the face from splashing or spraying
Can be worn with or without eyewear protection and face masks
CE Marked

STOCK CODE : HA2DFS-CV19



JSP Helmet Cough Guard

- Fits EVOLite®, EVO®2, EVO®3, EVO®4, EVO®5, micro peak and standard peak helmet variants
- Provides a layer of protection to block aerosols and droplets
- Prevents wearer from touching eyes & face
- The only JSP verified cough guard fitment
- Compatible with Sonis® ear defenders and all 2 & 4-point chinstraps
- Quick and simple cleaning with soap & water

The Helmet Mounted Cough Guard can be fitted to a JSP helmet to reduce the likelihood of exhaled bacteria/virus contacting the wearer's face. This product does not meet the requirements of EN166 (including splash protection or impact protection).

STOCK CODE : MA2F8CG



This product is not a PPE as defined by the EU PPE Regulation 2016/425.

Eye Wear

Sport Style Safety Goggles

Indirect vents
Adjustable strap
10 per pack

STOCK CODE : GG2B282

Safety Glasses

Ultra lightweight glasses
12 per pack
Clear or Grey colour

STOCK CODE : SP1CEC1 - clear | SP1CET2 - grey



>> Shields, Goggles and Visors

OnSite Lightweight Clear Safety Glasses

Non-Slip rubber nose pad with added eyebrow protection

EN166 EN170 compliant with anti-fog & anti-scratch technology and thickness of 2.2

UV protection up to 380 NM



STOCK CODE: SP2UV1 (Clear)

>> Gloves

Traffiglove LXT Washable Gloves

The primary goal for LXT Treatment is to enhance durability and extend the wear life. During manufacture, glove fibres are coated and bonded with a patent-pending formula.

The treatment creates a protective layer which is water, oil and dirt resistant. This shields the glove fibres from damage, reducing the amount of wear and tear the glove suffers and the likelihood of stains from contaminants. Not only this, but the gloves are quick to dry and super breathable.



STOCK CODE : GLTG1240 LXT Cut Level A Glove - Red

STOCK CODE : GLTG3240 LXT Cut Level B Glove - Amber

Traffiglove LXT Washable Gloves



STOCK CODE : GLTG3240 LXT Cut Level C Glove - Green

STOCK CODE : GLTG1240 LXT Cut Level E Glove - Green

Click image
to download
washing
advice sheet



Traffidual Protect – Water based Hand Sanitiser

Water based foam Sanitiser – dual usage for both hands and gloves. Non-flammable and safe to store and transport in all environments.

Proven to kill envelop viruses. Silicone free and has a long-lasting residual effect of up to 8 hours

Food safe & skin friendly, dermatologically tested

STOCK CODE: CJ3LDPW1 Traffidual Protect



>> Disposables

Disposable Nitrile Gloves

- Natural rubber latex-free gloves
- Can be used for cleaning purpose
- Helps to avoid transmission of germs
- Single use only

STOCK CODE : GL2VD5-08-CV19 GL2VD5-09-CV19



Nitrile Gauntlets

- Excellent sensitivity and flexibility
- For cleaning, maintenance, and light assembly tasks
- Semi-reusable and can be cleaned with soap, detergent
- Good alternative to single use Nitrile Disposable Gloves

STOCK CODE : GL1NG1-08/09/10



Disposable Overshoes

- Anti-slip textured surface at the bottom
- Ideal for protecting carpets and flooring
- Helps to reduce virus transmission
- 50 pairs per pack

STOCK CODE : GL2LD15-07/08/09/10/11-CV19



Disposable Hooded Coveralls Type 5/6

- Strong and robust providing excellent chemical barrier
- Freedom of movement
- Elasticated hood, back, wrist and ankles
- Available in White / Orange

STOCK CODE : BL3DX561-02-M/L/XL/2XL-CV19

STOCK CODE : SDT200-M/L/XL/2XL - TYVEK

On-Shoe Automatic Overshoe Dispenser

- Easy one step application, hands free, neat and compact design
- Complete with 110 overshoes
- Improves hygiene, cleanliness, reducing germs and infections

STOCK CODE: BL3DSD3



>> First Aid and Emergency Equipment

Thermometer

Non-Contact Infrared Thermometer

Large backlit LCD Display

One Press Operation

Measuring Distance 3-5cm

Temperature Measuring Range 34.0°C – 42.0°C

Accuracy of 0.1°C



*Requires 3 x AAA batteries (not included – code LA3LR03)

STOCK CODE : TM2MR1-CV19

HSE First Aid Kit

50 Person HSE Approved Kit including:

- No 16. eye dressing x 6
- 12cm x 12cm medium dressing x 12
- 18cm x 18cm large dressing x 4
- Elite wash proof plasters, pack of 20 x 3
- Non-woven triangular bandage x 8
- Nitrile disposable gloves, pair x 3
- HSE guidance leaflet x 1
- Moist cleansing wipes, singles x 20
- Assorted safety pins, pack of 6 x 2
- Plastic box, dark green: 270mm x 340mm x 100mm



10 and 20 person kits also available

STOCK CODE : FA3L50

Heartsine Defibrillator Pad

- One PAD-Pak™ combined battery and electrode cartridge
- 4yr shelf time and 8yr warranty
- Carry case (yellow/blue)
- User manual, quick reference card
- Easy-to-use: two-button operation with clear and simple voice and visual prompts
- Easy to maintain with combined battery and electrode cartridge
- Fastest time to first shock delivery: Heartsine defibrillators have a charging time of just 8 secs
- Highest industry IP rating of IP56, providing protection against dust and water ingress



Delivers a lifesaving shock in more cases than other defibrillators, the impedance operating range of the Heartsine devices is 25–230ohms



STOCK CODE : FA6HD3 – fully automated

STOCK CODE : FA6HD1 – with CPR advisor

>> Canteen Consumables

Triple Walled Cups

- 12 oz Premium cup - no need for clutch sleeves
- Made from sustainable paper
- Available with lids

STOCK CODE : CE3TWC12



Compostable Single Walled Paper Cups

- Made from sustainably sourced paper providing superior levels of insulation
- Internal bioplastic lining derived from a natural and renewable resource
- 100% biodegradable and compostable. **In just 6-8 weeks our paper cups can be turned into plant fertiliser (in composting environment)**
- Available with lids

STOCK CODE : CE3SBC8 (8oz) and CE3SBC12 (12 oz)



1 Ply C-Fold Hand Towels

Economical 1-ply hand towels
230 x 250mm - Green
Use with dispenser DS0957
Pack of 2520

STOCK CODE : HT1101



2 Ply Deluxe C-Fold Hand Towels

Soft, super-absorbent 2-ply hand towels
230 x 305 mm - White
Use with dispenser DS0957
Pack of 2520

STOCK CODE : HT8395



Canteen Consumables

Disposable Plates

23cm
Pack of 100



STOCK CODE : CE3PP2

STOCK CODE : CE3DCK2 - Knife

STOCK CODE : CE3DCF1 - Fork



Plastic Knives, Forks, Dessert Spoons and Teaspoons

100 per pack

STOCK CODE : CE3DS3 - Dessert Spoon

STOCK CODE : CE3DCT4 - Teaspoon

>> Canteen Consumables


Disposable Cutlery (Wooden)

- Biodegradable Cutlery made from Birchwood
- 100% FSC
- Pk 1000

STOCK CODE: (Spoon) CE3DCWS1

STOCK CODE: (Knife) CE3DCWK1

STOCK CODE: (Fork) CE3DCWF1



STOCK CODE: (Teaspoon) CE3DCWT1

>> Waste and Recycling

PPE Recycling

Collection service of 1 x 240L wheeled bin containing PPE for recycling (with lid and signage)

- Reduce waste to landfill by diverting to commercial recycling centers
- Save space on site
- Keep premises neat and tidy to reduce any health risk

STOCK CODE : RC1PPE-240L - Bin

STOCK CODE : RC1PPE-COL - Collection



>> Physical Distancing Devices

ZoneRangerHub Updating and Charging Station

- Used in conjunction with the physical distancing device
- RangerHub is used to charge and update the physical distancing devices when necessary
- Comes in multiple different sizes and can charge up to 100 devices at one time

Note: Optional – comes with physical distancing devices or without.

STOCK CODE: (60) ZRH60 (Without devices)

STOCK CODE: (40) ZRH40 (Without devices)



STOCK CODE: (20) ZRH20

STOCK CODE: (60) ZRH6060

STOCK CODE: (40) ZRH4040

STOCK CODE: (20) ZRH2020

ZoneRanger Physical Distancing Device

- Used in conjunction with the ZoneRangerHub charging stations
- Wearable device that monitors for other devices nearby
- Warns the wearer with an audible alarm, LED warning Light and vibration
- 10-hour battery life
- Can be used in conjunction with several accessories (see below)



STOCK CODE: ZRWD1

STOCK CODE: ZRWD20

ZoneRanger Accessories

- Used in conjunction with the ZoneRanger physical distancing devices
- Simple and effective ways of wearing your device



STOCK CODE: ZRAWS1 (Wrist Strap)

STOCK CODE: ZRACL1 (Garment Clip)

STOCK CODE: ZRALY1 (Lanyard)

STOCK CODE: ZRACL2 (Helmet Clip)

Resources

Construction Leadership Council Site Operating Procedures – Version 5 Updated 1st July 2020

Government Guidance: Working Safely during Coronavirus (COVID-19)

Government Guidance: Coronavirus (COVID-19)

Government Guidance: COVID-19 and PPE

BUILD UK: Coronavirus – Impact on Construction

HSE: Working safely during the coronavirus outbreak

HSE: RIDDOR reporting of COVID-19

CITB-CC01: COVID-19 – Site operating procedures compliance checklist

CITB-CC02: COVID-19 – Health, safety and environmental risk assessment template

CITB-CC03: COVID-19 – A toolbox talk for construction workers

CITB-CC04: COVID-19 – Weekly site operating procedures checklist

Considerate Constructor – Best Practice Portal: Coronavirus

FIS Knowledge Hub – Health and Safety

Customer Support Team:
Tel: 01293 744 444
hello@onsite-support.co.uk
www.onsite-support.co.uk