Warm Weather Product Catalogue



Beating the Heat: Essential Safety Tips for Construction Workers in the warm weather

Know the signs of heat exhaustion and heatstroke

Symptoms of heat exhaustion include heavy sweating, weakness, dizziness, nausea, and headache. If left untreated, heat exhaustion can progress to heatstroke, which is a medical emergency. **Symptoms of heatstroke** include a high body temperature, confusion, seizures, and loss of consciousness. If you or a coworker experience any of these symptoms, seek medical attention immediately.

Working in construction during the warmer weather poses a number of risks to site workers, as high temperatures, humidity and direct sunlight can lead to heat exhaustion, dehydration and sunburn. It is important for workers to take extra precautions to protect themselves from these hazards. Warnings, such as safety signage, should be given to site workers, where high temperatures may be found. Further measures should be put in place to prevent the negative effects of warm weather working Continue reading to find out how you can help your team stay safe and protected this summer.

Choosing Appropriate PPE

One of the most effective ways to stay safe in the summer is to wear appropriate personal protective equipment (PPE). When working outside in the heat, it is important to wear lightweight, breathable clothing that covers as much skin as possible.

When choosing your PPE, you should look for garments made from moisture wicking materials. These fabrics are designed to pull moisture away from the skin, keeping workers cool and dry. Some examples of wicking materials include synthetic fabrics, such as: polyester, nylon and spandex. These materials are lightweight, breathable and easy to move in.

- Moisture-wicking clothing does not absorb or retain moisture.
- Quick-drying garments move moisture to the surface and dry fast
- Breathable clothing allows air to flow through, preventing heat buildup and excessive sweating..





Protecting Your Skin

Sun exposure can present significant health risks to construction workers. Prolonged exposure to the sun's harmful ultraviolet (UV) rays can result in sunburn, skin cancer, and other skin damage. For individuals who spend extended periods outdoors, protecting their skin from the sun is crucial.

To prevent sun damage, it is vital to wear protective clothing like long-sleeved shirts, long trousers, and wide-brimmed hats. Additionally, using sunscreen with an SPF of 30 or higher on exposed skin is essential. Workers should aim to reapply sunscreen every two hours for optimal protection.

Staying Cool & Hydrated

Working on construction sites can be physically and mentally strenuous, especially during the summer. It's crucial to stay cool and hydrated to prevent heat exhaustion and heatstroke. Here are some tips to help you stay safe and comfortable:

Stay hydrated: Drink water regularly throughout the day, even if you're not thirsty. By the time you feel thirsty, you might already be dehydrated. Carry a water bottle and take regular breaks to refill it.

Take breaks in shaded areas: Opt for shaded spots during breaks to avoid direct sunlight. If shade is scarce, create your own using umbrellas or tarps.

Avoid caffeine and alcohol: These beverages can dehydrate your body, making it challenging to stay cool and hydrated. Stick to water, sports drinks, or other non-alcoholic and non-caffeinated options.

The following contents are a selection of our most popular solutions. Please contact us for more options and alternatives.









CONTENTS

High Visibility Clothing	4
Eye and Neck Protection	10
Footwear & Gloves	11
Corporate Workwear	12
Skin Protection	13
Canteen Equipment	14
Site Office Equipment	16
Vacuums	17
Water Distribution and Fittings	18
Signage	20

LEO BRAUNTON ISO 20471 Class 2 COOLVIZ **ECOVIZ T-Shirt**

- Wicking polyester fibers channel moisture away from the body
- 100% ECOVIZ recycled Polyester
- · Other sizes available on request



LEO LARKSTONE ISO 20471 Class 2 **COOLVIZ Plus T-Shirt**

- Mesh ventilated under-arms & side seams
- · Segmented reflective tape
- Split-hem with extended back
- Other sizes available on request



LEO CAPSTONE ISO 20471 **Class 3 COOLVIZ Plus Sleeved T-Shirt**

- Segmented reflective tape
- · Split-hem with extended back • Mesh ventilated under-arms &
 - side seams
- request



LEO WATERMOUTH ISO 20471 Class 3 COOLMAX® **Sleeved T-Shirt**

Orange

S-4XL

- Split-hem design with extended back
- Modern blade collar with YKK® plastic stud fastened placket
- Segmented reflective tape

VS3CPT3-04



LEO BARRICANE ISO 20471 Class 3 **COOLVIZ Plus Sleeved Polo Shirt**

- Segmented reflective tape
- Split-hem design
- Mesh-ventilated under arms & side seams
- Other sizes available on request



LEO WOLLACOMBE ISO 20471 Class 2 **COOLVIZ Plus Polo** Shirt

- Segmented reflective tape
- Split-hem design
- Mesh-ventilated under-arms & side seams
- · Other sizes available on request



LEO WOOLSERY ISO 20471 Class 3 COOLVIZ ECOVIZ **Sleeved Polo Shirt**

- Split-hem design
- 100% ECOVIZ Recycled Polyester
- Other sizes available on request



LEO ROCKHAM ISO 20471 Class 2 COOLVIZ ECOVIZ Polo Shirt

- Split-hem design
- 100% ECOVIZ Recycled Polyester
- · Other sizes available on request



S-4XL

Yellow

VS2EVP2-03

LEO YELLAND ISO 20471 Class 1 Lightweight **Cargo Trousers**

- Triple stitched main seams
- Functional pockets
- 7 belt loops, with side waist elastication
- Metal button fastener and YKK® zip fly
- Water and stain-resistant finish



LEO Lundy ISO 20471 Class 2 **High Performance Breathable and** Waterproof

- · 2 hand pockets with waterproof zips
- Large cargo pocket with snap fastened flap
- Lower leg zip opening & cordura reinforced ankle panels
- Elasticated waist with toggle adjustment



(RIS-3279 -TOM ISSUE 1) (EN ISO 20471 CLASS 2)		
Code	Colour	Size
L20-04	Orange	S-XL
L20-03	Yellow	S-3XL

<u>0</u>

SAFETY AND CLOTHING

USSUE 1 CLASS 1		
Code	Colour	Size
VS3WCY30-03	Yellow	28-48
VS3WCO30-04	Orange	28-48

RIS-3279 EN ISO

LEO MARISCO ISO 20471 Class 3 **High Performance** Breathable and Waterproof Anorak

- · Intelligent close fit with waterproof YKK zip & full-length mini storm flap
- Detachable 2- way adjustable hood with reinforced hood visor
- Large hand pockets with stud fastened flaps
- Chest pocket with waterproof zip

Yellow

• Folded gusset cuff adjuster

 \swarrow

RIS-3279 -TOM

Code

A20-04

A20-03



S-3XL



High Visibility Clothing

Ο

LEO HONEYCHURCH ISO 20471 Class 3 Womens EcoViz Stretch Breathable Coverall

- Two garments zipped together at the waist
- Can be worn as a coverall or separate jacket and overtrouser.
- Mechanical stretch outer fabric and elasticated waistband
- Mesh-lined with 2 internal drop pockets and 1 internal zip pocked
- Reinforced knees with lower-leg zip opening with velvro fastened flap

RIS-3279 -TOM EN ISO 20471 Code Colour Code Colour CVL03-04 Orange

LEO LILLY ISO 20471 Class 3 Women's COOLVIZ Ultra Long Sleeve Modesty Tunic

- Segmented reflective tape
- Elastic button loop fastener
- Hydrophobic and inherently anti-microbial fabric
- Other sizes available on request



LEO CHERISTOW ISO 20471 Class 3 Womens EcoViz Breathable Anorak

- Internal large secured storage pocket & zip-fastened wallet pocket
- Velcro[®] fastened front pockets with reflective tipping
- Lycra storm cuff
- Hood in collar
- Shaped drop back
- Retromax[®] reflective tape
- Made from recycled post-consumer clothing
- 300D PU coated polyester EN 343 4,1



LEO YARNACOTT ISO 20471 Class 2 COOLVIZ Ultra Women's Maternity Long Sleeve Polo Shirt

- Elasticated side seams and split hem design
- Segmented reflective tape
- 100% Hydrophobic polyester



LEO POLLYFIELD ISO 20471 Class 2 COOLVIZ Ultra Women's Sleeved Polo Shirt

- Segmented reflective tape
- Split-hem design
- 100% Hydrphobic polyester
- Other sizes available on request



LEO PIPPACOTT ISO 20471 Class 2 COOLVIZ Plus Women's Polo Shirt

- Segmented reflective tape
- Inherently anti-bacterial fabric
- 100% Hydrophobic Polyester
- Other sizes available on request



Bollé CONTOUR II Safety Glasses

- Ultra-lightweight (21g) with thin TIPGRIP temples for better support
- Anti-scratch and anti-fog PLATINUM coating
- Nylon rubber half frame
- UVA and UVB Protection
 Smoke Only



Code	Description
CONTPSI	Clear
CONTPSF	Smoke
CONTESP	CSP

Bollé RUSH+ Safety Glasses

- Panoramic field of vision
- Upper protection and Single-lens frame
- Non-slip nose bridge and Bi-material temples for more comfort
- UVA and UVB Protection Smoke



Code	Description
SP2RP1	Clear
SP2RP2	Smoke
SP2RP3	Twilight
SP2RP4	CSP

Bollé RUSH+ Small Safety Glasses

- Specially designed for narrow faces
- Panoramic field of vision
- Non-slip nose bridge and Bi-material, ultra-flexible temples
- UVA and UVB Protection -Smoke Only



OnSite Wraparound Clear Lens Safety Glasses

• Lightweight, rimless design with an ultra-wraparound fit



UPF50 Neck Cape Hi-Vis Orange

- Offers UV50 protection
- Waterproof
- Flame retrdant



SAFETY AND CLOTHING


0

VT201 Agile Safety Trainer

- Breathable mesh upper with rubber anti-slip sole
- Strong toe cap
- Cushioned footbed with comfortable insole
- Pierce-resistant midsole, abrasion resistant toe & heel material

V12 Lynx IGS Waterproof Breathable Hiker Boot

- Lightweight composite midsole and toecap
- Incredibly light and comfortable
- Shock-absorbing, reinforced heel
- IGS sole unit provides superior grip and stability





Code	Colour	Size
V2140	Black	6-13
V2130	Brown	6-13
V2120	Honey	6-13

TRAFFI TG6240 Microdex LXT Cut Level E Nitrile Coated Gloves

- LXT Treatment for water, oil, dirt resistance and reduced staining
- Reinforced thumb crotch for enhanced protection and longevity
- Unrivalled levels of dexterity and comfort



Nitrile Coated Nylon Cut Level 1 Safety

- Lightweight Nitrile foam coated glove
- Knitted nylon & spandex liner
- Palm dipped coating
- Ergonomic fitted design



STALSEN RAYZA Cut Level E PU Coated Gloves

- High performance cut resistant liner with durable PU Coating
- Ultra-lightweight with excellent dexterity



For more information, call 01293 744 444 or email sales.support@onsite-support.co.uk

Premium Weight Polo Shirt

- Knitted rod design collar and cuffed sleeves, half-moon yolk taped neckline
- Triple stitched on all main seams
- Other sizes and colours available on request
- Size may vary across colours.



Code	Colour	Size
PS5-01	Black	XS-6XL
PS5-02	White	XS-5XL
PS5-05	Navy	XS-6XL
PS5-16	Ash Grey	XS-5XL

Premium Weight Women's Polo Shirt

- Knitted collar with rod design and padded, taped neckline
- Triple stitched on all main seams
- Other sizes and colours available on request



$(\widetilde{1})$		
Code	Colour	Size
PS7-01	Black	L8 -
PS7-02	White	L8 -
PS7-05	Navy	L8 -

L22 L22 L22

Regatta Honestly Made Recycled Polo

- Made from 100% recycled polyester
- Anti-bacterial finish and excellent moisture wicking performance



Code	Colour	Size
TRS196-01	Black	S-2XL
SW5-05	Navy	XS-4XL

Classic Mediumweight T-Shirt

- 100% ringspun cotton, fine-gauge knit
- Twin-needle stitching at neck, sleeves and hem
- Taped neckline
- Other sizes available on request
- Size may vary across colours
- Other sizes and colours available on request



Code	Colour	Size
CTS2-01	Black	XS-5XL
CTS2-02	White	XS-4XL
CTS2-05	Navy	XS-5XL

DEB STOKO® Sun Safety Board

- · Sun safety board fitted with Sun Protect dispenser, mirror, and cards and holder to display the daily local UV index level
- · Cartridge not inlcuded Suits DEB STOKO® Protect Pure



DEB STOKO® Stokoderm[®] Sun **Protect Dispenser**

- · Plastic wall mounted dispenser
- Cartridge not included



8

3-5 6-7 8-10 11+

ov sees 1-2

ł

Code	Size
CJ3DDD1	1ltr
CJ3DSK2	Spare Key for 1ltr Dispensers







DEB STOKO® Stokoderm[®] Sun Protect 50 PURE

- Protects against UVA and UVB sun rays and UVC rays created during industrial processes such as arc welding
- · Water resistant and non-greasy



DEB STOKO® Stokoderm[®] Protect **Barrier Hand Cream Refill Cartridge**

- Suitable for use in most workplaces to protect against light to moderate exposure to oil and water-based substances
- Product is a skin moisturiser and is suitable for use with latex, vinyl and nitrile gloves
- Suitable for food facilities

CJ3DDP1 1ltr \mathbf{O}

0



Water

- Simple, sturdy, reliable and high-performance water cooler
- DryGuard™ sealed no spill system with removable reservoir and drip tray
- Easy clean smooth surface

Code	Description
CE7WC-110NEW	110V
CE7WC-110RC	110V Reconditioned
CE7WC-240NEW	240V
CE7WC-240RC	240V Reconditioned


Bottled Water for Water Cooler Dispensers

- Minimum order of 5 bottles with a deposit to be paid on each bottle
- Deposit returned when bottle is returned





Bottled Water





Cano Water Still Resealable Can

- Case of 12 cans
- Packaged in 500ml resealable aluminium cans
- · Cano Water is an alternative to single-use plastic bottles
- Filled with pure quality water from UK springs
- Sourced and canned in the UK



Water Cooler Site Starter Kit

 40v Cooler, 10 x 15ltr water, cleaning kit and cup holder



15 Litre Pure English Spring Water -Recyclable Bottle


 100% recyclable plastic bottles made with 50% recycled plastic and suitable for standard water coolers. Our bottles are BPA free and widely recyclable



Squash

• Great tasting double strength fruit squash with no artificial colours or flavours





Biodegradable & Compostable Single Walled Paper Cups

- 100% biodegradable & compostable in just 6 8 weeks
- Internal bioplastic lining derived from a natural & renewable source
- Made from sustainably sourced paper which provides superior levels of insulation



240V Table Top Fridge

- Door shelf, adjustable fridge shelf, adjustable thermostat and adjustable feet
- Electronic control and sensor



Code	Size	
CE7TF1	440 x 520mm	

Undercounter Fridge

- Two door balcony shelves, two glass shelves
- Net capacity 92ltr



SITE WELFARE

Portable Air Conditioning Unit

- 12hr timer, remote control and two fan speeds
- 18°-35°C temperature range with an air flow of 300m³/hr
- Swivelling caster wheels with 1.5m exhaust hose



Code	Description
CE8AC9	1100WATT / 9000 BTU

Pedastal Fan

• Three speed settings, oscillation and tilt gives ultimate control of airflow

> Description 16" / 400mm - 230V

CE8PF16

• Adjustable height



Oscillating Tower Fan

• Three speed setting and oscillation gives ultimate control of air flow



Code	Description	
CE8TF30	29" / 735mm - 230V	

Desk Fan

• Three speed settings, oscillation and tilt gives ultimate control of air flow



Code	Description
CE8DF12	12" / 300mm - 230V

V-Tuf M-Class Vacuum Cleaner/ Extractor 21ltr

- 99.99% filtration efficiency
- Dry extraction only can be connected to a power tool for extraction
- 5m cable length
- Extractor and accessories included



Code	Description
MO6MV2-110	110V
MO6MB3	Pack of 10 18ltr Vacuum Bags

V-Tuf M-Class Vacuum Cleaner/Extractor 15ltr

- 99.99% filtration efficiency
- Dry extraction only can be connected to a power tool for extraction
- 5m cable length
- Extractor and accessories



V-Tuf H-Class Industrial Vacuum Cleaner and Extractor 21ltr

- 99.995% filtration efficiency
- Dry extraction only with 60ltr/second airflow
- 8.5mtr cable length
- Extractor and accessories included
- Lightweight at only 10kg and quiet at only 60dB



Code	Description
MO6HV2-110	110V
MO6HV2-240	240V
MO6MB3	Pack of 10 18ltr Vacuum Bags

0

0

SITE EQUIPMENT

Water Distribution and Fittings

Hard-wearing, abrasion resistant hose pipe

• UV stabilised, reinforced and crush resistant whilst remaining flexible

ALL R. M. BREAK CO. CO. CO. C.).
The second	

x 25mtr
x 50mtr
25mtr
50mtr
50mtr
100mtr

Thru-Flow Hose Reel

- Thru-flow hose reel holds 50 metres x 13mm garden hose
- Requires 2x HC6JK312 connectors (sold separately)



Quick Fix Female Waterstop Hose Connector

- Castle grip hose clamp with three holding clips
- Compatible with 13mm hose



Reinforced Garden Hose

• Flexible, reinforced garden



Code	Size
HO1G15	13mm x 15mtr
HO1G30	13mm x 30mtr
HO1G50	13mm x 50mtr

Hose Connector

 Plastic connector for joining or repairing 13mm garden hose



Quick Fix Threaded Tap Connector

- Threaded tap connector with male connector and rubber O-ring
- Compatible with 13 and 19mm hose



HC6JK14

Quick Fix Double Male Connector

- Universal double male connector with rubber O-rings
- Compatible with 13mm hose



Code	Size
HC6JK8	13mm

Universal Hose/Tap Connector

- Designed for round or oval spout taps, 18mm max diameter
- Fitting is sealed to the tap by tightening the stainless steel clip



Oscillating Sprinkler

- Variable setting 15 hole sprinkler covers up to 250m² at water pressure of 100psi
- Suits all snap lock connectors



Quick Fix 6 Dial Deluxe Spray Gun

- Zinc body with ergonomic grip and trigger control water flow
- Comes with universal male adaptor
- Six different water patterns, locking and adjustable



Pressure Sprayer With Wand

• Plastic bottle with hand pump and hose attached to a metal trigger operated lance



Water Butt comes with Tap and Lid

- Standard water butt with tap and lid
- Suitable for commercial or domestic use



Pressurised Dust Suppression Bottle

- Designed for dust suppression applications, to be used in conjunction with all standard petrol cut off saws
- Standard hose lock style fitting, shoulder strap, and pump handle which doubles as a carry



Water Butt Stand

 Plastic water butt stand to suit WB1P50 water butt



Jubilee Clamp

• Standard metal Jubilee



Code	Size
JU2A00	12 -20mm
JU4A0X	16 - 27mm
JU5A1A	20 - 32mm
JU7A1X	25 - 40mm
JU8A2A	32 - 50mm
JU9AA3	50 - 70mm
JU9AA4	70 - 90mm


Galvanised Watering Can

- Standard galvanised watering can with top and rear handle
- Ideal for pouring hot tar



0

0



Code	Size
14482G	300mm X 100mm

Ο



Code 4564

600mm X 450mm

everybody matters

onsite-support.co.uk hello@onsite-support.co.uk 01293 744 444

